


TAPERED POLY CAPS & PLUGS

FOR MIL STD. & SAE TUBE/FITTINGS



FOR THREADED NPT FITTINGS



**CHROMATE[®]
INDUSTRIAL CORP.**

TAPERED POLY C

FEATURES

- Can be used as either caps or plugs
- Non threaded
- Tapered in design and made from highly pliable (or flexible) polyethylene
- Can be applied to fit snugly but are readily removable... whether used for capping or plugging
- Assortment available (P/N 17698) see rear cover for details



APPLICABLE SPECS

- MIL-C-5501/7 (MIL-C52078)
- NAS-834

APPLICATIONS

- SAE-type tube
- SAE-type hydraulic fittings
- Threaded external NPT fittings
- Threaded internal NPT fittings
- Unthreaded standard weight pipe

DESCRIPTION	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	P/N
<i>T-00 TAPERED POLY CAP/PLUG</i>	0.116	0.182	0.053	0.12	0.38	0.31	39887
<i>T-00S TAPERED POLY CAP/PLUG</i>	0.14	0.18	0.088	0.109	0.22	0.31	39888
<i>T-00X TAPERED POLY CAP/PLUG</i>	0.145	0.205	0.079	0.15	0.38	0.41	39889
<i>T-0 TAPERED POLY CAP/PLUG</i>	0.173	0.24	0.111	0.177	0.38	0.38	39890
<i>T-0X TAPERED POLY CAP/PLUG</i>	0.184	0.255	0.113	0.172	0.38	0.38	39891
T-1 TAPERED POLY CAP/PLUG	0.236	0.0302	0.174	0.24	0.38	0.44	39892
T-2 TAPERED POLY CAP/PLUG	0.299	0.365	0.235	0.302	0.38	0.5	39893
<i>T-2S TAPERED POLY CAP/PLUG</i>	0.325	0.367	0.263	0.305	0.19	0.5	39894
T-2X TAPERED POLY CAP/PLUG	0.33	0.396	0.267	0.333	0.38	0.53	39895
T-3 TAPERED POLY CAP/PLUG	0.361	0.427	0.298	0.365	0.38	0.56	39896
<i>T-3X TAPERED POLY CAP/PLUG</i>	0.39	0.456	0.327	0.394	0.38	0.59	39897
T-4 TAPERED POLY CAP/PLUG	0.419	0.485	0.356	0.422	0.38	0.63	39898
<i>T-4X TAPERED POLY CAP/PLUG</i>	0.447	0.513	0.385	0.451	0.38	0.66	39899
T-5 TAPERED POLY CAP/PLUG	0.471	0.547	0.409	0.485	0.44	0.69	39900
<i>T-5X TAPERED POLY CAP/PLUG</i>	0.5	0.576	0.44	0.516	0.44	0.72	39901
<i>T-5S TAPERED POLY CAP/PLUG</i>	0.533	0.562	0.477	0.506	0.22	0.88	39902
T-6 TAPERED POLY CAP/PLUG	0.532	0.608	0.468	0.545	0.44	0.75	39903
T-6X TAPERED POLY CAP/PLUG	0.55	0.631	0.487	0.568	0.47	0.75	39904
<i>T-6S TAPERED POLY CAP/PLUG</i>	0.554	0.612	0.49	0.551	0.31	0.75	39905
T-7 TAPERED POLY CAP/PLUG	0.58	0.667	0.518	0.605	0.5	0.81	39906
<i>T-7X TAPERED POLY CAP/PLUG</i>	0.61	0.695	0.549	0.634	0.5	0.84	39907
<i>T-8 TAPERED POLY CAP/PLUG</i>	0.64	0.727	0.578	0.664	0.5	0.88	39908
<i>T-8S TAPERED POLY CAP/PLUG</i>	0.669	0.694	0.613	0.638	0.19	0.75	39909
T-8X TAPERED POLY CAP/PLUG	0.675	0.755	0.613	0.693	0.5	0.88	39910
T-9 TAPERED POLY CAP/PLUG	0.69	0.788	0.628	0.726	0.56	0.94	39911
T-9X TAPERED POLY CAP/PLUG	0.725	0.823	0.663	0.761	0.56	0.97	39912
<i>T-9S TAPERED POLY CAP/PLUG</i>	0.74	0.765	0.678	0.703	0.19	0.88	39913
T-10 TAPERED POLY CAP/PLUG	0.75	0.848	0.687	0.785	0.56	1	39914
T-11 TAPERED POLY CAP/PLUG	0.802	0.911	0.74	0.849	0.63	1.06	39915
<i>T-11X TAPERED POLY CAP/PLUG</i>	0.815	0.93	0.753	0.868	0.63	1.09	39916
<i>T-15A TAPERED POLY CAP/PLUG</i>	0.836	1.305	0.777	1.247	1.06	1.43	39917
<i>T-11S TAPERED POLY CAP/PLUG</i>	0.837	0.89	0.757	0.81	0.22	1.05	39918
<i>T-12 TAPERED POLY CAP/PLUG</i>	0.866	0.975	0.803	0.912	0.63	1.13	39919
T-12X TAPERED POLY CAP/PLUG	0.915	1.04	0.855	0.98	0.69	1.16	39920
<i>T-13A TAPERED POLY CAP/PLUG</i>	0.96	1.047	0.9	0.987	0.5	1.19	39921
T-13 TAPERED POLY CAP/PLUG	0.964	1.09	0.901	1.027	0.75	1.25	39922
<i>T-13X TAPERED POLY CAP/PLUG</i>	0.995	1.145	0.933	1.083	0.75	1.31	39923
<i>T-14 TAPERED POLY CAP/PLUG</i>	1.094	1.215	1.031	1.152	0.75	1.41	39924
<i>T-16A TAPERED POLY CAP/PLUG</i>	1.14	1.42	1.085	1.358	0.81	1.56	39925
<i>T-14X TAPERED POLY CAP/PLUG</i>	1.175	1.284	1.113	1.222	0.63	1.44	39926
<i>T-15 TAPERED POLY CAP/PLUG</i>	1.224	1.355	1.161	1.292	0.75	1.5	39927
T-15X TAPERED POLY CAP/PLUG	1.235	1.36	1.173	1.298	0.81	1.5	39928
<i>T-17A TAPERED POLY CAP/PLUG</i>	1.239	1.507	1.169	1.437	0.75	1.63	39929
<i>T-15S TAPERED POLY CAP/PLUG</i>	1.285	1.346	1.227	1.288	0.38	1.47	39930
<i>T-16 TAPERED POLY CAP/PLUG</i>	1.312	1.465	1.249	1.402	0.88	1.63	39931
<i>T-16S TAPERED POLY CAP/PLUG</i>	1.395	1.465	1.345	1.405	0.39	1.59	39932
<i>T-20A TAPERED POLY CAP/PLUG</i>	1.44	1.895	1.378	1.833	1.28	2.06	39933
<i>T-17 TAPERED POLY CAP/PLUG</i>	1.447	1.6	1.384	1.537	0.88	1.75	39934
T-17S TAPERED POLY CAP/PLUG	1.513	1.6	1.451	1.537	0.5	1.75	39935
<i>T-18 TAPERED POLY CAP/PLUG</i>	1.56	1.682	1.498	1.62	0.75	1.88	39936
<i>T-18X TAPERED POLY CAP/PLUG</i>	1.63	1.75	1.568	1.688	0.75	1.94	39937
<i>T-21A TAPERED POLY CAP/PLUG</i>	1.738	2.163	1.668	2.093	1.18	2.31	39938
<i>T-19 TAPERED POLY CAP/PLUG</i>	1.75	1.88	1.688	1.818	0.75	2	39939
<i>T-20 TAPERED POLY CAP/PLUG</i>	1.78	1.95	1.718	1.888	1	2.13	39940
<i>T-20S TAPERED POLY CAP/PLUG</i>	1.781	1.805	1.722	1.746	0.38	2	39941
<i>T-210 TAPERED POLY CAP/PLUG</i>	1.844	2	1.781	1.938	1	2.13	39942



Bold italic text = Non-stock item
Please allow for up to 2 weeks for delivery.

CAPS AND PLUGS

DESCRIPTION	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	P/N
T-21 TAPERED POLY CAP/PLUG	1.9	2.076	1.837	2.013	1	2.25	39943
T-22A TAPERED POLY CAP/PLUG	1.935	2.31	1.875	2.255	0.85	2.47	39944
T-220 TAPERED POLY CAP/PLUG	1.975	2.132	1.913	2.07	1	2.25	39945
T-22S TAPERED POLY CAP/PLUG	2.015	2.147	1.953	2.085	0.75	2.31	39946
T-221 TAPERED POLY CAP/PLUG	2.067	2.243	2.005	2.181	1	2.44	39947
T-25A TAPERED POLY CAP/PLUG	2.125	2.406	2.063	2.377	1	2.53	39948
T-230 TAPERED POLY CAP/PLUG	2.136	2.312	2.074	2.25	1	2.56	39949
T-24S TAPERED POLY CAP/PLUG	2.23	2.26	2.168	2.198	0.5	2.5	39950
T-240 TAPERED POLY CAP/PLUG	2.298	2.464	2.235	2.401	1	2.63	39951
T-33A TAPERED POLY CAP/PLUG	2.307	2.65	2.245	2.588	1.25	2.78	39952
T-250 TAPERED POLY CAP/PLUG	2.395	2.602	2.333	2.54	1.03	2.81	39953
T-43A TAPERED POLY CAP/PLUG	2.457	2.75	2.395	2.688	1	2.88	39954
T-33A1 TAPERED POLY CAP/PLUG	2.48	2.644	2.418	2.582	0.63	2.78	39955
T-43X TAPERED POLY CAP/PLUG	2.555	2.69	2.493	2.628	0.63	2.88	39956
T-44 TAPERED POLY CAP/PLUG	2.641	2.79	2.579	2.728	0.75	2.94	39957
T-45A TAPERED POLY CAP/PLUG	2.76	2.99	2.685	2.947	1	3.13	39958
T-500 TAPERED POLY CAP/PLUG	2.849	2.98	2.787	2.918	0.75	3.25	39959
T-53 TAPERED POLY CAP/PLUG	2.975	3.103	2.915	3.041	0.75	3.34	39960
T-55A TAPERED POLY CAP/PLUG	2.982	3.245	2.912	3.175	1	3.38	39961
T-96A TAPERED POLY CAP/PLUG	3.27	3.562	3.2	3.492	1.13	3.69	39962
T-501 TAPERED POLY CAP/PLUG	3.325	3.457	3.245	3.377	0.75	3.63	39963
T-1050 TAPERED POLY CAP/PLUG	3.47	3.6	3.41	3.54	0.75	3.88	39964
T-1051 TAPERED POLY CAP/PLUG	3.55	3.73	3.48	3.66	1	4	39965
T-1052 TAPERED POLY CAP/PLUG	3.68	3.8	3.61	3.73	0.75	4	39966
T-502 TAPERED POLY CAP/PLUG	3.79	3.92	3.71	3.84	0.75	4.12	39967
T-1063 TAPERED POLY CAP/PLUG	3.93	4.07	3.86	4	0.75	4.38	39968
T-1064 TAPERED POLY CAP/PLUG	4.02	4.14	3.94	4.07	0.75	4.53	39969
T-1067 TAPERED POLY CAP/PLUG	4.09	4.32	4.01	4.24	1.25	4.62	39970
T-1070 TAPERED POLY CAP/PLUG	4.27	4.43	4.18	4.34	0.88	4.88	39971
T-1072 TAPERED POLY CAP/PLUG	4.37	4.62	4.29	4.54	1	5	39972
T-1076 TAPERED POLY CAP/PLUG	4.64	4.85	4.57	4.78	0.88	5.25	39973
T-1078 TAPERED POLY CAP/PLUG	4.79	4.97	4.71	4.89	1	5.38	39974
T-1079 TAPERED POLY CAP/PLUG	4.91	5.09	4.83	5.01	1	5.5	39975
T-1080 TAPERED POLY CAP/PLUG	4.99	5.2	4.92	5.1	1	5.63	39976
T-1084 TAPERED POLY CAP/PLUG	5.18	5.36	5.11	5.29	1	5.88	39977
T-1086 TAPERED POLY CAP/PLUG	5.33	5.49	5.21	5.37	0.88	5.88	39978
T-1088 TAPERED POLY CAP/PLUG	5.47	5.62	5.39	5.54	1	6.13	39979
T-1090 TAPERED POLY CAP/PLUG	5.57	5.75	5.49	5.67	1	6.19	39980
T-1092 TAPERED POLY CAP/PLUG	5.7	5.87	5.61	5.79	0.98	6.25	39981
T-1097 TAPERED POLY CAP/PLUG	6.01	6.18	5.92	6.1	1	6.62	39982
T-1100 TAPERED POLY CAP/PLUG	6.18	6.35	6.09	6.26	1	6.75	39983
T-1103 TAPERED POLY CAP/PLUG	6.4	6.56	6.33	6.49	0.87	6.94	39984
T-1107 TAPERED POLY CAP/PLUG	6.61	6.71	6.53	6.63	1.5	7.19	39985
T-1108S TAPERED POLY CAP/PLUG	6.88	7.03	6.8	6.95	0.5	7.67	39986
T-1109 TAPERED POLY CAP/PLUG	7.05	7.12	6.97	7.06	1.04	7.63	39987
T-1110 TAPERED POLY CAP/PLUG	7.34	7.65	7.26	7.56	1	7.94	39988
T-1120 TAPERED POLY CAP/PLUG	7.66	7.84	7.58	7.76	1	8.12	39989
T-1128 TAPERED POLY CAP/PLUG	7.97	8.14	7.88	8.05	1	8.38	39990
T-1133 TAPERED POLY CAP/PLUG	8.15	8.35	8.05	8.25	1.38	8.75	39991
T-1137 TAPERED POLY CAP/PLUG	8.4	8.6	8.3	8.5	1.38	9	39992
T-1139 TAPERED POLY CAP/PLUG	8.67	8.73	8.55	8.6	1.5	9.13	39993
T-1142 TAPERED POLY CAP/PLUG	9.06	9.364	8.89	9.24	1.75	9.86	39994
T-1143 TAPERED POLY CAP/PLUG	10.79	11.098	10.62	10.91	1.75	11.6	39995
T-1146 TAPERED POLY CAP/PLUG	11.11	11.455	10.779	11.366	2	11.96	39996
T-1314 TAPERED POLY CAP/PLUG	12.79	13.138	12.48	12.923	2	13.64	39997

DIMENSIONS

(All dimensions in inches)



When PLUGGING
"B" Dim. must be at least 1% larger than hole to be plugged.
Minimum .020".



When CAPPING
"C" Dim. must be at least 1% smaller than diameter to be capped. Minimum .020".



Bold italic text = Non-stock item
Please allow for up to 2 weeks for delivery.

ASSORTMENT - P/N 17689

FEATURES

- Use as a cap or a plug
- Made from flexible low density polyethylene
- Fits snugly, yet removable
- Use on MIL Std., SAE type tube, hydraulic fittings, plus threaded external & internal NPT fittings
- 18 sizes
- 405 pieces
- Durable metal tray



TAPERED POLY CAPS AND PLUGS, RED



















FEATURES

- Use as a cap or a plug
- Made from flexible low density polyethylene
- Fits snugly, yet removable
- Use on MIL Std., SAE type tube, hydraulic fittings, plus threaded external and internal NPT fittings

P/N 17689



405

 <p>T-1 Tapered Poly Plug, Non-thread Plug Size: 0.302" Cap Size: 0.174" P/N 39892</p>	 <p>T-5 Tapered Poly Plug, Non-thread Plug Size: 0.547" Cap Size: 0.409" P/N 39900</p>	 <p>T-9 Tapered Poly Plug, Non-thread Plug Size: 0.788" Cap Size: 0.628" P/N 39911</p>	 <p>T-12X Tapered Poly Plug, Non-thread Plug Size: 1.040" Cap Size: 0.855" P/N 39920</p>
 <p>T-2 Tapered Poly Plug, Non-thread Plug Size: 0.365" Cap Size: 0.235" P/N 39893</p>	 <p>T-6 Tapered Poly Plug, Non-thread Plug Size: 0.608" Cap Size: 0.468" P/N 39903</p>	 <p>T-9X Tapered Poly Plug, Non-thread Plug Size: 0.823" Cap Size: 0.663" P/N 39912</p>	 <p>T-13 Tapered Poly Plug, Non-thread Plug Size: 1.090" Cap Size: 0.901" P/N 39922</p>
 <p>T-2X Tapered Poly Plug, Non-thread Plug Size: 0.396" Cap Size: 0.267" P/N 39895</p>	 <p>T-6X Tapered Poly Plug, Non-thread Plug Size: 0.631" Cap Size: 0.487" P/N 39904</p>	 <p>T-10 Tapered Poly Plug, Non-thread Plug Size: 0.848" Cap Size: 0.687" P/N 39914</p>	 <p>T-15X Tapered Poly Plug, Non-thread Plug Size: 1.360" Cap Size: 1.173" P/N 39928</p>
 <p>T-3 Tapered Poly Plug, Non-thread Plug Size: 0.396" Cap Size: 0.267" P/N 39896</p>	 <p>T-7 Tapered Poly Plug, Non-thread Plug Size: 0.667" Cap Size: 0.518" P/N 39906</p>	 <p>T-11 Tapered Poly Plug, Non-thread Plug Size: 0.911" Cap Size: 0.740" P/N 39915</p>	 <p>T-17S Tapered Poly Plug, Non-thread Plug Size: 1.600" Cap Size: 1.451" P/N 39935</p>
 <p>T-4 Tapered Poly Plug, Non-thread Plug Size: 0.485" Cap Size: 0.356" P/N 39898</p>	 <p>T-8X Tapered Poly Plug, Non-thread Plug Size: 0.755" Cap Size: 0.613" P/N 39910</p>	<p>TRAY FRONT</p>	

ASB-27

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

120112



EXCEPTIONAL PRODUCTS, SERVICE AND INNOVATIVE SOLUTIONS

5250-A Naiman Parkway . Solon . OH 44139

120112

1-800-BUY-BOLT . Fax: 631-567-2418 . www.chromate.com

LIT39887