

# TORX® Stainless Steel Security Screws

Button Head & Flat Head Machine Screws | Button Head & Flat Head Sheet Metal Screws



Pan Head 410 Stainless Steel Self Drilling Screws

 **CHROMATE**<sup>®</sup>  
INDUSTRIAL CORP.



# TORX® Stainless Steel Secu

## Button Head Machine Screws

### 18-8 Stainless Steel



- For general purposes. With a lower crown and shallower recess than round head screws.



Diameter	Length	Part No.	Driver Size
4-40	1/4	R 43800	T-8
	3/8	R 43801	
	1/2	R 43802	
	3/4	R 43803	
	1	R 43804	
6-32	1/4	R 43805	T-10
	3/8	R 43806	
	1/2	R 43807	
	5/8	R 43808	
	3/4	R 43809	
	1	R 43810	
	1-1/2	R 43811	
8-32	1/4	R 43812	T-15
	5/16	R 43813	
	3/8	R 43814	
	1/2	R 43815	
	3/4	R 43816	
	1	N 43817	
	1-1/4	N 43818	
	1-1/2	N 43819	
	1-3/4	N 43820	
2	N 43821		
10-24	3/8	R 43822	T-25
	1/2	R 43823	
	5/8	R 43824	
	3/4	R 43825	
	1	N 43826	
	1-1/4	N 43827	
	1-1/2	N 43828	
10-32	3/16	R 43829	T-25
	3/8	R 43830	
	1/2	R 43831	
	5/8	R 43832	
	3/4	R 43833	
	1	N 43834	
	1-1/4	N 43835	
1-1/2	N 43836		
1/4-20	1/4	N 43837	T-27
	3/8	N 43838	
	1/2	N 43839	
	5/8	N 43840	
	3/4	N 43841	
	1	N 43842	
	1-1/4	N 43843	
	1-1/2	N 43844	
	1-3/4	N 43845	
	2	N 43846	
2-1/2	N 43847		

## Button Head Sheet Metal Screws

### 18-8 Stainless Steel



- For general purposes. With a lower crown and shallower recess than round head screws.



Diameter	Length	Part No.	Driver Size
#6	1/2	R 43850	T-10
	3/4	R 43851	
	1	N 43852	
	1-1/2	N 43853	
	2	N 43854	
#8	3/8	R 43855	T-15
	1/2	R 43856	
	3/4	R 43857	
	1	N 43858	
	1-1/3	N 43859	
	1-1/2	N 43860	
#10	1/2	R 43861	T-25
	5/8	R 43862	
	3/4	R 43863	
	1	N 43864	
	1-1/4	N 43865	
#12	1-1/2	N 43866	T-27
	1/2	R 43867	
	3/4	R 43868	
	1	N 43869	
#14	1-1/4	N 43870	T-27
	1-1/2	N 43871	
	1/2	N 43872	
	3/4	N 43873	
	1	N 43874	
	1-1/4	N 43875	
1-1/2	N 43876		
2	N 43877		

## TORX® Security Insert Bits

### 1/4" Hex



Size	Screw Size	Part No.
T8	#4	B 83099
T9	#5 - #6	B 83091
T10	#6 - #8	B 83092
T15	#8 - #10	B 83093
T20	#8	B 83094
T25	#10 - #12	B 83095
T27	#12 - 1/4	B 83096
T30	#14 - 1/4	B 83097
T40	5/16 - 3/8	B 83098

## Flat Head Machine Screws

### 18-8 Stainless Steel



- Installs flush with metal surfaces or countersinks with softer materials for clean appearance.




Diameter	Length	Part No.	Driver Size
6-32	1/4*	R 43880	T-10
	3/8	R 43881	
	1/2	R 43882	
	3/4	R 43883	
	1	N 43884	
	1-1/2	N 43885	
8-32	1/4*	R 43886	T-15
	3/8	R 43887	
	1/2	R 43888	
	5/8	R 43889	
	3/4	R 43890	
	1	N 43891	
	1-1/4	N 43892	
	1-1/2	N 43893	
10-24	3/8	R 43895	T-20
	1/2	R 43896	
	5/8	R 43897	
	3/4	R 43898	
	1	N 43899	
	1-1/4	N 43900	
	1-1/2	N 43901	
10-32	3/8	R 43902	T-20
	1/2	R 43903	
	3/4	R 43904	
	1	N 43905	
	1-1/4	N 43906	
	1-1/2	N 43907	
12-24	1/2*	N 43908	T-25
	3/4	N 43909	
	1	N 43910	
1/4-20	3/8*	N 43911	T-27
	1/2*	N 43912	
	5/8	N 43913	
	3/4	N 43914	
	1	N 43915	
	1-1/4	N 43916	
	1-1/2	N 43917	
	1-3/4	N 43918	
	2	N 43919	
2-1/2	N 43920		

\* Undercut

## Flat Head Sheet Metal Screws

### 18-8 Stainless Steel



- Installs flush with metal surfaces or countersinks with softer materials for clean appearance.



Diameter	Length	Part No.	Driver Size
#6	1/2	R 43925	T-10
	5/8	R 43926	
	3/4	R 43927	
	1	R 43928	
	1-1/2	R 43929	
#8	1/2	R 43930	T-15
	5/8	R 43931	
	3/4	R 43932	
	1	R 43933	
	1-1/4	N 43934	
	1-1/2	N 43935	
	2	N 43936	
#10	1/2	R 43937	T-20
	3/4	R 43938	
	1	N 43939	
	1-1/4	N 43940	
#14	5/8	N 43942	T-30
	3/4	N 43943	
	1	N 43944	
	1-1/4	N 43945	
	1-1/2	N 43946	

## Pan Head Self Drilling Sheet Metal Screws

### 410 Stainless Steel



- Low profile large diameter head with a high-edged crown for increased strength.



Diameter	Length	Part No.	Driver Size
8-18	1/2	N 43950	T-20
	3/4	N 43951	
	1	N 43952	
	1-1/4	N 43953	
10-16	1/2	N 43954	T-25
	3/4	N 43955	
	1	I 43956	
	1-1/4	I 43957	
	1-1/2	I 43958	

# TORX® Stainless Steel Security Screw Assortments

TORX® Tamper Resistant (T/R) System is recognized as one of the most efficient fastening systems available because of its ability to transfer greater torque, reduce end load and virtually eliminate tool slippage. With more drive surface than Phillips and slotted screws, you can apply extra force without slipping.

- Tamper resistant security screws can save thousands of dollars lost to theft, vandalism, and unauthorized adjustments leading to waste or equipment damage.
- Designed so that the screw either cannot be removed when fixed or it requires a restricted access tool to remove it.
- **Machine Screws:** Uniformly-threaded screws that are designed to be threaded into uniformly threaded nuts or holes.
- **Sheet Metal Screws:** Designed for joining thin pieces of metal to wood, fiberglass or metal primarily through a pre-drilled or own generated hole in light gauge metal.
- **Self Drilling Screws:** Eliminate separate drilling and tapping operations for faster, more economical installations. Self Drilling Screws provide a sharp, clean, and consistent drill point, excellent thread engagement and holding power.
- Used in correctional institutions, hospitals, schools/universities, retail, public places.

## P/N 17670, Button Head TORX® S/S T/R Machine Screws

**CHROMATE INDUSTRIAL CORP.** BUTTON HEAD TORX® S/S T/R MACHINE SCREWS

**FEATURES**

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Uniformly threaded screws designed to be threaded into nuts or holes
- Sizes 6-32 to 1/4-20
- Insert Bits T10 to T27

**P/N 17670**

6-32 X 1/2 P/N 43807	8-32 X 1/2 P/N 43815	10-24 X 1/2 P/N 43823	10-32 X 1/2 P/N 43831	1/4-20 X 3/4 P/N 43841	T10 SECURITY INSERT BIT P/N 83092
6-32 X 3/4 P/N 43809	8-32 X 3/4 P/N 43816	10-24 X 3/4 P/N 43825	10-32 X 3/4 P/N 43833	1/4-20 X 1 P/N 43842	T15 SECURITY INSERT BIT P/N 83093
6-32 X 1 P/N 43810	8-32 X 1 P/N 43817	10-24 X 1 P/N 43826	10-32 X 1 P/N 43834	1/4-20 X 1-1/2 P/N 43844	T25 SECURITY INSERT BIT P/N 83095
6-32 X 1-1/2 P/N 43811	8-32 X 1-1/4 P/N 43818	10-24 X 1-1/2 P/N 43828	10-32 X 1-1/2 P/N 43836	1/4-20 X 2 P/N 43846	T27 SECURITY INSERT BIT P/N 83096

**CHROMATE INDUSTRIAL CORP.** • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

## P/N 17671, Flat Head TORX® S/S T/R Machine Screws

**CHROMATE INDUSTRIAL CORP.** FLAT HEAD TORX® S/S T/R MACHINE SCREWS

**FEATURES**

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Uniformly threaded screws designed to be threaded into nuts or holes
- Sizes 6-32 to 1/4-20
- Security Insert Bits T20 to T30

**P/N 17671**

8-32 X 1/2 P/N 43888	10-24 X 1/2 P/N 43896	10-32 X 1/2 P/N 43903	12-24 X 1/2 P/N 43908	1/4-20 X 1 P/N 43915	T20 SECURITY INSERT BIT P/N 83094
8-32 X 3/4 P/N 43890	10-24 X 3/4 P/N 43898	10-32 X 3/4 P/N 43904	12-24 X 3/4 P/N 43909	1/4-20 X 1-1/4 P/N 43916	T25 SECURITY INSERT BIT P/N 83095
8-32 X 1 P/N 43891	10-24 X 1 P/N 43899	10-32 X 1 P/N 43905	12-24 X 1 P/N 43910	1/4-20 X 1-1/2 P/N 43917	T30 SECURITY INSERT BIT P/N 83097
8-32 X 1-1/2 P/N 43893	10-24 X 1-1/2 P/N 43901	10-32 X 1-1/2 P/N 43907	1/4-20 X 3/4 P/N 43914	1/4-20 X 2 P/N 43919	EXPANSION

**CHROMATE INDUSTRIAL CORP.** • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

## P/N 17672, Button Head TORX® S/S T/R Sheet Metal Screws

**CHROMATE INDUSTRIAL CORP.** BUTTON HEAD TORX® S/S T/R SHEET METAL SCREWS

**FEATURES**

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Designed to join thin pieces of metal to wood, fiberglass or metal
- For general repair
- Sizes 6 to 14
- Insert Bits T10 to T27

**P/N 17672**

6 X 1/2 P/N 43850	8 X 3/8 P/N 43855	8 X 1-1/2 P/N 43860	10 X 1-1/2 P/N 43866	14 X 3/4 P/N 43872	T10 SECURITY INSERT BIT P/N 83092
6 X 3/4 P/N 43851	8 X 1/2 P/N 43856	10 X 1/2 P/N 43861	12 X 3/4 P/N 43867	14 X 1 P/N 43873	T15 SECURITY INSERT BIT P/N 83093
6 X 1 P/N 43852	8 X 3/4 P/N 43857	10 X 3/4 P/N 43863	12 X 1 P/N 43869	14 X 1 P/N 43874	T25 SECURITY INSERT BIT P/N 83095
6 X 1-1/2 P/N 43853	8 X 1 P/N 43858	10 X 1 P/N 43864	12 X 1-1/2 P/N 43871	14 X 1-1/2 P/N 43876	T27 SECURITY INSERT BIT P/N 83096

**CHROMATE INDUSTRIAL CORP.** • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

## P/N 17673, Flat Head TORX® S/S T/R Sheet Metal Screws

**CHROMATE INDUSTRIAL CORP.** FLAT HEAD TORX® S/S T/R SHEET METAL SCREWS

**FEATURES**

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Designed to join thin pieces of metal to wood, fiberglass or metal
- For general repair
- Sizes 6 to 14
- Insert Bits T15 to T30

**P/N 17673**

6 X 1/2 P/N 43925	8 X 1/2 P/N 43930	8 X 1-1/2 P/N 43935	10 X 1 P/N 43939	14 X 3/4 P/N 43943	T15 SECURITY INSERT BIT P/N 83093
6 X 3/4 P/N 43927	8 X 3/4 P/N 43932	8 X 2 P/N 43936	10 X 1-1/4 P/N 43940	14 X 1 P/N 43944	T20 SECURITY INSERT BIT P/N 83094
6 X 1 P/N 43928	8 X 1 P/N 43933	10 X 1/2 P/N 43937	10 X 1-1/2 P/N 43941	14 X 1-1/4 P/N 43945	T25 SECURITY INSERT BIT P/N 83095
6 X 1-1/2 P/N 43929	8 X 1-1/4 P/N 43934	10 X 3/4 P/N 43938	14 X 5/8 P/N 43942	14 X 1-1/2 P/N 43946	T30 SECURITY INSERT BIT P/N 83097

**CHROMATE INDUSTRIAL CORP.** • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

## P/N 17674, Pan Head TORX® 410 S/S T/R Self Drilling Screws

**CHROMATE INDUSTRIAL CORP.** PAN HEAD TORX® 410 S/S T/R SELF DRILLING SCREWS

**FEATURES**

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Eliminates separate drilling and tapping operations
- Provides sharp, clean and consistent drill point, excellent thread engagement and holding power
- Sizes 8-18 and 10-16
- Insert Bits T20 and T25

**P/N 17674**

8-18 X 1/2 P/N 43950	10-16 X 1/2 P/N 43954	10-16 X 1-1/2 P/N 43958	T20 SECURITY INSERT BIT P/N 83094
8-18 X 3/4 P/N 43951	10-16 X 3/4 P/N 43955	EXPANSION	T25 SECURITY INSERT BIT P/N 83095
8-18 X 1 P/N 43952	10-16 X 1 P/N 43956	EXPANSION	EXPANSION
8-18 X 1-1/4 P/N 43953	10-16 X 1-1/4 P/N 43957	EXPANSION	EXPANSION

**CHROMATE INDUSTRIAL CORP.** • 5250-A NAIMAN PARKWAY, SOLON, OHIO 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

