


Electrical Combo Paks



P/N 40006

ELECTRICAL COMBO PAK

\$199.95

Red 22-18 Terminal Assortment

P/N 17847

- Double crimp holds both wire & insulation for superior strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow
- Hi temperature nylon insulation
- One piece, electro-tin plated high-conductivity copper
- Crimp guides for accurate crimping

CHROMATE INDUSTRIAL CORP.		RED 22-18 TERMINAL ASSORTMENT				P/N 17847
		FEATURES: • Double crimp holds both wire & insulation for superior strength • Funnel design for fast, positive wire insertion • Deep "V" groove and long barrel for extra strong grip and maximum current flow • High temperature nylon insulation • One piece, electro-tin plated high-conductivity copper construction for maximum corrosion resistance • Crimp guides for accurate crimping				
22-18 x 4 Double Grip Nylon Ring P/N 2001	22-18 x 5/16 Double Grip Nylon Ring P/N 2006	22-18 x 10 Double Grip Nylon Hook P/N 2204	22-18 Double Grip Nylon Butt Connector P/N 2750	22-18 x 3/16 Double Grip Nylon Female Quick Slide P/N 2031	22-18 x 3/16 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2041	
22-18 x 6 Double Grip Nylon Ring P/N 2002	22-18 x 3/8 Double Grip Nylon Hook P/N 2007	22-18 x 6 Double Grip Nylon Spade P/N 2102	22-18 Single Grip Nylon Butt Connector P/N 2050	22-18 x 1/4 Double Grip Nylon Female Quick Slide P/N 2024	22-18 x 1/4 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2042	
22-18 x 8 Double Grip Nylon Ring P/N 2003	22-18 x 6 Double Grip Nylon Hook P/N 2202	22-18 x 8 Double Grip Nylon Spade P/N 2103	22-18 Moisture Resistant Butt Connector P/N 2063	22-18 x 3/16 Double Grip Nylon Male Quick Slide P/N 2053	22-18 x 3/16 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2071	
22-18 x 1/4 Double Grip Nylon Ring P/N 2005	22-18 x 8 Double Grip Nylon Hook P/N 2203	22-18 x 10 Double Grip Nylon Spade P/N 2104	22-18 x .110 Double Grip Nylon Female Quick Slide P/N 2055	22-18 x 1/4 Double Grip Nylon Male Quick Slide P/N 2054	22-18 x 1/4 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2072	
CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLOON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com						

Multi-Die Ratchet Crimping Tool Set

P/N 2545 – Includes 5 Dies

- Quick insertion and removal of jaws without any tools with press & release lever
- Ratchet mechanism crimps strands, which saves labor
- AISI 4140 precision casted steel with heat treatment (HRC 38° to 45°)
- Zinc phosphate finish with PP/TPR handle grip

DIE	TERMINAL TYPE	STANDARD	CRIMP DIE	PART
DIE A	For Insulated Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4.6 mm	For AWG 22-18 / 16-14 / 12-10	2547
DIE B	For Non-Insulated Terminals	DIN 1.5 / 2.5 / 6 / 10 mm JIS 1.25 / 2 / 5.5 / 8 mm	For AWG 20-18 / 16-14 / 12-10 / 8	2548
DIE C	For Open Barrel Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4-6 mm	For AWG 20-18 / 16-14 / 12-10	2549
DIE D	For Insulated Cord-End Terminals	DIN 0.5 / 0.75 / 1.0 / 1.5 / 2.5 / 4.0 mm	For AWG 22 / 20 / 18 / 16 / 14 / 12	2553
DIE E	For Coaxial Cable Connector (BNC)	RG type 58.59.62.6	For Connectors: 6.48 / 5.41 / 2.50 / 1.72 / 8.23 mm (0.255 / 0.213 / 0.1 / 0.68 / 0.324)	2554



P/N 40007

ELECTRICAL COMBO PAK

\$199.95

Blue 16-14 Terminal Assortment

P/N 17846

- Double crimp holds both wire & insulation for superior strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow
- Hi temperature nylon insulation
- One piece, electro-tin plated high-conductivity copper
- Crimp guides for accurate crimping

CHROMATE INDUSTRIAL CORP.		BLUE 16-14 TERMINAL ASSORTMENT				P/N 17846
		FEATURES: • Double crimp holds both wire & insulation for superior strength • Funnel design for fast, positive wire insertion • Deep "V" groove and long barrel for extra strong grip and maximum current flow • High temperature nylon insulation • One piece, electro-tin plated high-conductivity copper construction for maximum corrosion resistance • Crimp guides for accurate crimping				
400	16-14 x 6 Double Grip Nylon Ring P/N 2009	16-14 x 5/16 Double Grip Nylon Ring P/N 2013	16-14 x 10 Double Grip Nylon Hook P/N 2211	16-14 Double Grip Nylon Butt Connector P/N 2760	16-14 x 3/16 Double Grip Nylon Female Quick Slide P/N 2023	16-14 x 3/16 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2047
	16-14 x 8 Double Grip Nylon Ring P/N 2010	16-14 x 3/8 Double Grip Nylon Ring P/N 2014	16-14 x 6 Double Grip Nylon Spade P/N 2109	16-14 Single Grip Nylon Butt Connector P/N 2060	16-14 x 1/4 Double Grip Nylon Female Quick Slide P/N 2035	16-14 x 1/4 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2048
	16-14 x 10 Double Grip Nylon Ring P/N 2011	16-14 x 6 Double Grip Nylon Hook P/N 2209	16-14 x 8 Double Grip Nylon Spade P/N 2110	16-14 Moisture Resistant Butt Connector P/N 2062	16-14 x 3/16 Double Grip Nylon Male Quick Slide P/N 2738	16-14 x 3/16 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2074
0000	16-14 x 1/4 Double Grip Nylon Ring P/N 2012	16-14 x 8 Double Grip Nylon Ring P/N 2210	16-14 x 10 Double Grip Nylon Spade P/N 2111	16-14 x 1/8 Double Grip Nylon Female Quick Slide P/N 2022	14-16 x 1/4 Double Grip Nylon Male Quick Slide P/N 2025	16-14 x 1/4 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2058
CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com 000011						

Multi-Die Ratchet Crimping Tool Set

P/N 2545 – Includes 5 Dies

- Quick insertion and removal of jaws without any tools with press & release lever
- Ratchet mechanism crimps strands, which saves labor
- AISI 4140 precision casted steel with heat treatment (HRC 38° to 45°)
- Zinc phosphate finish with PP/TPR handle grip

DIE	TERMINAL TYPE	STANDARD	CRIMP DIE	PART
DIE A	For Insulated Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4.6 mm	For AWG 22-18 / 16-14 / 12-10	2547
DIE B	For Non-Insulated Terminals	DIN 1.5 / 2.5 / 6 / 10 mm JIS 1.25 / 2 / 5.5 / 8 mm	For AWG 20-18 / 16-14 / 12-10 / 8	2548
DIE C	For Open Barrel Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4-6 mm	For AWG 20-18 / 16-14 / 12-10	2549
DIE D	For Insulated Cord-End Terminals	DIN 0.5 / 0.75 / 1.0 / 1.5 / 2.5 / 4.0 mm	For AWG 22 / 20 / 18 / 16 / 14 / 12	2553
DIE E	For Coaxial Cable Connector (BNC)	RG type 58.59.62.6	For Connectors: 6.48 / 5.41 / 2.50 / 1.72 / 8.23 mm (0.255 / 0.213 / 0.1 / 0.68 / 0.324)	2554



P/N 40008

ELECTRICAL COMBO PAK

\$199.95

Yellow 12-10 Terminal Assortment

P/N 17845

- Double crimp holds both wire & insulation for superior strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow
- Hi temperature nylon insulation
- One piece, electro-tin plated high-conductivity copper
- Crimp guides for accurate crimping

**CHROMATE
INDUSTRIAL CORP.**

YELLOW 12-10 TERMINAL ASSORTMENT

FEATURES:

- Double crimp holds both wire & insulation for superior strength
- Funnel design for fast, positive wire insertion
- Deep "V" groove and long barrel for extra strong grip and maximum current flow

- High temperature nylon insulation
- One piece, electro-tin plated high-conductivity copper construction for maximum corrosion resistance
- Crimp guides for accurate crimping

P/N 17845

320

12-10 x 6 Double Grip Nylon Ring P/N 2015	12-10 x 5/16 Double Grip Nylon Ring P/N 2019	12-10 x 6 Double Grip Nylon Spade P/N 2115	12-10 x 8 Double Grip Nylon Hook P/N 2216	12-10 x 1/4 Double Grip Nylon Female Quick Slide P/N 2036	12-10 Double Grip Nylon Butt Connector P/N 2770
12-10 x 8 Double Grip Nylon Ring P/N 2016	12-10 x 3/8 Double Grip Nylon Ring P/N 2020	12-10 x 8 Double Grip Nylon Spade P/N 2116	12-10 x 10 Double Grip Nylon Hook P/N 2217	12-10 x 1/4 Double Grip Nylon Male Quick Slide P/N 2748	12-10 Single Grip Nylon Butt Connector P/N 2070
12-10 x 10 Double Grip Nylon Ring P/N 2017	12-10 x 1/2 Double Grip Nylon Ring P/N 2021	12-10 x 10 Double Grip Nylon Spade P/N 2117	12-10 x 10 Double Grip Nylon Snap Spade P/N 2798	12-10 x 1/4 Double Grip Nylon Fully Insulated Female Quick Slide P/N 2044	12-10 Moisture Resistant Butt Connector P/N 2061
12-10 x 1/4 Double Grip Nylon Ring P/N 2018	12-10 x 6-8 Double Grip Nylon Multi Ring P/N 2725	12-10 x 6 Double Grip Nylon Hook P/N 2215	12-10 x 1/4 Double Grip Nylon Snap Spade P/N 2799	12-10 x 1/4 Double Grip Nylon Fully Insulated Male Quick Slide P/N 2076	12-10 Fully Insulated Nylon Female Flag Quick Slide P/N 2049

11011

TRAY FRONT

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com

110111

Multi-Die Ratchet Crimping Tool Set

P/N 2545 – Includes 5 Dies

- Quick insertion and removal of jaws without any tools with press & release lever
- Ratchet mechanism crimps strands, which saves labor
- AISI 4140 precision casted steel with heat treatment (HRC 38° to 45°)
- Zinc phosphate finish with PP/TPR handle grip



DIE	TERMINAL TYPE	STANDARD	CRIMP DIE	PART
DIE A	For Insulated Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4.6 mm	For AWG 22-18 / 16-14 / 12-10	2547
DIE B	For Non-Insulated Terminals	DIN 1.5 / 2.5 / 6 / 10 mm JIS 1.25 / 2 / 5.5 / 8 mm	For AWG 20-18 / 16-14 / 12-10 / 8	2548
DIE C	For Open Barrel Terminals	DIN 0.5-1.0 / 1.5-2.5 / 4-6 mm	For AWG 20-18 / 16-14 / 12-10	2549
DIE D	For Insulated Cord-End Terminals	DIN 0.5 / 0.75 / 1.0 / 1.5 / 2.5 / 4.0 mm	For AWG 22 / 20 / 18 / 16 / 14 / 12	2553
DIE E	For Coaxial Cable Connector (BNC)	RG type 58.59.62.6	For Connectors: 6.48 / 5.41 / 2.50 / 1.72 / 8.23 mm (0.255 / 0.213 / 0.1 / 0.68 / 0.324)	2554

ELECTRICAL COMBO PAK

P/N 40009

\$179.95


**CHROMATE®
INDUSTRIAL CORP.**

**HEAT SHRINK CONNECTORS
AND TUBING ASSORTMENT**

P/N 17997

FEATURES:
 • Window on connector allows visual inspection
 • High adhesive-flow polyolefin tubing seals multiple wires
 • Uniform copper wall
 • Crimp indicator
 • Color-coded dashes on tubing indicate sizes
 • Clear tubing allows visual inspection

 24-22 AWG Heat Shrink Multi Wire In-line Connector P/N 21616	 20-18 AWG Heat Shrink Multi Wire In-line Connector P/N 21617	 0.22" ID - 0.045 ID x 6" Hi-Flow Adhesive Heat Shrink Tubing P/N 32181	 0.30" ID - 0.06 ID x 6" Hi-Flow Adhesive Heat Shrink Tubing P/N 32182
 16-14 AWG Heat Shrink Multi Wire In-line Connector P/N 21618	 12-10 AWG Heat Shrink Multi Wire In-line Connector P/N 21619	 0.35" ID - 0.08 ID x 6" Hi-Flow Adhesive Heat Shrink Tubing P/N 32183	 0.45" ID - 0.105 ID x 6" Hi-Flow Adhesive Heat Shrink Tubing P/N 32184
 22-14 AWG Heat Shrink Multi Wire Closed End Connector P/N 21620	 18-10 AWG Heat Shrink Multi Wire Closed End Connector P/N 21621	TRAY FRONT	

CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 800-BUY-BOLT • FAX: 516-567-2418 • www.chromate.com

Heat Shrink Tubing Assortment

P/N 17997

- Window on connector allows visual inspection
- High adhesive-flow polyolefin tubing seals multiple wires
- Uniform copper wall
- Crimp indicator
- Color-coded dashes on tubing indicate sizes
- Clear tubing allows visual inspection

Self Igniting Butane Canister Torch (Unfilled)

P/N 8865

- Built-in self-igniting ignition system
- Runs on butane fuel
- Two hours of non-stop burning
- Flame temperature up to 2500 °F (1300 °C)
- Fuel capacity: 20 cc
- Size: 1.37" x 6.10" x 2.95" (35 mm x 155 mm x 75 mm)
- Weight: 5.7 oz / 161 g



P/N 40010

ELECTRICAL COMBO PAK

\$159.95

Battery Assortment

P/N 17906


- Long lasting and dependable even after 5 years of storage
- Lasts up to five times longer than super heavy duty batteries
- Long service life at high drain discharges
- Less likely to leak, protecting important equipment
- Mercury free
- Operates reliably in temperature extremes of -39°F to 106°F (-20°C to 54°C)
- Date coded to ensure freshness

CHROMATE INDUSTRIAL CORP.		BATTERY ASSORTMENT		P/N 17906
		• Long lasting and dependable – even after 5 years of storage • Lasts up to five times longer than super heavy duty batteries • Long service life at high drain discharges • Less likely to leak, protecting important equipment		• Mercury free • Operates reliably in temperature extremes of -39°F to 106°F (-20°C to 54°C) • Date coded to ensure freshness
58				
	D PROCELL ALKALINE BATTERY P/N 29201	C PROCELL ALKALINE BATTERY P/N 29202	AA PROCELL ALKALINE BATTERY P/N 29203	9V PROCELL ALKALINE BATTERY P/N 29200
				
	D PROCELL ALKALINE BATTERY P/N 29201	C PROCELL ALKALINE BATTERY P/N 29202	AA PROCELL ALKALINE BATTERY P/N 29203	9V PROCELL ALKALINE BATTERY P/N 29200
				
	D PROCELL ALKALINE BATTERY P/N 29201	C PROCELL ALKALINE BATTERY P/N 29202	AA PROCELL ALKALINE BATTERY P/N 29203	AAA PROCELL ALKALINE BATTERY P/N 29204
14-209				
	D PROCELL ALKALINE BATTERY P/N 29201	C PROCELL ALKALINE BATTERY P/N 29202	AA PROCELL ALKALINE BATTERY P/N 29203	AAA PROCELL ALKALINE BATTERY P/N 29204
TRAY FRONT				
CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLOON, OH 44139 • 1-800-BUY-BOLT • FAX: 631-567-2418 • www.chromate.com				
010105				

Battery Rack 40 Organizer and Storage

P/N 167596

- Holds 40 Batteries (not included)
- Includes:
 - Tester
 - Charged and Discharged Battery Labels
 - Hardware For Hanging
 - Instruction Sheet



ELECTRICAL COMBO PAK

P/N 8833

\$99.99



Fusion Seal Electrical Wrap

P/N 2899 - Red

P/N 28991 - Black

P/N 28992 - Gray

P/N 28993 - Clear

- 1" x 30 mil x 36 ft. high-grade silicone
- Extremely flexible, long lasting, form fitting, electrode insulating wrap
- For electrical insulation, splices and cable harnesses
- Superior protection in extreme temperatures and in highly corrosive environments
- Weather and saltwater resistant
- Economical substitute for heat shrink tubing and hot air ducting
- Military Spec: MIL 1-46852C Type II

Toolbox/Gearbox

P/N 79000

- Heavy duty rust-proof construction
- Cam-over latch design provides added strength
- Snap-open lid is perfect for storing small parts
- Lift out tray keeps everything organized
- Deep open interior accommodates large, tall parts and equipment
- Large carry handle makes hauling easier
- Tongue and groove design helps keep dust and contaminants out



***When it comes to repairs,
quality products make the difference!***



CUTTING TOOLS



CHEMICALS



SHOP SUPPLIES



FASTENERS



ELECTRICAL



WELDING



FLEET



HYDRAULICS



MEDICAL