

# ***SAFETY LED HEADLAMPS***



**CHROMATE<sup>®</sup>**  
INDUSTRIAL CORP.

# SAFETY LED HEADLAMPS

## Headlamp

- Spotlight – Floodlight – Dual-light
- Super-bright white LEDs
- 35,000 hour life
- Selectable light control
- Adjustable tilt
- Non-slip headband
- Small size – Light weight
- Moisture and impact resistant
- Safety orange or black housing
- Premium AAA batteries included
- Soft-touch matte finish



P/N 66350



P/N 66350B



## Specifications

- Tight focus spotlight beam
- Broad beam floodlight
- Activate both for maximum area illumination
- Spotlight: 1 LED = 65 Lumens
- Floodlight: 12 LEDs = 24 Lumens
- Run-time hours:
  - Flashlight and Floodlight: 18
  - Dual-light: 10

## Waterproof Headlamp


- Spotlight – Floodlight – Dual-light
- Water proof IP-X7
- Small in size, big in light output
- Perfect hands-free lighting solution
- Wear on head or mount on hard-hat
- Premium super bright white LEDs
- Floodlight - 35,000 hour life  
Spotlight - 50,000 hour life
- Impact and chemical resistant
- Single switch light control
- Adjustable ratchet tilt head lamp
- Non-slip elastic band
- 3 AAA batteries included



P/N 66329

## Specifications

- Spotlight: 55 Lumens
- Floodlight: 40 Lumens
- Dual-light: 80 lumens
- Run-time hours:
  - Spotlight: 6 hours
  - Floodlight: 8 hours
  - Dual-light: 5 hours



## Spotlight / Floodlight Switch

Single LED  
Deep Reflector  
Spotlight  
CREE® LED  
Technology  
50,000+ Hour Life



12 LED  
Floodlight



# Intrinsically Safe


# LED HEADLAMPS



P/N 66326 P/N 66327


## Specifications - P/N 66326

- **Spotlight:** 130 lumens
- **Floodlight:** 100 lumens - full power, 25 half-power
- **Dual-Light:** 190 Lumens
- **Green floodlight:** 21 lumens
- **Run-time hours:**
  - Spotlight: 14
  - Floodlight at full power: 12.5
  - Floodlight at half-power: 70
  - Dual-light: 6
  - Green floodlight: 37



## Specifications - P/N 66327

- **Spotlight:** 100 lumens
- **Floodlight:** 90 lumens - full power, 20 half-power
- **Dual-Light:** 175 Lumens
- **Red floodlight:** 18 lumens
- **Run-time hours:**
  - Spotlight: 18
  - Floodlight at full power: 13.5
  - Floodlight at half-power: 75
  - Dual-light: 6.5
  - Red floodlight: 37



- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Night vision red floodlight or high contrast green floodlight
- Spotlight • Two level white floodlight • Colored floodlight
- Spotlight CREE® LED technology - 50,000 hour life
- White / red / green floodlight LEDs - 35,000 hour life
- Full or half power white floodlight for extended run-time
- Waterproof IP-X7
- Impact and chemical resistant
- Two switch light control
- Behind the head battery pack for comfort and balance
- Adjustable ratchet tilt headlamp
- Width: 3.3" • Height: 3.3" • Depth: 3.5" • Weight: 9.5 oz.
- Rubber hardhat strap included
- 3 premium alkaline AA batteries – Reorder with P/N 29203

## Safety Rating

- cETLus Listed Intrinsically Safe for use in Class I II III Div 1 SECURITE INTRINSEQUE
- Groups A,B,C,D,E,F & G Hazardous Locations
- -20C ≤ Tamb ≤ +40C • Ex ia IIC T3 Ga Class 1 Zone 0 AEx ia IIC T3 Ga, Zone 20 • AEx ia IIIC T 165C Da

# Intrinsically Safe LED Dual-Light




- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Dual-Light Innovation®
- 80 Lumen CREE® XPE LED
- Sharp Focused Flashlight
- Broad Beam Floodlight
- 50,000 hour LED life
- Separate switches control flashlight and floodlight
- Momentary or constant-on
- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Waterproof to 1 meter (IP67)
- Length: 7.0 in (178 mm)
- Limited lifetime warranty

## ANSI Performance

- Flashlight: 80 Lumens
- Floodlight: 80 Lumens
- Dual-Light: 160 Lumens
- Flashlight beam distance: 95 m
- Run-time:
  - 14.5 hours Flashlight/Floodlight
  - 7.2 hours Dual-light

P/N 66339



**Note:** The Intrinsically Safe LED Dual-Light uses 3 AA alkaline batteries (not included). Order batteries with P/N 29203.

