

SAFETY/FIRST AID



- Heavy duty glow-in-the-dark metal cabinets are perfect for large industrial sites, cabinets meet and exceed ANSI Z308.1-1998
- Handy door pockets are filled with useful products for quick recognition
- Wall mountable or convenient handles for portability
- Personal protection; masks, safety eyewear, and gloves for every task
- High-vis clothing & gloves
- LED lighting solutions
- Shop supplies
- Chemicals
- Spill containment

CHROMATE'S GLOW-IN-THE-DARK FIRST-AID CABINETS ARE FILLED WITH HIGH-QUALITY PRODUCTS FOR MINOR OR MAJOR FIRST AID EMERGENCIES. Products designed for professional use in professional maintenance shops.



CHROMATE INDUSTRIAL CORP.

QUALITY BUILDS CONFIDENCE, SERVICE EARNS TRUST.

FIRST AID & MEDICAL PRODUCTS

INDUSTRIAL FIRST AID ASSORTMENTS

LARGE 4-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Four-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 15" x 22" x 5-1/2"



| DESCRIPTION | PART |
|-----------------------------------------------|----------|
| Large 4-Shelf First Aid Assortment | A 85004 |
| Large Empty Metal Cabinet | A 85004C |
| Large Cabinet Door Pouch (20 Pockets) – Empty | A 85004P |

Large 4-Shelf Assortment includes:

| | | | |
|---------------------------------------------------------|---------|-----------------------------------------------------|----------|
| Ammonia Inhalant Ampoule (10) | 212-005 | Antiseptic BZK Solution 2 oz. Spray (Non-Aerosol) | R514-043 |
| Certi-Strip Adhesive Bandage, Plastic X-LG. (6) | 210-009 | Cotton Swabs, Vial 3" 100/Vial | 224-210 |
| Bandage Compress 4" | 211-008 | Elastic Bandage, Ace Style 2" x 5 yd. | 228-102 |
| Certi-Gauze Pad 4" x 4" (2) | 211-012 | Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2) | 229-043 |
| Certi-Gauze Pad 2" x 2" (6) | 211-029 | Certi-Gauze Roll - Boxed 2" x 6 yd. | 211-024 |
| Burn Gel, Certi-Gel 1/8 oz. (6) | 215-010 | Certi-Gauze Pad 3" x 3" (25) | 231-211 |
| First Aid Cream 1 gm. (6) | 213-010 | Trauma Dressing, Certi-Stopper XL-TD/Boxed 4" x 60" | 231-400 |
| Antibiotic Cream, Certi-Sporyn 1 gm. (10) | 213-011 | Burn Spray, Certi-Burn, 1 oz. | 233-004 |
| Antiseptic BZK Towelettes 5" x 7" (10) | 213-038 | First Aid Facts Book - 20 Page 24" x 24" | 234-010 |
| Eye Pads & Tape Oval (4) | 214-008 | Cold Pack, Certi-Cool Large | 234-295 |
| Absorbent Compress 32 sq.in. | 211-020 | Scissors, Bandage w/Red Handle 4" | 237-010 |
| Insect Sting Wipe-Ups 1" x 2" (10) | 213-014 | Adhesive Certi-Tape Tri-Cut | 240-037 |
| Alcohol Wipe-Ups 1" x 2" (10) | 213-040 | Certi-Lan-Cet (2) | 242-007 |
| PVP Iodine Wipe-Ups 1" x 2" (10) | 213-005 | Forceps, Plastic 4.25" | 242-014 |
| Hydrocortisone Cream 1 gm. (6) | 216-025 | Finger Splint, Plastic Medium | 262-025 |
| Biohazard Bag w/Tie 24" x 24" (2) | 216-123 | Finger Splint, Plastic Large | 262-027 |
| Antimicrobial Towelette 5" x 8" (10) | 213-006 | CPRotector - O/W 5.5 sq. in. | 270-026 |
| Triangular Bandage, O/W 40" | 211-037 | Certi-Ache Tablets, Analgesic 2/pkg. 25/2's | 504-043 |
| Gloves, Nitrile, Pair M/L | 216-081 | Certi-Cet Tablets, Non-Aspirin 2/pkg. 25/2's | 504-044 |
| Certi-Strip Adhesive Bandage, Plastic 1" x 3" (100) | 220-103 | Certi-Lak, Tablets, Antacid 2/pkg. 25/2's | 504-070 |
| Certi-Strip Adhesive Bandage, Woven Knuckle (25) | 220-228 | | |
| Certi-Strip Adhesive Bandage, Woven Med. Fingertip (25) | 220-229 | | |
| Certi-Strip Adhesive Bandage, Woven 1" x 3" (50) | 220-260 | | |

FIRST AID & MEDICAL PRODUCTS

INDUSTRIAL FIRST AID ASSORTMENTS

MEDIUM 3-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Three-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 13-1/2" x 16" x 5-1/2"



| DESCRIPTION | PART |
|------------------------------------------------------------------|------------------------------------------------------------|
| Medium 3-Shelf First Aid Assortment | A 85003 |
| Medium Empty Metal Cabinet | A 85003C |
| Medium Cabinet Door Pouch (12 Pockets) – Empty | A 85003P |
| Medium 3-Shelf Assortment includes: | |
| Ammonia Inhalant Ampoules (10) 212-005 | Antiseptic BZK Solution 2 oz. Spray (Non-Aerosol) R514-043 |
| Certi-Strip, Plastic Skin Closure M/L (16) 210-008 | Cotton Swabs, Vial 3" 100/Vial 224-210 |
| Bandage Compress 4" 211-008 | Certi-Rip Elastic Cohesive Bandage 2" x 5 yd. 228-346 |
| Certi-Gauze Non-Stick Pads 2" x 3" (4) 211-030 | Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2) 229-043 |
| Triangular Bandage 40" 211-033 | Certi-Gauze Roll, Boxed 2" x 6 yd. 211-024 |
| Certi-Burn Gel 1/8 oz. (6) 215-010 | Certi-Gauze Pads 3" x 3" (25) 231-211 |
| First Aid Cream 1 gm. (6) 213-010 | XL-TD Trauma Dressing, Certi-Stopper 4" x 60" 231-400 |
| Antibiotic Cream, Certi-Sporyn 1 gm. (10) 213-011 | Certi-Burn Spray, 1 oz. 233-004 |
| Antiseptic BZK Towelettes 5" x 7" (10) 213-038 | First Aid Facts Book - 20 Page 4.25" x 5.5" 234-010 |
| Eye Pads w/Tape Oval (4) 214-008 | Certi-Cool Instant Cold Pack, Boxed Large 234-295 |
| Certi-Strip, Adhesive Bandage, Plastic Jr-XL (40) 210-018 | Scissors, Bandage w/Red Handle 4" 237-010 |
| Absorbent Compress 32 sq.in. 211-020 | Certi-Adhesive Tape Tri-Cut 240-037 |
| Insect Sting Wipe-Ups 1" x 2" (10) 213-014 | Forceps, Plastic 4.25" 242-014 |
| Alcohol Wipe-Ups 1" x 2" (10) 213-040 | Eye & Skin Wash, Certi-Lizer 4 oz. 508-016 |
| PVP Iodine Wipe-Ups 1" x 2" (10) 213-005 | CPRotector, Mouth to Mouth Barrier 5.5 sq. in. 270-026 |
| Hydrocortisone Cream 1 gm. (6) 216-025 | Tri-Buffered Aspirin Tablets 2/pkg. 25/2's 504-041 |
| Biohazard Bag w/Tie 24" x 24" (2) 216-123 | Certi-Ache Tablets, Analgesic 2/pkg. 25/2's 504-043 |
| Gloves, Nitrile, Pair M/L 216-081 | Certi-Cet Tablets, Non-Aspirin 2/pkg. 25/2's 504-044 |
| Certi-Strip, Adhesive Bandage, Plastic 1" x 3" (50) 220-170 | |
| Certi-Strip, Adhesive Bandage, Woven Knuckle (25) 220-228 | |
| Certi-Strip, Adhesive Bandage, Woven Med. Fingertip (25) 220-229 | |
| Certi-Strip, Adhesive Bandage, Woven 1" x 3" (50) 220-260 | |

FIRST AID & MEDICAL PRODUCTS

INDUSTRIAL FIRST AID ASSORTMENTS

SMALL 3-SHELF FIRST AID ASSORTMENT

- Heavy duty metal cabinet is sturdy and dust resistant
- Vertical three-shelf cabinet with door pockets
- A large variety of high-quality first aid products
- Glow-in-the-dark front panel for added visibility
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 10-1/4" x 14-3/4" x 4-1/2"



85002

| DESCRIPTION | PART |
|-----------------------------------------------|----------|
| Small 3-Shelf First Aid Assortment | A 85002 |
| Small Empty Metal Cabinet | A 85002C |
| Small Cabinet Door Pouch (12 Pockets) – Empty | A 85002P |

Small 3-Shelf Assortment includes:

| | | | |
|---------------------------------------------------------|----------|------------------------------------------------------|---------|
| Certi-Strip Adhesive Bandage, Plastic 1" x 3" (100) | 220-103 | Elastic Bandage, Cohesive, Certi-Rip, Tan 2" x 5 yd. | 228-346 |
| Certi-Strip Adhesive Bandage, Plastic Jr-XL (100) | 220-014 | Eye Pad/Gauze Assortment: | 206-132 |
| Certi-Strip Adhesive Bandage, Plastic X-LG (6) | 210-009 | (4) - Eye Pads, (2) - Gauze Roll 2" x 6 yd. and | |
| Certi-Strip Adhesive Bandage, Woven 1" x 3" (100) | 220-205 | (1) - Gauze Roll 3" x 6 yd. | |
| Certi-Strip Adhesive Bandage, Woven Med. Fingertip (50) | 220-213 | Eye Wash w/Eye Cup, Certi-Ose 4 oz. (2) | 229-043 |
| Certi-Strip Adhesive Bandage, Woven Knuckle (50) | 220-220 | Finger Splint, Wood 1" x 6" 6/lb | 235-055 |
| Certi-Skin Closures 1/2" x 6" (16) | 210-008 | First Aid Facts Book - 20 Page 4.25" x 5.5" | 234-010 |
| Certi-Adhesive Tape - Spool Tri-Cut | 240-037 | Forceps, Plastic 4.25" | 242-014 |
| Alcohol Wipe-Ups 1" x 2" (100) | 221-007 | Gauze Non-Stick Pads 2" x 3" (10) | 231-306 |
| Ammonia Inhalant Ampoule | 212-005 | Gauze Non-Stick Pads 3" x 4" (10) | 231-305 |
| Antiseptic BZK Solution 2 oz. Spray (Non-Aerosol) | R514-043 | Certi-Gauze Pads 2" x 2" (25) | 231-209 |
| Antiseptic BZK Towelettes 5" x 7" (10) | 213-038 | Certi-Gauze Pads 3" x 3" (25) | 231-211 |
| Biohazard Bag w/Tie 24" x 24" (2) | 216-123 | Gloves, Nitrile, Pair M/L | 216-081 |
| Tri-Buffered Aspirin Tablets 2/pkg. 25/2's | 504-041 | Hydrocortisone Cream 1 gm. (6) | 216-025 |
| Certi-Burn Cream 1 gm. (6) | 215-007 | Insect Sting Wipe-Ups 1" x 2" (10) | 213-014 |
| Certi-Burn Spray, 1 oz. | 233-004 | PVP Iodine Wipe-Ups 1" x 2" (25) | 233-096 |
| Certi-Ache Tablets, Analgesic 2/pkg. 25/2's | 504-043 | Scissors, Bandage w/Red Handle 4" | 237-010 |
| Cold Pack, Certi-Cool | 234-295 | Certi-Lan-Cet 2/pkg. 2 | 242-007 |
| Absorbent Compress 32 sq.in. | 211-020 | XL-TD Trauma Dressing - Certi-Stopper 4" x 60" | 231-400 |
| Cotton Swabs, Vial 3" (100) | 224-210 | Triangular Bandage 40" | 211-037 |
| CPRotector 5.5 sq. in. | 270-026 | Antibiotic Cream, Certi-Sporyn 1 gm. (25) | 233-358 |

FIRST AID & MEDICAL PRODUCTS

FIRST AID KITS

SMALL 2-SHELF FIRST AID KIT

- Heavy duty cabinet is sturdy, moisture and dust resistant
- Two-shelf cabinet
- Large variety of high-quality first aid products
- Meets and exceeds ANSI standard Z308.1-2003
- Dimensions: 10-1/2" x 10-1/2" x 2-1/2"



PORTABLE FIRST AID KIT

- Heavy duty poly cabinet is sturdy and dust resistant
- Greater variety and more product than any other #25 first aid kit
- Unique packaging, economically priced and easy to use
- Glow-in-the-dark front panel
- Meets and exceeds ANSI standard Z308.1-2003
- Polypropylene box dimensions: 10" x 7" x 3"



| DESCRIPTION | PART |
|------------------------------------------|-----------|
| Small 2-Shelf First Aid Kit | A 85001 |
| <i>Includes:</i> | |
| Adhesive Bandage Assortment, 45/box | A 220-110 |
| Ammonia Inhalant Ampoules | A 212-005 |
| Antiseptic Assortment, 21/box | A 220-111 |
| Biohazard Bag with Tie | A 216-123 |
| Non-Aspirin, 50/2's (10 tablets) | A 232-101 |
| Cold Pack, Junior (2) | A 216-033 |
| CPRotector® | A 270-026 |
| Eye Wash, 15 ml | A 229-050 |
| Forceps, Plastic, 4-1/4" | A 242-014 |
| Eye/Gauze Pad Assortment, 10/box | A 231-115 |
| Gauze/Tape Assortment, 3/box | A 211-050 |
| Gauze Roll, 1" x 6 yards | A 211-022 |
| Gloves, Nitrile, Medium/Large (2 Pair) | A 216-081 |
| Scissors, Bandage w/ Red Handle, 4" | A 237-010 |
| Lancing Tool, 2/package | A 242-007 |
| Triangular Bandage | A 211-037 |
| Elastic Bandage (Ace Style) 2" x 5 yards | A 228-102 |

| DESCRIPTION | PART |
|-------------------------------------|-----------|
| Portable First Aid Kit | A 85000 |
| Portable First Aid Kit – Case Only | A 85000C |
| <i>Includes:</i> | |
| Adhesive Bandage Assortment, 45/box | A 220-110 |
| Ammonia Inhalant (2) | A 212-005 |
| Antiseptic Assortment, 21/box | A 220-111 |
| Biohazard Bag with Tie | A 216-123 |
| Cold Pack, Junior | A 216-033 |
| CPRotector® | A 270-026 |
| Eye Wash, 15 ml | A 229-050 |
| Forceps, Plastic, 4-1/4" | A 242-014 |

FIRST AID REFILL KIT

- Contains the fastest moving items in a first aid cabinet for fast, easy and convenience refills
- Comes packaged in a heavy duty moisture and dust resistant poly cabinet



| DESCRIPTION | PART |
|-------------------------------------------------|-----------|
| First Aid Refill Kit | A 85008 |
| <i>Includes:</i> | |
| Adhesive Bandages, Woven, 1" x 3", 50/box | A 220-260 |
| Adhesive Bandages, Woven, Fingertip M/L, 25/box | A 220-229 |
| Adhesive Bandages, Woven, Knuckle, 25/box | A 220-228 |
| Certi-Sporyn Antibiotic, 1gm., 25/box | A 233-358 |
| Gloves, Nitrile, Medium/Large, 1 Pair/Bag | A 216-081 |
| Adhesive Bandages, Plastic, 1" x 3", 100/box | A 220-103 |

FIRST AID & MEDICAL PRODUCTS

FIRST AID KITS

FIRST AID LARGE POUCH KIT

- White nylon pouch
- Kit comes with belt loops and key ring
- Dimensions: 4-1/2" x 4-1/4" x 2-1/4"



| DESCRIPTION | | PART |
|--------------------------------------------|---|---------|
| Large First Aid Pouch Kit | A | 85007 |
| <i>Includes:</i> | | |
| (9) Adhesive Bandages, Plastic, 1" x 3" | A | 220-170 |
| (6) Adhesive Bandages, Plastic, 3/4" x 3" | A | 220-173 |
| (4) Adhesive Bandages, Plastic, Jr-XL | A | 220-014 |
| (2) Adhesive Bandages, Woven, Fingertip, M | A | 220-229 |
| (2) Adhesive Bandages, Woven, Knuckle | A | 220-228 |
| (4) Antiseptic BZK Towelette | A | 221-009 |
| (4) Burn Cream, 1 gm. | A | 233-375 |
| (1) Cold Pack, Certi-Cool Junior | A | 216-033 |
| (2) Gauze Non-Stick Pad, 2" x 3" | A | 231-306 |
| (2) Gauze Pad, 2" x 2" | A | 231-209 |
| (1) Gauze Roll, 2" x 6 yd. | A | 211-024 |
| (2) Insect Sting Wipes | A | 213-014 |
| (2) PVP Iodine Wipes | A | 213-005 |

PROMOTIONAL KIT

- Plastic Certi-Strip design
- Two-piece plastic box
- Dimensions: 4-3/4" x 1-3/4" x 1"



| DESCRIPTION | | PART |
|-------------------------------------------|---|---------|
| Promotional Kit | A | 16850 |
| <i>Includes:</i> | | |
| (2) Adhesive Bandages, Plastic, 1" x 3" | A | 210-006 |
| (2) Adhesive Bandages, Plastic, 3/4" x 3" | A | 220-100 |
| (2) Adhesive Bandages, Plastic, JrXL | A | 220-014 |
| (2) Alcohol Wipes | A | 221-022 |
| (1) Aspirin Tablet, 2/pkg | A | 232-018 |
| (1) First Aid Cream, 1 gm. | A | 233-319 |

CPR KIT



- Contains the essential items for quick CPR
- Heavy duty poly cabinet is sturdy and dust resistant
- Disposable barrier helps protect the rescuer from unsafe mouth-to-mouth contact
- One way valve prevents back flow of air or fluids to the rescuer from the victim's oral secretions
- Complete with gloves and instructions



Some states are requiring Public Places by laws to have available for cardiopulmonary resuscitation (CPR) masks and gloves to protect rescuers. This kit meets this requirement.

| DESCRIPTION | | PART |
|-------------------------------------------|---|---------|
| CPR Kit | A | 85009 |
| <i>Includes:</i> | | |
| CPRotector® "Mouth-to-Mouth" Barrier (4) | A | 270-026 |
| Gloves, Nitrile, Medium/Large, 4 Pair/Bag | A | 216-081 |
| CPR Instructions | | - |

CPR BLACK MINI POUCH KIT



- Black nylon pouch with key ring and belt loops
- Disposable barrier helps protect the rescuer from unsafe mouth-to-mouth contact
- One way valve prevents back flow of air or fluids to the rescuer from the victim's oral secretions.



- Cross-section on bottom of stem prevents tongue blockage
- Complete with gloves and instructions
- Pouch dimensions: 2-1/2" x 3-1/2" x 1-1/2"

| DESCRIPTION | | PART |
|-------------------------------------------|---|---------|
| CPR Black Mini Pouch Kit | A | 85006 |
| <i>Includes:</i> | | |
| CPRotector® "Mouth-to-Mouth" Barrier | A | 270-026 |
| Gloves, Nitrile, Medium/Large, 1 Pair/Bag | A | 216-081 |
| CPR Instructions | | - |

FIRST AID & MEDICAL PRODUCTS

FIRST AID KITS AND MISCELLANEOUS

KUT-KIT

Accidents, injuries, and emergencies happen to everyone. Being properly prepared for these instances is important. Now you can be, with the CIC™ Medical Kut-Kit.

- Quick Relief® Powder included in Kut-Kit.



Great for school buses, nurses' offices, maintenance shops, recreation departments and service vehicles!

| DESCRIPTION | PART |
|-------------------------------------------------------|------------|
| Kut-Kit | A K607-034 |
| <i>Includes:</i> | |
| (1) Certi-Strip, Woven, 1" x 3", 16/unit | A 210-007 |
| (1) Gauze Compress, 24" x 72", 1/unit | A 211-021 |
| (1) Certi-Strip, Woven, 5/Fingertip 4/Knuckle, 9/unit | A 210-019 |
| (1) Antiseptic Towelettes, 10/unit | A 213-038 |
| (1) Eye Wash (15 ml), 2/unit | A 229-050 |
| (1) Quick Relief® Powder, 1/unit | A 510-011 |

BLOODBORNE PATHOGEN KIT

- Meets and exceeds OSHA bloodborne pathogen standard
- Separate eye and mouth protection to maintain safety when giving CPR
- Unique scoop bag for safe, easy clean up



| DESCRIPTION | PART |
|------------------------------------------------------------------------------|-----------|
| Bloodborne Pathogen Kit | A 85010 |
| <i>Includes:</i> | |
| (1) CPRotector® with Nitrile Gloves | A 216-070 |
| (1) Gown (full length, long sleeve) and Cap | A 216-084 |
| (1) Eye Shield, Mask and Nitrile Gloves | A 216-078 |
| (1) Absorbent Powder-99 2 oz., Scoop Bag with Handle Scraper, Nitrile Gloves | A 216-079 |
| (1) Biohazard Bag, Antiseptic, Antimicrobial, Certi-Green Towelette | A 216-080 |

QUICK RELIEF® POWDER

Quick Relief® powder stops bleeding without relying on the body's natural clotting process and does not cauterize or burn the skin. It is not biologically derived, non-toxic, not metabolized, does not create allergic reactions, and will not react with other medications.

- Quick Relief® powder stops bleeding instantly
- Its unique components combine with blood to form an instant and flexible scab that seals the wound
- Protects against infection
- Allows the body's own mechanism to begin healing
- For skin lacerations and nosebleeds

Ingredients: Hydrophillic polymer and Potassium salt.



| DESCRIPTION | PART |
|---------------------|-----------|
| Quick Relief Powder | A 510-011 |

FIRE BLANKET



- Made of nomex/Kevlar® blend – a tough, soft, fire and heat resistant fabric
- More effective than fire retardant-treated wool blankets
 - Effectively takes the fuel away from the flame – absorbs liquids
 - No mess to clean up after
- Won't melt, drip, burn or support combustion in the air
- Affordable and lightweight
- Packed in a white polypropylene box

| DESCRIPTION | PART |
|--------------------------|---------|
| Fire Blanket – 36" x 60" | A 85015 |

FIRST AID & MEDICAL PRODUCTS

FIRST AID KITS AND MISCELLANEOUS

HEAT STRESS RESPONDER CABINET

- Metal Cabinet
 - 10.25" H x 15" W x 4.625" D
- Ideal for hot work environments
- Protect yourself and your workers
- A necessity for anyone working outside in the hot sun
- Convenient and portable
- First Aid for:
 - Heat cramps
 - Heat exhaustion
 - Heat stroke



| DESCRIPTION | PART |
|------------------------------------------|-----------|
| Heat Stress Responder Cabinet | A 85096 |
| <i>Includes:</i> | |
| (6) Instant Cold Packs, Junior | A 216-033 |
| (4) Rescue Blanket, 52" x 84" | A 286-038 |
| (8) Instant Cold Packs, Large | A 234-295 |
| (1) Electrolyte - 50/2's (100 tablets) | A 232-200 |
| (6) Adhesive Tape - 1" x 5 yd. Spool | A 240-028 |
| (6) Sqwincher Qwik Stik Powder, 8-10 oz. | A 512-008 |
| (1) Forehead Thermometer, Reusable | A 235-050 |

HEAT STRESS RESPONDER KIT

- Plastic Case
 - 10" H x 7" W x 3" D
- Ideal for hot work environments
- Protect yourself and your workers
- A necessity for anyone working outside in the hot sun
- Convenient and portable
- First Aid for:
 - Heat cramps
 - Heat exhaustion
 - Heat stroke



| DESCRIPTION | PART |
|------------------------------------------|-----------|
| Heat Stress Responder Kit | A 85095 |
| <i>Includes:</i> | |
| (4) Instant Cold Packs, Junior | A 216-033 |
| (2) Adhesive Tape - 1" x 10 yd. Spool | A 240-034 |
| (1) Electrolyte - 25/2'S (50 tablets) | A 509-009 |
| (1) Rescue Blanket, 52" x 84" | A 286-038 |
| (2) Sqwincher Qwik Stik Powder, 8-10 oz. | A 512-008 |
| (1) Forehead Thermometer, Reusable | A 235-050 |

FIRST AID & MEDICAL PRODUCTS

FIRST AID AND SUPPLIES

BANDAGES

- Adhesives that stick but do not hurt when removed
- Blue bandaids – blue metal detectable strips for the food processing industry



| DESCRIPTION | PART |
|------------------------------------------------------------|-----------|
| Absorbent Compress, 32 sq. in., 1/unit | A 211-020 |
| Adhesive Skin Closure, Plastic 1/2" x 6", 16/box | A 210-008 |
| Adhesive, Plastic, 1" x 3", 50/box | A 220-170 |
| Adhesive, Plastic, 1" x 3", 100/box | A 220-103 |
| Adhesive, Plastic, Jr-XL 1/2" x 2-1/4", 100/box | A 220-014 |
| Adhesive, Plastic, X-Large 2" x 3", 25/box | A 220-020 |
| Adhesive, Woven, 1" x 3", 50/box | A 220-260 |
| Adhesive, Woven, Fingertip M/L, 25/box | A 220-229 |
| Adhesive, Woven, Knuckle, 25/box | A 220-228 |
| Adhesive, Woven, Fingertip/Knuckle | A 210-019 |
| Adhesive, Woven, Blue Metal Detectable, 49/box Asst. | A 220-266 |
| Adhesive, Woven, Blue Metal Detect., 1" x 3", 100/box | A 220-201 |
| Adhesive, Woven, Blue Metal Detect., XL, 2" x 3", 25/box | A 220-230 |
| Adhesive, Woven, Blue Metal Detect., Fingertip M/L, 50/box | A 220-239 |
| Adhesive, Woven, Blue Metal Detect., Knuckle, 50/box | A 220-217 |
| Cloth Tape, 1/2" x 10 yards spool | A 240-003 |
| Cloth Tape, 1" x 5 yards spool | A 240-009 |
| Compress, 2", 4/unit | A 211-002 |
| Compress, 4", 1/unit | A 211-008 |
| Cotton Swabs, 3" 100/vial | A 224-210 |
| Elastic, Ace Style, 2" x 5 yards | A 228-102 |
| Elastic, Ace Style, 3" x 5 yards | A 228-104 |
| Elastic, Ace Style, 4" x 5 yards | A 228-106 |
| Elastic Cohesive, 2" x 5 yards | A 228-346 |
| Elastic Cohesive, 3" x 5 yards | A 228-347 |
| Eye Pads, Gauze Assortment | A 206-132 |
| Finger Splint, Plastic, Medium | A 262-025 |
| Gauze Pads, 2" x 2", 25/box | A 231-209 |
| Gauze Pads, 3" x 3", 25/box | A 231-211 |
| Gauze Pads, 4" x 4", 10/box | A 231-208 |
| Gauze Roll, Sterile, 2" x 6 yards | A 211-024 |
| Gauze Roll, Sterile, 3" x 6 yards | A 230-091 |
| Gauze Roll, Sterile, 4" x 6 yards | A 211-027 |
| Pads, Non-Stick, 2" x 3", 10/box | A 231-306 |
| Tape, Tri-Cut, Spool | A 240-037 |
| Trauma Dressing X-Large, 1/bag | A 231-400 |
| Triangular Bandage in Clear Plastic Bag | A 211-037 |

OINTMENTS / WIPES

- Pump sprays allow for ease of use and environmentally safe disposal



| DESCRIPTION | PART |
|-------------------------------------------------|-----------|
| Alcohol Gel, 1/8 oz. 25/box | A 213-034 |
| Alcohol Wipes, 50/box | A 221-022 |
| Antibiotic Ointment, 1 gm. 25/box | A 233-358 |
| Antimicrobial Towelettes, 10/unit | A 213-006 |
| Antiseptic BZK Solution 2 oz. Spray (Non-Aero.) | R514-043 |
| Antiseptic BZK Towelettes, 25/box | A 221-009 |
| Barrier Hand/Skin Cream, 3 oz. | A 225-217 |
| Burn Cream 1 gm. 25/box | A 233-375 |
| Burn Dressing, 4" x 4", 2 oz. Gel | A 215-016 |
| Burn Gel, 1/8 oz. 6/unit | A 215-010 |
| Burn Spray, 1 oz. (Non-Aerosol) | A 233-004 |
| Certi-Green Towelettes, 10/box | A 213-022 |
| Certi-Green Towelettes, 50/box | A 221-024 |
| First Aid Cream, 1 gm. 25/box | A 233-319 |
| Hydrocortisone Cream 1%, 1gm., 6/unit | A 216-025 |
| Hydrocortisone Cream 1%, 1gm., 50/unit | A 225-150 |
| Insect Sting Wipes, 10/unit | A 213-014 |
| Peroxide Spray, 3 oz. Non-Aerosol | A 221-035 |
| Poison Ivy Cream, 1/8 oz. 6/unit | A 216-027 |
| PVP Iodine Swabs, 10/unit | A 213-004 |
| PVP Iodine Wipes 10/unit | A 213-005 |
| Poison Ivy Barrier Lotion, 1/4 oz. 5/box | A 225-019 |
| Sun Screen Towelettes, SPF-30, 2/unit | A 213-020 |

FIRST AID & MEDICAL PRODUCTS

FIRST AID AND SUPPLIES

TABLETS

- All medicinals are made with the highest quality ingredients with complete instructions and warnings



| DESCRIPTION | PART |
|-----------------------------------------------------|-----------|
| Analgesic, "Certi-Ache", 50/2's (100) | A 232-131 |
| Antacid, "Certi-Lak", 50/2's (100) | A 238-012 |
| Aspirin, 50/2's (100) | A 232-018 |
| Cold & Sinus, "Certi-Cold" 50/unit | A 504-071 |
| Decongestant, "Certi-Decon", 50/2's (100) | A 222-010 |
| Electrolyte, "Certi-Lyte", 50/2's (100) | A 232-200 |
| Ibuprofen, "Certi-Prin", 50/2's (100) | A 232-110 |
| Menstrual Relief, "Certi-Fern", 50/2's (100) | A 232-128 |
| Non-Aspirin, "Certi-Cet", 50/2's (100) | A 232-101 |
| Non-Aspirin, X-str., "Certi-Cet Plus", 50/2's (100) | A 232-107 |
| Sinus Relief, "Certi-Sine", 50/2's (100) | A 222-030 |
| TLH Cough Drops, Cherry 50/box | A 241-012 |

MISCELLANEOUS



| DESCRIPTION | PART |
|-------------------------------------------|-----------|
| Ammonia Inhalant, 10/unit | A 212-005 |
| Biohazard Bags with Tie, 2/unit | A 216-123 |
| Cold Packs, Junior – 5" x 7" | A 216-033 |
| Cold Packs, Large 6" x 9" | A 234-295 |
| CPRotector®, Clear Plastic Overwrap | A 270-026 |
| Gloves, Nitrile, Medium/Large, 1 Pair/Bag | A 216-081 |
| Finger Splint, Plastic, Large | A 262-027 |
| First Aid Facts Book | A 234-010 |
| Forceps, Plastic, 4-1/4" | A 242-014 |
| Lancing Tool, 2/package | A 242-007 |
| Scissors, 4" Metal | A 237-010 |

EYE CARE

- Our eye care products provide emergency first aid for any type of eye injury, not just chemical splash
- Eye and skin wash is a specially formulated isotonic buffered solution that neutralizes acid and alkali burns, as well as flushing out debris in eyes



| DESCRIPTION | PART | DESCRIPTION | PART |
|----------------------------------|-----------|----------------------------------------|-----------|
| Eye and Skin Wash, 4 oz. Bottle | A 508-016 | Eye Drops, Single Dose, .02 oz. 5/unit | A 229-048 |
| Eye and Skin Wash, 32 oz. Bottle | A 511-030 | Eye Pads, Gauze Assortment | A 206-132 |
| Eye Cups, Plastic 6/unit | A 229-018 | Eye Pads, Non-Woven, 10/box | A 231-115 |
| Eye Dressing Kit 4/unit | A 214-009 | Eye Wash, 15 ml, 2/unit | A 229-050 |

CLEANSE A LENS STATION

- 10" H x 9" W x 4" D White Poly Case with Glow-in-the-dark Face
- Safe for all glass and poly-coated lenses
- Certi-Clear anti-fog, anti-static solution
- Non-treated lens cleaning tissues – 4.5" x 5"
- Neat attractive wall mount station with waste receptacle for used tissues
- Disposable and recyclable – non refillable



| DESCRIPTION | PART |
|-----------------------------------------------|------------|
| Cleanse A Lens Station | A K335-050 |
| Anti-Fog Lens Cleaning Solution (8 oz. Spray) | A 335-020 |
| Lens Cleaning Tissues (800/pkg) | A 335-022 |

FIRST AID & MEDICAL PRODUCTS

PERSONAL PROTECTION

WELDING RESPIRATOR

- Features an added sorbent that helps filter out nuisance levels of ozone and organic vapors (less than the OSHA PEL)
- Can be used where welding fumes are present
- Exhalation valve reduces hot air build-up, keeping workers cool and comfortable
- Collapse-resistant polymesh shell has integral flame retardants for added protection
- Shaped for comfort with a contour-molded nose bridge
- NIOSH 42 CFR 84 certified to have filter efficiency of 95% against particulate aerosols free of oil



PARTICULATE RESPIRATOR

- Features electrostatically charged microfibers infused into its construction, making breathing easier and cooler
- Designed to provide reliable protection against certain non-oil based particles
- Lightweight, high quality design
- Adjustable nose clip – secure seal
- Elastic straps keep respirator snug against the face
- NIOSH 42 CFR 84 classification of N95 (95% efficient, not resistant to oil)



| DESCRIPTION | PART |
|--------------------|---------|
| Welding Respirator | I 59012 |

| DESCRIPTION | PART |
|------------------------|---------|
| Particulate Respirator | I 59014 |

NUISANCE MASK

- Lightweight, economical mask provides protection for nuisance dusts like alfalfa, pollen, sawdust and animal dander
- Contoured nosepiece and elastic headband holds mask comfortably without restricting visibility



| DESCRIPTION | PART |
|---------------|---------|
| Nuisance Mask | R 59010 |

INSECT REPELLENT

- Contains 25% DEET
- Repels mosquitos, chiggers, ticks, deer flies, stable flies, black flies, gnats and fleas on exposed skin surfaces
- Use just enough repellent to cover exposed skin and/or clothing
- Do not use under clothing
- Avoid over-exposure



| DESCRIPTION | PART |
|--------------------------|---------|
| Insect Repellent (6 oz.) | A 74705 |

INSECT REPELLING WRISTBANDS

- Repels mosquitoes, flies, gnats, and no-see-ums
- DEET Free
- Natural & Effective – Made with naturally derived geraniol
- Vapors from the wristband form a protective shield around the immediate area, keeping insects a safe distance away
- While many repellents are easily diluted or rinsed off with swimming or perspiration, the wristband just keeps working, up to 120 hours
- Packaged in a reusable plastic "pod" that can be sealed between uses
- Can be worn on belt loops, hatbands, fastened in tents, or applied to other areas
- Designed with a patented break-away strap – snaps if it becomes entangled
- Several wristbands can be strung together to create a longer band



| DESCRIPTION | PART |
|------------------|---------|
| Green | C 85085 |
| Glow-in-the-dark | C 85086 |
| Pink | C 85087 |
| Red | C 85088 |
| Yellow | C 85089 |
| Blue | C 85090 |

FIRST AID & MEDICAL PRODUCTS

PERSONAL PROTECTION

MECHANIX WEAR® PRO KNEE PADS

- 100% Kevlar®
- Heavy duty professional pad
- 3mm neoprene full coverage protection
- Multi-layered EVA foam pad conforms to knee
- Nylon web pull strap allows quick adjustment and positioning
- Upper / lower extra wide hook and loop for adjustability



| DESCRIPTION | PART |
|------------------------------|----------|
| Mechanix Wear® Pro Knee Pads | A 162804 |

PONCHO

- Color: yellow
- Size: 52" x 80"
- Thickness: 10mm PVC film
- An economical way to stay dry in various weather conditions
- Comes in a handy tote pouch
- Snap closures at sides
- Attached hood
- One size fits all



| DESCRIPTION | PART |
|-------------|---------|
| Poncho | B 59060 |

OVER-THE-HEAD EARMUFF

- This lightweight muff features very low profile ear cups that fit well with most helmets, eyewear and other safety equipment
- Comfortable earmuff in design and style
- Provides effective protection, especially against the high frequency noise associated with many work areas and functions including machine shops and power tools
- For loud noise levels up to 95 dba



| DESCRIPTION | PART |
|-----------------------|---------|
| Over-The-Head Earmuff | A 59085 |

PUSH-TO-LISTEN EARMUFF

- With the touch of a button, hear coworkers more clearly
- No more lifting the cup or removing the muff to communicate with coworkers
- Comfortable earmuff in design and style
- Provides effective protection, especially against the high frequency noise associated with many work areas and functions including machine shops and power tools



| DESCRIPTION | PART |
|---------------------------------------|---------|
| Push-To-Listen Earmuff | A 59086 |
| Push-To-Listen Earmuff Hard Hat Mount | A 59087 |

EAR PLUGS

- Foam ear plugs do not require rolling prior to insertion, eliminating the possibility of hand-to-ear contamination
- Their pre-shaped design features a built-in flexible stem that makes insertion easy
- Clean with soap and water for reuse



| DESCRIPTION | PART |
|--------------------|---------|
| Corded Ear Plugs | L 59000 |
| Uncorded Ear Plugs | L 59001 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

SAFETY GOGGLES

- One-piece, impact-resistant polycarbonate toric lens provides superior optics and peripheral vision
- Ideal for chemical splash and impact protection
- Lens is 99.9% UV rated
- Durable polypropylene frame features a soft, flexible elastomer that conforms gently to most facial contours
- Indirect ventilation system minimizes fogging
- Quick-adjust headband easily clips onto hard hats
- Meets ANSI Z87.1-1989 and CSA Z94.3-1992 standards



| DESCRIPTION | PART |
|----------------|---------|
| Safety Goggles | A 59020 |

SPORT BLACK FRAME - SMOKE LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



| DESCRIPTION | PART |
|--------------------------------|---------|
| Sport Black Frame - Smoke Lens | A 59023 |

SPORT CLEAR FRAME - CLEAR LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



| DESCRIPTION | PART |
|--------------------------------|---------|
| Sport Clear Frame - Clear Lens | A 59024 |

PERFORATED SAFETY GOGGLES

- Multi-purpose ultra soft goggle with poly-carbonate lens
- Flexible vinyl frame provides an excellent facial fit
- Perforated to allow comfortable ventilation
- Meets ANSI Z87.1 requirements
- Black strap masks grease and grime



| DESCRIPTION | PART |
|---------------------------|---------|
| Perforated Safety Goggles | A 59021 |

BLACK FRAME - CLEAR LENS

- Fashionable, lightweight plastic frames
- Contemporary, panoramic, polycarbonate lens offer 99% UV protection
- Universal fit with 4-position adjustable temples
- Meets ANSI Z87.1 requirements



| DESCRIPTION | PART |
|--------------------------|---------|
| Black Frame - Clear Lens | A 59026 |

SPORT BLACK FRAME - SILVER MIRROR LENS

- New wraparound aerodynamic sporty styling
- Side tapered lens provides extra protection against sun and harmful objects
- Soft rubber nosepiece and temples
- Lens offers 99% UV protection
- Meets ANSI Z87.1 requirements



| DESCRIPTION | PART |
|----------------------------------------|---------|
| Sport Black Frame - Silver Mirror Lens | A 59025 |

OVER-PRESCRIPTION SAFETY EYEWEAR

- Provides an economical alternative
- Polycarbonate lens offers 99% UV protection
- Can be worn alone or over prescription glasses
- Meets ANSI Z87.1 requirements



| DESCRIPTION | PART |
|----------------------------------|---------|
| Over-Prescription Safety Eyewear | A 59027 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

ES4 - PEARL GRAY FRAME CLEAR LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 91% of light passes through
- CSA Approved
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-----------------------------------|---------|
| ES4 - Pearl Gray Frame/Clear Lens | A 59110 |

ES4 - CRYSTAL BLACK FRAME HD SILVER POLARIZED MIRROR LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 16% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-----------------------------------------------------------|---------|
| ES4 - Crystal Black Frame/HD Silver Polarized Mirror Lens | A 59119 |

ES5 - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

Designed for outdoor sports, the ES5 provides a polished style. The sleek framework provides substantial coverage for a variety of environments.

- Half frame
- Frame material: TR90
- 18% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------------------|---------|
| ES5 - Crystal Brown Frame/HD Brown Polarized Lens | A 59122 |

ES5 - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Half frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|------------------------------------------------------|---------|
| ES5 - Crystal Brown Frame/HD Brown Flash Mirror Lens | A 59075 |

RPG - SHINY BLACK-PEARL RED FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light, further reducing the glare. Ideal for bright outdoor conditions.

- Full frame
- Frame material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|------------------------------------------------------|---------|
| RPG - Shiny Black-Pearl Red Frame/Silver Mirror Lens | A 59077 |

RPG - MATTE BLACK FRAME HD BLUE POLARIZED LENS

Full Frame RPG fits a wide range of users and it is excellent in diverse environments. Diminishes glare. Good for outdoors.

- Full frame
- Frame material: TR90
- 18% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|------------------------------------------------|---------|
| RPG - Matte Black Frame/HD Blue Polarized Lens | A 59117 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

COBRA - MATTE BLACK FRAME RED MIRROR LENS

Colored mirrored surface over a smoke base lens diminishes glare by absorbing reflection across the mirror surface. Good for bright outdoor conditions.

- Half frame
- Frame Material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



COBRA - SHINY BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through



| DESCRIPTION | PART |
|-------------------------------------------|---------|
| COBRA - Matte Black Frame/Red Mirror Lens | A 59078 |

| DESCRIPTION | PART |
|--------------------------------------|---------|
| COBRA - Shiny Black Frame/Clear Lens | A 59108 |

CORE - MILITARY GREEN CAMO FRAME SMOKE LENS

The perfect all around tint for normal outdoor conditions

- 3/4 frame
- Frame material: TR90
- 18% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



CORE - MOCHA BROWN FRAME HD BROWN POLARIZED LENS

Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 22% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------------|---------|
| CORE - Military Green Camo Frame/Smoke Lens | A 59071 |

| DESCRIPTION | PART |
|--------------------------------------------------|---------|
| CORE - Mocha Brown Frame/HD Brown Polarized Lens | A 59120 |

CORE - EMERALD PEARL FRAME GOLD MIRROR LENS

The mirrored surface over a smoke base lens diminishes glare by absorbing reflection across the mirror surface. Good for bright, outdoor conditions.

- 3/4 frame
- Frame material: TR90
- 16% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



KP6 - CRYSTAL BLACK FRAME SMOKE LENS

The perfect all around tint for normal outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------------|---------|
| CORE - Emerald Pearl Frame/Gold Mirror Lens | A 59070 |

| DESCRIPTION | PART |
|--------------------------------------|---------|
| KP6 - Crystal Black Frame/Smoke Lens | A 59074 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

INFINITY - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Full frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-----------------------------------------------------------|---------|
| INFINITY - Crystal Brown Frame/HD Brown Flash Mirror Lens | A 59076 |

BRIGADE - BLACK-RED FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.

- Half frame
- Frame material: Nylon
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|----------------------------------------------|---------|
| BRIGADE - Black-Red Frame/Silver Mirror Lens | A 59066 |

INFINITY - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

The comfortable fit is easy wear all day. Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- Full frame
- Frame material: TR90
- 22% of light passes through



| DESCRIPTION | PART |
|--------------------------------------------------------|---------|
| INFINITY - Crystal Brown Frame/HD Brown Polarized Lens | A 59118 |

SNIPER - CRYSTAL BROWN FRAME HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. For normal to bright outdoor use.

- Half frame
- Frame material: TR90
- 22% of light passes through
- High definition lens



| DESCRIPTION | PART |
|---------------------------------------------------------|---------|
| SNIPER - Crystal Brown Frame/HD Brown Flash Mirror Lens | A 59067 |

VIPER - CRYSTAL CLEAR FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Frameless
- Frame material: Polycarbonate
- 91% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|----------------------------------------|---------|
| VIPER - Crystal Clear Frame/Clear Lens | A 59109 |

SNIPER - BLACK-CRYSTAL BURGUNDY FRAME SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light, further reducing the glare. Ideal for bright outdoor conditions.

- Half frame
- Frame material: TR90
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|----------------------------------------------------------|---------|
| SNIPER - Black-Crystal Burgundy Frame/Silver Mirror Lens | A 59068 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

SNIPER - MATTE BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------|---------|
| SNIPER - Matte Black Frame/Clear Lens | A 59107 |

CONCEPT - CRYSTAL BLACK FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Half frame
- Frame material: TR90
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------------------------------|---------|
| CONCEPT - Crystal Black Frame, Foam Lined Anti-Fog Clear Lens | A 59111 |

SNIPER - SHINY BLACK FRAME SMOKE POLARIZED LENS

Count on the Sniper to perform on the job. Designed with the sportsman in mind, this style transitions easily from work to recreational environments.

- Half frame
- Frame material: TR90
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-------------------------------------------------|---------|
| SNIPER - Shiny Black Frame/Smoke Polarized Lens | A 59121 |

DIAMONDBACK - SHINY RED FRAME FOAM LINED / SILVER MIRROR LENS

Similar to a smoke lens, but has the added mirror coating which filters more light further reducing the glare. Ideal for bright outdoor conditions.

- Full frame
- Frame material: Polycarbonate
- 16% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|--------------------------------------------------------------|---------|
| DIAMONDBACK - Shiny Red Frame, Foam Lined Silver Mirror Lens | A 59073 |

RAPTOR - SHINY PEARL GRAY FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Suitable for indoor or low light conditions.

- Full frame
- Frame material: Polycarbonate
- 81% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-----------------------------------------------------------------|---------|
| RAPTOR - Shiny Gray Pearl Frame, Foam Lined Anti-Fog Clear Lens | A 59112 |

DIAMONDBACK - BLACK MATTE FRAME FOAM LINED / ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Full frame
- Frame material: Polycarbonate
- 91% of light passes through
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|---------------------------------------------------------------|---------|
| DIAMONDBACK - Shiny Red Frame, Foam Lined Anti-Fog Clear Lens | A 59114 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

MP7 - CRYSTAL BROWN FRAME FOAMED LINED HD BROWN FLASH MIRROR LENS

Filters blue light which can cause eye fatigue and cause a haze effect. Use in normal to bright outdoor use.

- Full frame
- Frame material: TR90
- 22% of light passes through
- High definition lens
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-------------------------------------------------------------------|---------|
| MP7 - Crystal Brown Frame Foamed Lined HD Brown Flash Mirror Lens | A 59069 |

MP7 - CRYSTAL BLACK FRAME BLUE GREEN POLARIZED LENS

Filters bent light caused from reflection, reducing glare and eye fatigue. Suitable for sunny outdoor conditions.

- Full frame
- No foam lining
- Frame material: TR90
- 18% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|-----------------------------------------------------|---------|
| MP7 - Crystal Black Frame/Blue Green Polarized Lens | A 59123 |

MP7 - CRYSTAL BLACK FRAME FOAMED LINED ANTI-FOG CLEAR LENS

Allows maximum light transmission without changing or distorting, sight or colors. Suitable for indoor, or low-light conditions.

- Full frame
- Frame material: TR90
- 91% of light passes through
- CSA Approved
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|--------------------------------------------------------------------|---------|
| MP7 - Crystal Brown Frame, Foamed Lined HD Brown Flash Mirror Lens | A 59113 |

ECLIPSE - MATTE BLACK FRAME FOAM LINED / YELLOW FLASH MIRROR LENS

Enhances available light. Appropriate for low light conditions in both indoor and outdoor environment.

- Full frame
- Frame material: Polycarbonate
- 80% of light passes through
- Protection from UVA & UVB Rays
- 100% visually correct de-centered lenses
- 2.2 mm Panlite Brand polycarbonate lenses
- Meets ANSI Z87.1-2003 high impact standards



| DESCRIPTION | PART |
|------------------------------------------------------------------|---------|
| ECLIPSE - Matte Black Frame, Foam Lined Yellow Flash Mirror Lens | A 59079 |

DUAL-LED SAFETY GLASSES WITH SHATTERPROOF POLYCARBONATE CLEAR LENSES

You'll never be in the dark with these multi purpose safety glasses. This functional safety frame is perfect for multiple uses.

- Forward facing LED lights on both temples
- Individual on/off switches
- Includes 3 alkaline button cell batteries per light (P/N 29206)
- Meets ANSI Z87.1 standards for safety eyewear
- Scratch resistant coating
- UV400 filter for maximum UV protection
- Foam padding on top of frame
- Rubber nose pads and tips
- Clear lenses and black frame



| DESCRIPTION | PART |
|-------------------------|---------|
| Dual-LED Safety Glasses | A 59124 |

SAFETY ACCESSORIES

SAFETY EYEWEAR

ELEMENT - BLACK SOFT TOUCH FRAME CLEAR ANTI-FOG LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Full frame
- Frame material: Coated Polycarbonate/Rubberized
- 91% of light passes through
- CSA Approved



| DESCRIPTION | PART |
|------------------------------------------------------|---------|
| ELEMENT - Black Soft Touch Frame/Clear Anti-Fog Lens | A 59072 |

MATTE BLACK FRAME BLACK WIRE MESH LENS

Provides protection while eliminating fog. Designed for extremely humid environments.

- Full frame
- Frame material: Polycarbonate
- ANSI Z87.1-2010



| DESCRIPTION | PART |
|----------------------------------------|---------|
| Matte Black Frame/Black Wire Mesh Lens | A 59115 |

OG-3 - OVER GLASSES BLACK FRAME CLEAR LENS

Allows maximum light transmission without changing or distorting sight or colors. Suitable for indoor or low light conditions.

- Accommodates 134 x 34 inside Rx glass
- Accommodates Rx glass with a base curve of 5
- Full frame
- Frame material: Polycarbonate
- 91% of light passes through



| DESCRIPTION | PART |
|--------------------------------------------|---------|
| OG-3 - Over Glasses Black Frame/Clear Lens | A 59065 |

ELASTIC BAND MATTE BLACK FRAME BLACK WIRE MESH LENS

Provides protection while eliminating fog. Designed for extremely humid environments.

- Full frame w/ elastic strap
- Frame material: Polycarbonate
- ANSI Z87.1-2010



| DESCRIPTION | PART |
|-----------------------------------------------------|---------|
| Elastic Band Matte Black Frame/Black Wire Mesh Lens | A 59116 |

FLEX SIDE SHIELDS

Flex Side Shields turn regular glasses into safety glasses

- Conforms to ANSI Z87.1 standards
- They're soft and molded to bend with your glasses, but are still durable enough to absorb the energy from an impact
- Provides side protection that you don't normally get from your spectacles
- Made from flexible material
- Weaves through the arm of your glasses
- Folds with temple
- Blocks 100% of harmful UV rays



To apply, weave the arms of your glasses through the cuts in the side shield. They fit on a variety of spectacle sizes and styles. Flex Side Shields also allow your glasses to fold up correctly for proper storage.



| DESCRIPTION | PART |
|-------------------|---------|
| Flex Side Shields | A 59018 |

SAFETY ACCESSORIES

SAFETY EYEWEAR – BIFOCALS

TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 1.5)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 1.5
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Smoke Lens - Diopter 1.5 | A 59101 |

TALON - MATTE BLACK FRAME CLEAR LENS (DIOPTER 1.5)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 1.5
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Clear Lens - Diopter 1.5 | A 59104 |

TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.0)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 2.0
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Smoke Lens - Diopter 2.0 | A 59102 |

TALON - MATTE BLACK FRAME CLEAR LENS (DIOPTER 2.0)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 2.0
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Clear Lens - Diopter 2.0 | A 59105 |

TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.5)

A sporty and lightweight design for fit and ease of use in diverse environments. The perfect all around tint for normal outdoor conditions.

- Diopter 2.5
- Half frame
- Frame material: Nylon
- 18% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Smoke Lens - Diopter 2.5 | A 59103 |

TALON - MATTE BLACK FRAME SMOKE LENS (DIOPTER 2.5)

A sporty and lightweight design for fit and ease of use in diverse environments. Allows maximum light transmission without changing or distorting sight or colors. For indoor or low light conditions.

- Diopter 2.5
- Half frame
- Frame material: Nylon
- 91% of light passes through
- Features: Bifocals



| DESCRIPTION | PART |
|----------------------------------------------------|---------|
| TALON - Matte Black Frame/Clear Lens - Diopter 2.5 | A 59106 |

SAFETY ACCESSORIES

SAFETY EYEWEAR – POLARIZED LENSES

ES4 - CRYSTAL BLACK FRAME HD SILVER MIRROR POLARIZED LENS

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.

- Half frame
- Frame material: TR90
- 16% of light passes through



| DESCRIPTION | PART |
|-------------------------------------------------|---------|
| ES4 - Crystal Black Frame/HD Silver Mirror Lens | A 59119 |

ES5 - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

Designed for outdoor sports, the ES5 provides a polished style. The sleek framework provides substantial coverage for a variety of environments.

- Half frame
- Frame material: TR90
- 18% of light passes through



| DESCRIPTION | PART |
|-----------------------------------------|---------|
| ES5 - Crystal Brown Frame/HD Brown Lens | A 59122 |

RPG - MATTE BLACK FRAME HD BLUE POLARIZED LENS

Full frame RPG fits a wide range of users and it is excellent in diverse environments. Diminishes glare. Good for outdoor conditions.

- Full frame
- Frame material: TR90
- 18% of light passes through



| DESCRIPTION | PART |
|------------------------------------------------|---------|
| RPG - Matte Black Frame/HD Blue Polarized Lens | A 59117 |

CORE - MOCHA BROWN FRAME HD BROWN POLARIZED LENS

Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- 3/4 frame
- Frame material: Polycarbonate
- 22% of light passes through
- CSA Approved



| DESCRIPTION | PART |
|--------------------------------------------------|---------|
| CORE - Mocha Brown Frame/HD Brown Polarized Lens | A 59120 |

INFINITY - CRYSTAL BROWN FRAME HD BROWN POLARIZED LENS

The comfortable fit is easy to wear all day. Filters blue light which is known to cause eye fatigue and a haze effect. Normal to bright outdoor conditions.

- Full frame
- Frame material: TR90
- 22% of light passes through



| DESCRIPTION | PART |
|--------------------------------------------------------|---------|
| INFINITY - Crystal Brown Frame/HD Brown Polarized Lens | A 59118 |

SNIPER - SHINY BLACK FRAME SMOKE POLARIZED LENS

Count on the Sniper to perform on the job. Designed with the sportsman in mind, this style transitions easily from work to recreational environments.

- Half frame
- Frame material: TR90
- 18% of light passes through



| DESCRIPTION | PART |
|-------------------------------------------------|---------|
| SNIPER - Shiny Black Frame/Smoke Polarized Lens | A 59121 |

MP7 - CRYSTAL BLACK FRAME BLUE GREEN POLARIZED LENS

Filters bent light caused from reflection, reducing glare and eye fatigue. Suitable for sunny outdoor conditions.

- Full frame
- No foam lining
- Frame material: TR90
- 18% of light passes through



| DESCRIPTION | PART |
|-----------------------------------------------------|---------|
| MP7 - Crystal Black Frame/Blue Green Polarized Lens | A 59123 |

SAFETY ACCESSORIES

FACE SHIELDS

BIONIC® SHIELD

The bionic shield redefines a higher level of technology in the faceshield category. An advanced ergonomic design combines superior protection & all-day comfort with easy-to-use features that workers desire.



- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easily replaceable visor with dual position choices
- Secure visor attachment
- Lightweight and balanced, ergonomic design for extended use
- Comfortable cell foam on back of headgear
- Breathable, removeable, washable headband
- Black matte finish
- Comfortably worn with most goggles and respirators
- Faceshield offers secondary protection and must be worn with spectacles or goggles
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris
- Hardhat accessory is compatible with multiple hardhats, including Willson® and most other major styles
- Leaves slots free
- 100% dielectric – and no metal parts



| DESCRIPTION | PART |
|----------------------------------------------|--------|
| Bionic Shield | A 8876 |
| Bionic Shield Replacement Visor | A 8877 |
| Bionic Shield Replacement Visor (Shaded 5.0) | A 8878 |
| Bionic Shield Hardhat Adapter | A 8879 |

HEADGEAR FACE SHIELD

- Provides standard pin-lock sizing adjustment
- Resilient cam-lock features hold the face shield in place
- Tension can be adjusted for any fixed or moveable window position
- Clear polycarbonate replaceable face shield
- Meets ANSI Z87.1 requirements
- Made in USA

Face Shields are considered as secondary protection only. Proper eye protection must be worn with face shields.



| DESCRIPTION | PART |
|------------------------|----------|
| Headgear Face Shield | A 59022 |
| Clear Face Shield Only | A 59022S |

GLOVES – LATEX & NITRILE

GLOVES – LATEX

INDUSTRIAL LATEX GLOVES

- Industrial-use, pre-powdered glove
- Wrist-length, reinforced rolled cuffs
- 5 mils thick
- Stretches to fit
- Excellent sensitivity and touch

(PAIR)
100/BOX



| DESCRIPTION | PART | |
|-----------------------------------|------|---------|
| Latex Disposable Gloves (Large) | A | 59032 |
| Latex Disposable Gloves (X-Large) | A | 59032XL |

BLUE LIGHTNING GLOVES – LATEX

BLUE LATEX / POWDER FREE

- Extra long 12" cuff for added protection
- 15 mils thick – super strength
- Additionally processed to remove extra latex proteins from the glove, which may reduce the risk of latex allergies.
- Meets or exceeds the emergency medical glove requirements of NFPA 1999, Standard on Protective Clothing for Emergency Medical operations, 2013 edition.
- Textured fingertips and smooth palm



50 GLOVES
PER BOX

| DESCRIPTION | PART | |
|---------------------------------|------|------------|
| BLUE LIGHTNING GLOVES (X-LARGE) | A | 59215XL |
| BLUE LIGHTNING GLOVES (LARGE) | A | 59215LARGE |
| BLUE LIGHTNING GLOVES (MEDIUM) | A | 59215MED |
| BLUE LIGHTNING GLOVES (SMALL) | A | 59215SMALL |

GLOVES – NITRILE, CHEMICAL RESISTANT

NITRILE CHEMICAL RESISTANT GLOVES

- Resistant to most solvents and parts cleaners
- Stronger and more puncture resistant than regular latex gloves
- Hypoallergenic for hands sensitive to latex
- Snug fit helps keep liquids from leaking on hands
- Disposable, convenient, single-use saves clean-up time
- Made of 100% non-sterile nitrile polymer



100 GLOVES
PER BOX

| DESCRIPTION | PART | |
|----------------------------|------|------------|
| Black Nitrile Gloves (M) | A | 59054MED |
| Black Nitrile Gloves (L) | A | 59054LARGE |
| Black Nitrile Gloves (XL) | A | 59054XL |
| Black Nitrile Gloves (XXL) | A | 59054XXL |

NITRILE CHEMICAL RESISTANT GLOVES

- Resistant to most solvents and parts cleaners
- Stronger and more puncture resistant than regular latex gloves
- Hypoallergenic for hands sensitive to latex
- Snug fit helps keep liquids from leaking on hands
- Disposable, convenient, single-use saves clean-up time
- Made of 100% non-sterile nitrile polymer



100 GLOVES PER BOX

| DESCRIPTION | PART | |
|-------------------------------|------|------------|
| Blue Nitrile Gloves (X-Large) | A | 59035 |
| Blue Nitrile Gloves (Large) | A | 59034 |
| Blue Nitrile Gloves (Medium) | A | 59034MED |
| Blue Nitrile Gloves (Small) | A | 59034SMALL |

GLOVE DISPENSER

- Store your boxes of gloves in an easily accessible location
- Holds most popular brands of gloves
- Stainless steel tension spring keeps boxes securely in place
- Dispensers have two 1/2" slotted mounting holes for wall mounting (fasteners included)
- Durable and attractive white powder coated finish is rust and acid resistant
- Dimensions: 5-11/16" W x 3-13/16" D x 10" H



| DESCRIPTION | PART | |
|-----------------|------|-------|
| Glove Dispenser | A | 50020 |

GLOVES – NITRILE

GLOVES – NITRILE

NITRILE GLOVES – FLOCK LINED

- Provides excellent protection against cuts, abrasion, punctures
- Superior resistance to a broad range of solvents, animal fats and other chemicals
- Case hardened finish enhances chemical and abrasion resistance, while making them easier to pull on and off
- Non-slip grip makes wet work easier and safer
- Ergonomic design maximizes comfort



| DESCRIPTION | PART |
|---------------------------------------|------------|
| Nitrile Gloves – Flock Lined (Large) | F 59037 |
| Nitrile Gloves – Flock Lined (Medium) | F 59037MED |

BLACK LIGHTNING GLOVES – NITRILE

- Natural 5.5 pH = natural comfort!
- 6 mils thick
- Super strong
- 100% quality nitrile (black)
- Superior durability, comfort and protection against day-to-day hazards
- Chlorinated and quadruple leached to ensure the cleanest, most comfortable long wearing glove possible

100 GLOVES
PER BOX



The 5.5 pH comfort coating feature is a natural solution to aid your skin's own mechanism in restoration and repair efforts! Take a preventive stand with Black Lightning Gloves!

| DESCRIPTION | PART |
|-----------------------------------|--------------|
| Black Lightning Gloves (XX-Large) | A 59056XXL |
| Black Lightning Gloves (X-Large) | A 59056XL |
| Black Lightning Gloves (Large) | A 59056LARGE |
| Black Lightning Gloves (Medium) | A 59056MED |
| Black Lightning Gloves (Small) | A 59056SMALL |

LIGHTNING STORM GLOVES – NITRILE

- Blue nitrile/powder free extended 12" cuff
- 9 mils thick, yet soft and durable
- For high risk applications
- Approved for medical use
- Textured fingertips for reliable grip in wet and dry conditions / ambidextrous
- Nitrile formulation alleviates the potential for adverse reactions associated with natural rubber latex proteins

50 GLOVES
PER BOX



| DESCRIPTION | PART |
|----------------------------------|--------------|
| Lightning Storm Gloves (X-Large) | A 59211XL |
| Lightning Storm Gloves (Large) | A 59211LARGE |
| Lightning Storm Gloves (Medium) | A 59211MED |

ALOE POWER 5.5 MIL NITRILE GLOVES

- Aloe coated to moisturize irritated hands
- Proprietary Freeze-Dried technology gradually bathes hands in aloe to help soothe dry, chapped, and cracked hands!
- Superior comfort for extended wear
- Powder free
- Textured grip for unsurpassed grip control in both wet and dry working conditions.
- Ambidextrous



100 GLOVES PER BOX

| DESCRIPTION | PART |
|------------------------------|--------------|
| Aloe Power Gloves (XX-Large) | A 59028XXL |
| Aloe Power Gloves (X-Large) | A 59028XL |
| Aloe Power Gloves (Large) | A 59028LARGE |
| Aloe Power Gloves (Medium) | A 59028MED |

ORANGE LIGHTNING GLOVES – NITRILE

- Natural 5.5 pH = natural comfort!
- 6 mils thick
- Super strong
- 100% quality nitrile (orange)
- Superior durability, comfort and protection against day-to-day hazards
- Chlorinated and quadruple leached to ensure the cleanest, most comfortable long wearing glove possible

100 GLOVES
PER BOX



The 5.5 pH comfort coating feature is a natural solution to aid your skin's own mechanism in restoration and repair efforts! Take a preventive stand with Orange Lightning Gloves!

| DESCRIPTION | PART |
|------------------------------------|--------------|
| Orange Lightning Gloves (XX-Large) | A 59207XXL |
| Orange Lightning Gloves (X-Large) | A 59207XL |
| Orange Lightning Gloves (Large) | A 59207LARGE |
| Orange Lightning Gloves (Medium) | A 59207MED |
| Orange Lightning Gloves (Small) | A 59207SMALL |

GLOVES

GLOVES – NEOPRENE

ROUGH FINISH NEOPRENE GLOVES

- Multi-dipped in premium-grade neoprene
- Offers superior durability against acids, caustics, oils, greases and many solvents
- Provides extra protection against cuts and punctures
- Rough finish offers great gripping capabilities

(PAIR)



| DESCRIPTION | PART |
|------------------------------|---------|
| Rough Finish Neoprene Gloves | A 59033 |

GLOVES – PVC COATED

SUPER GRIP GLOVES

- Heavy coat premium yellow PVC
- Surface of granulated plastic particles for super grip & long wear
- Superior resistance to cutting
- 12" length
- For fishing, water and sewer work, plywood manufacturing, heavy parts



| DESCRIPTION | PART |
|-------------------|---------|
| Super Grip Gloves | A 59048 |

GRIP PVC JERSEY LINED GLOVES

- Green, fully coated PVC work gloves
- Features a jersey lining with superior sandpaper grip finish



| DESCRIPTION | PART |
|------------------------------|---------|
| Grip PVC Jersey Lined Gloves | F 59045 |

PVC SAFETY ORANGE FOAM LINED GLOVES

- PVC coating resists chemicals, grease and oils
- Foam lining for optimum warmth and comfort
- Knit wrist



| DESCRIPTION | PART |
|--------------------|---------|
| PVC Gloves (Large) | c 59047 |

GLOVES – COTTON & KNIT

COTTON STRING GLOVES PVC DOTTED

- PVC dots on both sides for extended life and grip
- 100% cotton for comfort



| DESCRIPTION | PART |
|-----------------------------|---------|
| Cotton String Gloves Dotted | J 59043 |

NATURAL COTTON CANVAS WORK GLOVES

- General all-purpose work gloves
- Strong and comfortable
- Provides reliable abrasion resistance



| DESCRIPTION | PART |
|-----------------------------------|---------|
| Natural Cotton Canvas Work Gloves | A 59041 |

PREMIUM KNIT RUBBER COATED PALM

- White knit for comfort
- Blue latex palm coated for excellent grip
- Provides superior fit and dexterity
- Resists cuts and abrasion



| DESCRIPTION | PART |
|--------------------------------------|------------|
| Premium Knit Rubber Coated (Medium) | c 59044MED |
| Premium Knit Rubber Coated (Large) | c 59044 |
| Premium Knit Rubber Coated (X-Large) | c 59044XL |

GLOVES – WORK

GLOVES – WORK

BROWN JERSEY WORK GLOVES

- 100% cotton
- All-purpose knitted jersey
- Form-fitting cleft cut style with a knit wrist for comfortable fit



| DESCRIPTION | PART |
|--------------------------|---------|
| Brown Jersey Work Gloves | J 59031 |

BROWN JERSEY RED FLEECE LINED

- Ideal for material handling, construction, shipping and utility workers
- Brown jersey knit cotton fabric stretches, providing comfortable dexterity
- Fleece lined for warmth and extra protection



| DESCRIPTION | PART |
|-------------------------------|---------|
| Brown Jersey Red Fleece-Lined | F 59042 |

DEERSKIN DRIVING GLOVES (UNLINED)

- Premium smooth grain deerskin
- Buttery soft and flexible, nature's finest leather, tailored keystone thumb, self hem & shirred elastic back



| DESCRIPTION | PART |
|-----------------------------------|------------|
| Deerskin Driving Gloves (Medium) | A 59051MED |
| Deerskin Driving Gloves (Large) | A 59051 |
| Deerskin Driving Gloves (X-Large) | A 59051XL |

DEERSKIN WORK/DRIVING GLOVES (LINED)

- Premium deerskin
- Keystone thumb, self hem and shirred elastic back
- Thinsulate™ lined



| DESCRIPTION | PART |
|--------------------------------|------------|
| Deerskin Work Gloves (Medium) | A 59050MED |
| Deerskin Work Gloves (Large) | A 59050 |
| Deerskin Work Gloves (X-Large) | A 59050XL |

DELUXE PILE LINED LABOR GLOVES

- Comfortable, rugged split leather
- Keystone thumb, elastic back and leather palm strap for added durability
- Pile lining keeps out cold



| DESCRIPTION | PART |
|-----------------------------------|-----------|
| Pile Lined Labor Gloves (Large) | C 59038 |
| Pile Lined Labor Gloves (X-Large) | C 59038XL |

PIGSKIN LABOR GLOVES

- Grain pigskin and cotton canvas back
- Leather knuckle strap and wing thumb for durability
- Fully lined with Thinsulate™



| DESCRIPTION | PART |
|--------------------------------|-----------|
| Pigskin Labor Gloves (Large) | C 59039 |
| Pigskin Labor Gloves (X-Large) | C 59039XL |

FULL FEATURE WORK GLOVES

- Striped canvas back with matching cuff
- Reinforced leather knuckle strap provides added protection
- Full leather index finger & fingertips



| DESCRIPTION | PART |
|--------------------------|---------|
| Full Feature Work Gloves | F 59040 |

SPLIT LEATHER GLOVES

- Economy split leather gloves
- Ideal for basic hand protection
- Lining on palm & thumb for additional comfort
- with knit wrist



| DESCRIPTION | PART |
|--------------------------------------|--------------|
| Economy Split Leather Gloves | J 59030 |
| Economy Split Leather Gloves (Small) | J 59030SMALL |

WELDING GLOVES

- Russet cowhide
- Fully welted seams
- One-piece back
- Turned cuff & wing thumb
- Fully lined
- 13-1/2" length



| DESCRIPTION | PART |
|----------------|---------|
| Welding Gloves | A 59046 |

GLOVES – WORK & WINTER

GLOVES – WORK & WINTER

BREATHABLE POLY/LATEX GLOVES

Excellent Multi-purpose MRO Gloves

- Durable and Form-fitting
- Unsurpassed Value
- Lightweight with Great Grip
- 13-Gauge Polyester Knit Liner
- Wrinkle Finish Latex Palm

(PAIR)



| DESCRIPTION | PART |
|------------------------------------------------------------------------|--------------|
| Breathable Poly/Latex Gloves (Small) - Piping color: Red | A 59219SMALL |
| Breathable Poly/Latex Gloves (Medium) - Piping color: Green | A 59219MED |
| Breathable Poly/Latex Gloves (Large) - Piping color: Tan/Brown | A 59219LARGE |
| Breathable Poly/Latex Gloves (Extra Large) - Piping color: Blue/Indigo | A 59219XL |

WINTER WORK GLOVES (WATER RESISTANT)

- Ideal for working in cold winter climates
- Water resistant
- Poplin outer shell provides wind resistance
- Polyester insulation for comfort and warmth
- Foam laminated nylon liner locks in body heat

- Sure grip palm patch for durability and long wear
- Knit wrist with shirred elastic back
- Hook and D-rings attached
- Color: black

(PAIR)



| DESCRIPTION | PART |
|----------------------------------|-----------|
| Winter Work Gloves (Large) | A 59049 |
| Winter Work Gloves (Extra Large) | A 59049XL |

WINTER "WATERPROOF GLOVES WITH MINI HAND WARMERS

- Soft, durable, black gloves have palm and thumb grips for traction
- Snug fitting cuffs keep the cold out and the warmth in
- Waterproof/breathable
- Two reflective strips on back and cuff
- built-in "Mini Hand Warmer" pockets
- Includes one (1) pair of Heat Pax™ Mini Hand Warmers
- Mini Hand Warmers deliver up to 8 hours of air activated heat
- Simply tear open the package, wait 10 minutes for them to heat up fully, and insert into the hand warmer pockets
- Warmers maintain a minimum temperature of 104°F
- Heating can be suspended at any time by resealing the inserts in an airtight container or plastic bag

APPLICATIONS

- Industrial safety
- Construction
- Emergency services
- Military
- Rail yards
- Outdoor maintenance
- Snowmobiles
- Motor biking



(PAIR)


| DESCRIPTION | PART |
|----------------------------------------------|---------|
| Winter Waterproof Gloves (Small/Medium) | A 59203 |
| Winter Waterproof Gloves (Large/Extra large) | A 59204 |
| Mini Hand Warmers (Pair) | A 59205 |

GLOVES – WINTER

GLOVES – WINTER

SOFT BLACK GLOVES WITH GRIPTRAX PALM / 40 GRAM THINSULATE™ LINING

- Wind and water resistant liner
- 40 gram Thinsulate™ lining keeps the warmth in and the cold out
- 3M™ Scotchlite™ reflective overlay for enhanced visibility
- Soft shell fabric in an articulated, pre-curved design for a natural fit
- Silicone griptrax on the palm, thumb and index finger
- Non-slip grip
- Maximum dexterity



| DESCRIPTION | PART | |
|-----------------------------------------------------------|------|------------|
| Soft Black Gloves with Griptrax Palm (Extra Small) | A | 59088XS |
| Soft Black Gloves with Griptrax Palm (Small) | A | 59088SMALL |
| Soft Black Gloves with Griptrax Palm (Medium) | A | 59088MED |
| Soft Black Gloves with Griptrax Palm (Large) | A | 59088LARGE |
| Soft Black Gloves with Griptrax Palm (Extra Large) | A | 59088XL |
| Soft Black Gloves with Griptrax Palm (Extra, Extra Large) | A | 59088XXL |

MECHANIX WEAR® – THE ORIGINAL® INSULATED GLOVE

The brisk cold air makes even the simplest tasks more burdensome, so The Original® Insulated Glove was designed to lock in the warmth. A comfortable single layer of form-fitting fleece lines the entire glove, preserving warmth without sacrificing valuable dexterity.

The Original® Insulated Glove incorporates a durable water-resistant coating and a water-resistant liner in the palm to keep your hands dry. Top it off with a low-profile TPR closure for full range of motion and you have a critical cold weather tool.

FEATURES

- Form-fitting fleece lines the entire glove to preserve warmth
- Water-resistant coated fleece and liner keep hands dry
- Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist
- Machine washable

INTENDED USES

- Multipurpose cold weather
- Maintenance and repair
- Equipment operation

CERTIFICATIONS

- CE



INSULATED

Insulated and fleece lined top-of-hand for warmth and comfort.



WATER RESISTANT

Durable, water resistant coated fleece and liner keep hands dry.

| DESCRIPTION | PART | |
|---------------------------------------------------------------------|------|------------|
| Mechanix Wear Original Insulated Gloves – Small (Pair) | A | 59213SMALL |
| Mechanix Wear Original Insulated Gloves – Medium (Pair) | A | 59213MED |
| Mechanix Wear Original Insulated Gloves – Large (Pair) | A | 59213LARGE |
| Mechanix Wear Original Insulated Gloves – Extra Large (Pair) | A | 59213XL |
| Mechanix Wear Original Insulated Gloves – Extra, Extra Large (Pair) | A | 59213XXL |

GLOVES & SLEEVES – CUT RESISTANT

GLOVES AND SLEEVES – CUT RESISTANT

CUT RESISTANT GLOVES – KEVLAR®/STAINLESS STEEL COMPOSITE

- Cut resistance is ASTM Level 4/CE Level 5
- Blend of Kevlar®, wire-core steel and Cordura nylon for stellar cut protection
- Over a quarter-mile of steel in each glove
- Cut and abrasion-resistance is twice that of a regular Kevlar® glove
- PU coating has a very low particulate shed, offers good grip
- High abrasion resistance with great comfort and dexterity

(PAIR)



Applications

Sharp steel • Circuit boards • Automotive • Metal fabrication • Assembly • Sheet metal work

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

| DESCRIPTION | PART |
|------------------------------------|--------------|
| Cut Resistant Gloves (Medium) | A 59055MED |
| Cut Resistant Gloves (Large) | A 59055LARGE |
| Cut Resistant Gloves (Extra Large) | A 59055XL |

KEVLAR® SLEEVES – CUT AND SLASH RESISTENT

Features and Benefits

- ASTM ANSI Cut Level 2 for protection against cuts and burns
- 100% knitted Kevlar®
- Two different lengths and two styles
 - 14"
 - 14" with thumb hole
 - 18" with thumb hole

Applications

- Sheet metal
- Metal fabrication
- Glass handling
- Heat protection

(PAIR)



(PAIR)



Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.

| DESCRIPTION | PART |
|-------------------------------------|---------|
| 14" Kevlar® Sleeves | A 59061 |
| 14" Kevlar® Sleeves with thumb hole | A 59062 |
| 18" Kevlar® Sleeves with thumb hole | A 59063 |

19" TIRE CORE SLEEVES WITH GUSSET AND THUMB HOLE

Features and Benefits

- ASTM ANSI Cut Level 1 for added protection against cuts, abrasion, snags and tears
- Sleeves stay in place and are shaped for better fit with elastic casing and gusset at top
- Full arm protection
- CPPT of 480 grams
- Inside plated with cotton for all-day cool comfort
- Machine washable

Applications

- Glass plants
- Metal fabrication
- Automotive assembly

(PAIR)



| DESCRIPTION | PART |
|-----------------------|---------|
| 19" Tire Core Sleeves | A 59064 |

GLOVES – MECHANIX WEAR®

GLOVES – MECHANIX WEAR®

ORIGINAL® GLOVES

- Designed and manufactured to take on the toughest tasks you can throw at it
- Provides a winning combination of versatility and performance
- The Clarino Synthetic Leather palm and fingertips extends the life of the glove
- The Thermal Plastic Rubber hook and loop cuff closure and two-way stretch spandex top provides a perfect fit
- Pink Original® Glove designed to fit the contours of a women's hand



| DESCRIPTION | PART | DESCRIPTION | PART |
|-------------------------------------------------|-------------|--------------------------------------------|-------------------|
| Mechanix Wear Original Gloves – Medium (Pair) | A 162709MED | MW Original Women's Gloves – Small (Pair) | A 162709SMALL-PNK |
| Mechanix Wear Original Gloves – Large (Pair) | A 162709 | MW Original Women's Gloves – Medium (Pair) | A 162709MED-PNK |
| Mechanix Wear Original Gloves – X-Large (Pair) | A 162709XL | MW Original Women's Gloves – Large (Pair) | A 162709LG-PNK |
| Mechanix Wear Original Gloves – XX-Large (Pair) | A 162709XXL | - | - |

FASTFIT® GLOVES

- The FastFit® Glove is easy to pull-on and fits tons of tasks
- While the FastFit's® all-purpose design lends itself to a wide variety of jobs, the high-end features make it a great value
- New wider mouth cuff with added wrist padding
- Lycra® insert panels between fingers promotes comfort, mobility, plus synthetic leather palm make it a great grip too
- Color – Black



| DESCRIPTION | PART |
|-------------------------------------------------|--------------|
| Mechanix Wear FastFit® Gloves – Medium (Pair) | A 59052MED |
| Mechanix Wear FastFit® Gloves – Large (Pair) | A 59052LARGE |
| Mechanix Wear FastFit® Gloves – X-Large (Pair) | A 59052XL |
| Mechanix Wear FastFit® Gloves – XX-Large (Pair) | A 59052XXL |

IMPACT PRO GLOVES

- Race-inspired Mechanix Wear Impact Pro Glove can't be beat
- Designed to meet the stringent demands of serious tradesmen
- TPR molded rib panels to protect the backside of your hand, knuckles and fingertips
- Clarino Dura-Fit™ Synthetic Leather palm is enhanced with a padded and contoured palm heel for better flexibility and grip
- To keep you comfortable during a long day you'll appreciate the two-way stretch top with Tricot interior



| DESCRIPTION | PART |
|---------------------------------------------------------|--------------|
| Mechanix Wear Impact Pro Gloves, Black – Medium (Pair) | A 59053MED |
| Mechanix Wear Impact Pro Gloves, Black – Large (Pair) | A 59053LARGE |
| Mechanix Wear Impact Pro Gloves, Black – X-Large (Pair) | A 59053XL |

GLOVES – MECHANIX WEAR®, CG

GLOVES – MECHANIX WEAR® COMMERCIAL GRADE

COMMERCIAL GRADE HEAVY DUTY GLOVES (WITH GENUINE LEATHER)

- When you just can't settle for anything but the best
- Top-of-the-line answer for the workforce requiring the ultimate protection against impact, abrasion and fatigue
- Manufactured with features such as comfortable and breathable top quality genuine leather
- A multi-zone padded palm combined with flexible molded rubber ribbing for protection
- Low profile wrist cuff that allows for a full range of motion
- The CG Heavy Duty Glove can easily handle the toughest punishment your job can dish out



| DESCRIPTION | PART | |
|----------------------------------------------------------------|------|------------|
| Mechanix Wear CG Heavy Duty Gloves – Small (Pair) | A | 59095SMALL |
| Mechanix Wear CG Heavy Duty Gloves – Medium (Pair) | A | 59095MED |
| Mechanix Wear CG Heavy Duty Gloves – Large (Pair) | A | 59095LARGE |
| Mechanix Wear CG Heavy Duty Gloves – Extra Large (Pair) | A | 59095XL |
| Mechanix Wear CG Heavy Duty Gloves – Extra, Extra Large (Pair) | A | 59095XXL |

COMMERCIAL GRADE CG4X IMPACT PRO GLOVES (WITH MATERIAL 4X®)

- The CG4X Series Impact Pro has protection where it counts
- A flexible molded rubber exoskeleton protects the top of your hand from impact and abrasion
- Additional Material 4X™ reinforces your knuckle, finger and palm creating extremely durable high-wear in and abrasion prone areas
- Feel safe knowing this is the glove built for extreme protection



| DESCRIPTION | PART | |
|-----------------------------------------------------------|------|------------|
| Mechanix Wear CG4X Impact Pro Gloves – Medium (Pair) | A | 59094MED |
| Mechanix Wear CG4X Impact Pro Gloves – Large (Pair) | A | 59094LARGE |
| Mechanix Wear CG4X Impact Pro Gloves – Extra Large (Pair) | A | 59094XL |

GLOVES – MECHANIX WEAR®, FINGERLESS

GLOVES – MECHANIX WEAR® FINGERLESS

COMMERCIAL GRADE FRAMER GLOVES – PROTECTION, FLEXIBILITY & COMFORT

- Mechanix Wear has taken the real-world demands of framers, added the technology learned at the racetrack, and integrated the two into a single glove that will blow away anything you've come to expect from a framer's glove
- Combination of Genuine Leather and Clarino MWX-2 Synthetic Leather for improved durability
- Anatomically shaped padded palm for maximum movement and protection against abrasion and fatigue
- Fingerless index and middle finger to deliver the utmost sensitivity when handling nails or other small items



(PAIR)

| DESCRIPTION | PART | |
|-----------------------------------------------------------------------|------|-------------|
| Mechanix Wear CG Framer Fingerless Gloves – Small (Pair) | A | 59201SMALL* |
| Mechanix Wear CG Framer Fingerless Gloves – Medium (Pair) | A | 59201MED |
| Mechanix Wear CG Framer Fingerless Gloves – Large (Pair) | A | 59201LARGE |
| Mechanix Wear CG Framer Fingerless Gloves – Extra Large (Pair) | A | 59201XL |
| Mechanix Wear CG Framer Fingerless Gloves – Extra, Extra Large (Pair) | A | 59201XXL |

*Non-stock item. Please allow up to 10 days after receipt of order for delivery.

COMMERCIAL GRADE CG4X FRAMER GLOVES (WITH MATERIAL 4X®)

- When the job is on the line, feel the added protection from Material4x™ reinforced fingers, palm and knuckle area
- Anatomically shaped padded palm adds maximum movement and protection against abrasion & fatigue
- Fingerless index and middle finger deliver the utmost sensitivity when handling the smallest items



(PAIR)

| DESCRIPTION | PART | |
|-------------------------------------------------------------------------|------|------------|
| Mechanix Wear CG4x Framer Fingerless Gloves – Medium (Pair) | A | 59202MED |
| Mechanix Wear CG4x Framer Fingerless Gloves – Large (Pair) | A | 59202LARGE |
| Mechanix Wear CG4x Framer Fingerless Gloves – Extra Large (Pair) | A | 59202XL |
| Mechanix Wear CG4x Framer Fingerless Gloves – Extra, Extra Large (Pair) | A | 59202XXL |

M-PACT® GLOVES – ULTIMATE DEXTERITY WITH KNUCKLE PROTECTION

- Designed to combine the utmost dexterity with knuckle protection
- New sonic welded molded rubber on knuckles
- High impact PORON® XRD™ in the palm
- Absorbs more shock and vibration associated with repetitive tasks than its much thicker, traditional EVA foam counterpart



(PAIR)

| DESCRIPTION | PART | |
|--------------------------------------------------------------------------------|------|----------------|
| Mechanix Wear M-Pact® Fingerless Gloves – Medium/Large (Pair) | A | 59200MED/LARGE |
| Mechanix Wear M-Pact® Fingerless Gloves – Extra Large/Extra Extra Large (Pair) | A | 59200XL/XXL |

GLOVES – MECHANIX WEAR®, HI-VISIBILITY

GLOVES – MECHANIX WEAR® HI-VISIBILITY

HI-VIS SAFETY ORIGINAL® GLOVES

- You can't beat the Safety Original® for performance, comfort, and safety in industrial environments
- We've customized our signature Original® Glove with high-visibility day-glow two-way stretch spandex
- Bright, day-glow, color-fast Clarino synthetic leather palm
- Mechanix scatter graphic pattern printed with 3M™ Scotchlite™ reflective ink to add a visual effect when illuminated



(PAIR)

| DESCRIPTION | PART | |
|-------------------------------------------------------------------|------|------------|
| Mechanix Wear Safety Original® Gloves – Small (Pair) | A | 59097SMALL |
| Mechanix Wear Safety Original® Gloves – Medium (Pair) | A | 59097MED |
| Mechanix Wear Safety Original® Gloves – Large (Pair) | A | 59097LARGE |
| Mechanix Wear Safety Original® Gloves – Extra Large (Pair) | A | 59097XL |
| Mechanix Wear Safety Original® Gloves – Extra, Extra Large (Pair) | A | 59097XXL |

HI-VIS SAFETY FAST FIT® GLOVES

- For the industrial workplace
- Enhanced contours for a more comfortable fit
- Reflective strip panel and high-visibility day-glow two-way stretch spandex adds visibility
- Clarino synthetic leather palm, Lycra® panels between the fingers, two-ply fingertips and thumb to reduce wear and increase protection
- A new taller cuff was incorporated for a more secure fit



(PAIR)

| DESCRIPTION | PART | |
|-------------------------------------------------------------------|------|------------|
| Mechanix Wear Safety Fast Fit® Gloves – Small (Pair) | A | 59096SMALL |
| Mechanix Wear Safety Fast Fit® Gloves – Medium (Pair) | A | 59096MED |
| Mechanix Wear Safety Fast Fit® Gloves – Large (Pair) | A | 59096LARGE |
| Mechanix Wear Safety Fast Fit® Gloves – Extra Large (Pair) | A | 59096XL |
| Mechanix Wear Safety Fast Fit® Gloves – Extra, Extra Large (Pair) | A | 59096XXL |

GLOVES – MECHANIX WEAR®, HI-VISIBILITY

GLOVES – MECHANIX WEAR® HI-VISIBILITY

HI-VIS SAFETY M-PACT® GLOVES

- A glove that absorbs punishment so your hands don't
- The M-Pact® Glove has been redesigned with an anatomically engineered direct sonic welded rubber top and EVA foam palm pads for improved protection
- For exceptional performance the glove gives you tapered finger stretch side panels and a spandex stretch panel at the thumb
- The wrap-around rubber molded wrist closure adds additional protection



| DESCRIPTION | PART | |
|-----------------------------------------------------------------|------|------------|
| Mechanix Wear Safety M-Pact® Gloves – Small (Pair) | A | 59098SMALL |
| Mechanix Wear Safety M-Pact® Gloves – Medium (Pair) | A | 59098MED |
| Mechanix Wear Safety M-Pact® Gloves – Large (Pair) | A | 59098LARGE |
| Mechanix Wear Safety M-Pact® Gloves – Extra Large (Pair) | A | 59098XL |
| Mechanix Wear Safety M-Pact® Gloves – Extra, Extra Large (Pair) | A | 59098XXL |

HI-VIS SAFETY M-PACT® 2 GLOVES

- Super protection and an unbelievable fit
- Anatomically designed with advanced features
- Tapered stretch side panels that form comfortably between fingers
- Molded neoprene cuff for a seamless fit to your wrist
- We've also covered you by integrating impact absorbing molded rubber finger protection
- EVA deep ribbed accordion knuckle protection
- High-visibility day-glow two-way stretch spandex and printed reflective ink on the knuckle



| DESCRIPTION | PART | |
|-------------------------------------------------------------------|------|------------|
| Mechanix Wear Safety M-Pact® 2 Gloves – Small (Pair) | A | 59099SMALL |
| Mechanix Wear Safety M-Pact® 2 Gloves – Medium (Pair) | A | 59099MED |
| Mechanix Wear Safety M-Pact® 2 Gloves – Large (Pair) | A | 59099LARGE |
| Mechanix Wear Safety M-Pact® 2 Gloves – Extra Large (Pair) | A | 59099XL |
| Mechanix Wear Safety M-Pact® 2 Gloves – Extra, Extra Large (Pair) | A | 59099XXL |

GLOVES – ANTI-VIBRATION & HI-VISIBILITY

GLOVES – ANTI-VIBRATION (HI-VISIBILITY)

ANTI-VIBRATION GLOVES – HI-VIS GREEN

Made for the oil and gas workers of today

- Meets ExxonMobil Development Company drilling's hand protection expectations
- Designed to reduce common hand injuries
- Injection molded Thermal Plastic Rubber on the back of fingers helps prevent smashed fingers
- Internal EVA Foam throughout the glove provides vibration and impact resistance without snagging
- Ergonomic design makes the glove comfortable
- Silver reflective stripe on back of hand increases visibility of worker
- Hi-vis green Spandex construction helps dexterity and increases visibility
- Double stitching provides excellent durability
- Reinforced fingertips offer extra protection and extended wear
- Synthetic leather palm performs well in wet or dry conditions
- Machine washable, air dry
- Open cuff design



| DESCRIPTION | PART |
|------------------------------------------------------------------|------------|
| Anti-Vibration Gloves – Hi-Vis Green (Small) | 59218SMALL |
| Anti-Vibration Gloves – Hi-Vis Green (Medium) | 59218MED |
| Anti-Vibration Gloves – Hi-Vis Green (Large) | 59218LARGE |
| Anti-Vibration Gloves – Hi-Vis Green (Extra Large) | 59218XL |
| Anti-Vibration Gloves – Hi-Vis Green (Extra, Extra Large) | 59218XXL |
| Anti-Vibration Gloves – Hi-Vis Green (Extra, Extra, Extra Large) | 59218XXXL |

ANTI-VIBRATION GLOVES, OIL PROOF – HI-VIS ORANGE

Oil repellent technology – 100% rubber composition padding provides second layer of oil permeating protection

- Ergonomic EVA stripe design on back protects hands from vibration
- Reflective accents and hi-vis color scheme for optimal hand visibility
- TPR patch on fingers for impact protection and pinch injury prevention
- Anti-slip pure rubber padding performs better on anti-cut and anti-abrasion than common PVC
- Reinforced fingertips provide extra protection and extended wear
- Machine washable, air dry
- Open cuff design

Applications

- Oil/Gas Drilling
- Extraction
- Refining
- Fracking
- Tool Pushing
- Mining
- Demolition
- Construction
- Cargo Handling
- Ironwork
- Auto Repair



| DESCRIPTION | PART |
|------------------------------------------------------------------------------|------------|
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Small) | 59217SMALL |
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Medium) | 59217MED |
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Large) | 59217LARGE |
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Extra Large) | 59217XL |
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Extra, Extra Large) | 59217XXL |
| Anti-Vibration Gloves, Oil Proof – Hi-Vis Orange (Extra, Extra, Extra Large) | 59217XXXL |

GLOVES – HI-VISIBILITY

GLOVES – HI-VISIBILITY

HI-VIS 4-WAY STRETCH GLOVES

- Great form fitting gloves with a spandex contoured fit
- 3M™ Scotchlite™ overlay on palm and back provides high visibility
- Highly breathable abrasion resistant face with Teflon® water repellency



| DESCRIPTION | PART |
|--------------------------------------------------|--------------|
| Hi-Vis 4-Way Stretch Gloves (Extra Small) | A 59057XS |
| Hi-Vis 4-Way Stretch Gloves (Small) | A 59057SMALL |
| Hi-Vis 4-Way Stretch Gloves (Medium) | A 59057MED |
| Hi-Vis 4-Way Stretch Gloves (Large) | A 59057LARGE |
| Hi-Vis 4-Way Stretch Gloves (Extra Large) | A 59057XL |
| Hi-Vis 4-Way Stretch Gloves (Extra, Extra Large) | A 59057XXL |

HEAVY DUTY HI-VIS PIGSKIN GLOVES

- Hi-Vis orange with yellow reflective stripe
- 3M Scotchlite™ reflective material stripe on top of gloves
- Grain pigskin palm
- Water-resistant
- Insulate lined with knit wrist
- For hazardous work environments where visibility plays a big role



| DESCRIPTION | PART |
|-------------------------------------------|--------------|
| Heavy Duty Hi-Vis Pigskin Gloves (Small) | A 59216SMALL |
| Heavy Duty Hi-Vis Pigskin Gloves (Medium) | A 59216MED |
| Heavy Duty Hi-Vis Pigskin Gloves (Large) | A 59216LARGE |
| Heavy Duty Hi-Vis Pigskin Gloves (XL) | A 59216XL |
| Heavy Duty Hi-Vis Pigskin Gloves (XXL) | A 59216XXL |

HI-VIS THINSULATE™ GLOVES

- Yellow nylon shell with a 3M™ Scotchlite™ overlay on palm and back
- 2-sided reflectivity
- Water repellent shell
- Waterproof insert
- 40 gram Thinsulate™ insulation
- Keeps hands toasty and dry



| DESCRIPTION | PART |
|-----------------------------------------|--------------|
| Hi-Vis Thinsulate™ Gloves (Extra Small) | A 59089XS |
| Hi-Vis Thinsulate™ Gloves (Small) | A 59089SMALL |
| Hi-Vis Thinsulate™ Gloves (Medium) | A 59089MED |
| Hi-Vis Thinsulate™ Gloves (Large) | A 59089LARGE |
| Hi-Vis Thinsulate™ Gloves (XL) | A 59089XL |
| Hi-Vis Thinsulate™ Gloves (XXL) | A 59089XXL |

HI-VIS UNLINED STRETCH KNIT GLOVES

- Hi-Vis yellow
- Low cost, knit unlined acrylic stretch
- Flexible performance when dexterity and clean handling are required



| DESCRIPTION | PART |
|---------------------------------------------|--------------|
| Hi-Vis Unlined Stretch Knit Gloves (Medium) | A 59059MED |
| Hi-Vis Unlined Stretch Knit Gloves (Large) | A 59059LARGE |

HI-VIS UTILITY GLOVES

- Hi-Vis, fluorescent glow worker's glove
- Double sewn grip patches at key finger and palm wear points
- Manufactured in accordance with ANSI/ISEA 107-2004 standards



| DESCRIPTION | PART |
|--------------------------------------------|--------------|
| Hi-Vis Utility Gloves (Extra Small) | A 59058XS |
| Hi-Vis Utility Gloves (Small) | A 59058SMALL |
| Hi-Vis Utility Gloves (Medium) | A 59058MED |
| Hi-Vis Utility Gloves (Large) | A 59058LARGE |
| Hi-Vis Utility Gloves (Extra Large) | A 59058XL |
| Hi-Vis Utility Gloves (Extra, Extra Large) | A 59058XXL |

HI-VIS SUPER-DUTY THINSULATE™ GLOVES

- Hi-Vis 3M™ Scotchlite™ overlay on palm and back
- 2-sided reflectivity
- Water repellent shell
- Waterproof insert
- 100 gram Thinsulate™ insulation
- Neoprene cuff for complete cold weather protection
- Full suregrip polyurethane palm
- Adjustable nylon strap for customized fit



| DESCRIPTION | PART |
|---------------------------------------------|--------------|
| Super-Duty Thinsulate™ Gloves (Extra Small) | A 59090XS |
| Super-Duty Thinsulate™ Gloves (Small) | A 59090SMALL |
| Super-Duty Thinsulate™ Gloves (Medium) | A 59090MED |
| Super-Duty Thinsulate™ Gloves (Large) | A 59090LARGE |
| Super-Duty Thinsulate™ Gloves (XL) | A 59090XL |
| Super-Duty Thinsulate™ Gloves (XXL) | A 59090XXL |

HI-VISIBILITY CLOTHING – VESTS

HI-VISIBILITY CLOTHING – VESTS

HI-VISIBILITY VESTS - SAFETY YELLOW-LIME & YELLOW-LIME/ORANGE - SOLID OR MESH

Hi-Vis Safety Solid or Mesh Vests

- Meets ANSI/ISEA 107 Class II and 207-2006 Standards
- 5-point break away with Velcro® closures & hook & loop adjustable sides
- 2" certified tapes with 4" contrasting color stripes
- 2 nylon microphone tabs
- 2-divisional tool/pen pockets

5 pockets:

- 1 cell phone pocket
- 1 clear badge/ID pocket
- (1) 3-division pocket
- 2 bottom inside pockets (W x H: 7" x 7")



FRONT



BACK

| DESCRIPTION | PART | |
|-------------------------------------------|------|-------|
| Safety Yellow-Lime Solid – S/XL | A | 59300 |
| Safety Yellow-Lime Solid – 2XL/5XL | A | 59301 |
| Safety Yellow-Lime Mesh – S/XL | A | 59302 |
| Safety Yellow-Lime Mesh – 2XL/5XL | A | 59303 |
| Safety Yellow-Lime/Orange Mesh – S/XL | A | 59304 |
| Safety Yellow-Lime/Orange Mesh – 2XL/5XL | A | 59305 |
| Safety Yellow-Lime/Orange Solid – S/XL | A | 59306 |
| Safety Yellow-Lime/Orange Solid – 2XL/5XL | A | 59307 |

HI-VISIBILITY CLOTHING - SHIRTS

HI-VISIBILITY CLOTHING - SHIRTS

HI-VISIBILITY SHIRTS - SAFETY YELLOW-LIME OR ORANGE MESH - SHORT SLEEVE T-SHIRTS

Hi-Vis Safety Short Sleeve T-Shirts

- Meets ANSI/ISEA 107 Class II Standard
- 100% polyester yellow-lime or orange breathable wick away mesh
- (1) H-360° & (2) vertical 2" silver reflective tape
- (1) pocket on the left chest



| DESCRIPTION | PART | |
|-----------------------------------|------|-------|
| Safety Yellow-Lime Mesh – S/M | A | 59308 |
| Safety Yellow-Lime Mesh – L/XL | A | 59309 |
| Safety Yellow-Lime Mesh – 2XL/3XL | A | 59310 |
| Safety Yellow-Lime Mesh – 4XL/5XL | A | 59311 |
| Safety Orange Mesh – S/M | A | 59312 |
| Safety Orange Mesh – L/XL | A | 59313 |
| Safety Orange Mesh – 2XL/3XL | A | 59314 |
| Safety Orange Mesh – 4XL/5XL | A | 59315 |

HI-VISIBILITY SHIRTS - SAFETY YELLOW-LIME MESH - LONG SLEEVE SHIRTS

Hi-Vis Safety Long Sleeve Shirts

- ANSI Class 3
- 100% polyester yellow-lime breathable wick-away mesh
- 2" silver reflective tape across the shoulders
- 2" silver reflective tape 360° around the torso and sleeves
- Chest pocket



| DESCRIPTION | PART | |
|-----------------------------------|------|-----------|
| Safety Yellow-Lime Mesh – S/M | A | 59316 |
| Safety Yellow-Lime Mesh – L | A | 59317L |
| Safety Yellow-Lime Mesh – XL | A | 59317XL |
| Safety Yellow-Lime Mesh – 2XL | A | 59318XXL |
| Safety Yellow-Lime Mesh – 3XL | A | 59318XXXL |
| Safety Yellow-Lime Mesh – 4XL/5XL | A | 59319 |

HI-VISIBILITY CLOTHING – RAIN SUIT

HI-VISIBILITY CLOTHING – RAIN SUIT

HI-VISIBILITY RAIN SUIT - YELLOW-LIME JACKET AND PANTS

Hi-Vis Safety Yellow-Lime Waterproof Suit "Jacket with Hood and BIB Pants"

- ANSI 107 CLASS 3 Certified
3-piece High Visibility Rain Suit
- Waterproof Poly Oxford material with
PU coating providing the maximum visibility

Jacket:

- High-visibility yellow-lime jacket has
2" reflective stripes on arms and torso
- Full length storm flap with heavy duty zipper
and snap front closures
- Two flapped front pockets with Velcro® closures
to secure valuables
- Elastic cuff with adjustable straps

Pants:

- Adjustable elastic suspenders with
quick release buckles & single snap fly

Hood:

- Yellow-lime removable hood has 4 snaps
and chin strap for secure fit



| DESCRIPTION | PART |
|------------------------------------------------|--------------|
| Hi-Vis Rain Suit | |
| Yellow-Lime Jacket w/Hood & BIB Pants – Medium | A 59320MED |
| Yellow-Lime Jacket w/Hood & BIB Pants – Large | A 59320LARGE |
| Yellow-Lime Jacket w/Hood & BIB Pants – XL | A 59320XL |
| Yellow-Lime Jacket w/Hood & BIB Pants – 2XL | A 59320XXL |
| Yellow-Lime Jacket w/Hood & BIB Pants – 3XL | A 59320XXXL |
| Hi-Vis Jacket | |
| Yellow-Lime Jacket w/Hood – Medium | A 59321MED |
| Yellow-Lime Jacket w/Hood – Large | A 59321LARGE |
| Yellow-Lime Jacket w/Hood – XL | A 59321XL |
| Yellow-Lime Jacket w/Hood – 2XL | A 59321XXL |
| Yellow-Lime Jacket w/Hood – 3XL | A 59321XXXL |
| Hi-Vis BIB Pants | |
| Yellow-Lime BIB Pants – Medium | A 59322MED |
| Yellow-Lime BIB Pants – Large | A 59322LARGE |
| Yellow-Lime BIB Pants – XL | A 59322XL |
| Yellow-Lime BIB Pants – 2XL | A 59322XXL |
| Yellow-Lime BIB Pants – 3XL | A 59322XXXL |

HI-VISIBILITY CLOTHING – 3-IN-1 PARKA

HI-VISIBILITY CLOTHING – 3-IN-1 PARKA

HI-VISIBILITY 3-IN-1 LIME PARKA

Hi-Vis Safety Lime 3-in-1 Parka "Jacket with Hood and Removable Fleece"

- Meets ANSI 107-2010 Class 3 Standard with 2" wide reflective stripes
- Weatherproof Poly Oxford Outer Shell with 300D PU Coating and waterproof taped seams

Features

- Polyester mesh lining makes it a lightweight jacket
- Removable fleece lining makes it a thermal jacket
- Fleece lining can be worn as an independent jacket when removed
- Full length storm flap w/ heavy duty zipper & snaps
- Elastic cuff with adjustable snaps
- Detachable hood tucks into the collar with draw string
- 1 radio pocket
1 I.D. pocket
1 pen slot
2 lower flap pockets with Velcro® closures
2 slash pockets on the fleece liner
2 microphone tabs



| DESCRIPTION | PART |
|-------------------------------------------|---------------|
| Hi-Visibility 3-in-1 Lime Parka – Medium* | A 59323MED |
| Hi-Visibility 3-in-1 Lime Parka – Large | A 59323LARGE |
| Hi-Visibility 3-in-1 Lime Parka – XL | A 59323XL |
| Hi-Visibility 3-in-1 Lime Parka – 2XL* | A 59323XXL |
| Hi-Visibility 3-in-1 Lime Parka – 3XL* | A 59323XXXL |
| Hi-Visibility 3-in-1 Lime Parka – 4XL* | A 59323XXXXL |
| Hi-Visibility 3-in-1 Lime Parka – 5XL* | A 59323XXXXXL |

*For MED, 2XL, 3XL, 4XL, and 5XL, please allow up to 10 days for delivery.

HI-VISIBILITY EVAPORATIVE COOLING APPAREL

HI-VISIBILITY EVAPORATIVE COOLING APPAREL

HI-VIS EVAPORATIVE COOLING ANSI CLASS II VESTS*

Features

- V-neck w/snap closures
- ANSI compliant color with 3M™ reflective tape
- ANSI Class II compliant vest
- Provides 5-10 hours of cooling relief per soaking
- Comfortable polyester outer, with HyperKewl™ fabric inner and water repellent nylon liner
- Three large front pockets
- Hi-Viz Lime or Hi-Vis Orange with Cool Blue lining

*Vests are non-stock items, please allow 1-2 weeks for delivery.



| DESCRIPTION | PART | |
|------------------------------------------------------------------|------|-------|
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – S/M) | A | 59327 |
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – L/XL) | A | 59328 |
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Lime – 2XL/3XL) | A | 59329 |
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – S/M) | A | 59330 |
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – L/XL) | A | 59331 |
| Hi-Vis Evaporative Cooling ANSI Class II Vest (Orange – 2XL/3XL) | A | 59332 |

HI-VIS EVAPORATIVE COOLING BASEBALL CAP

Features

- HyperKewl™ cooling material is integrated directly into hat panels
- Provides 5-10 hours of cooling relief
- Designed specifically for outdoor activities and safety
- Comfortable mesh polyester outer with reflective stripes, with HyperKewl™ fabric inner and water repellent nylon liner
- Hook and loop closure
- Hi-Viz Lime



| DESCRIPTION | PART | |
|------------------------------------------------------------|------|-------|
| Hi-Vis Evaporative Cooling Baseball Cap (One Size – Adult) | A | 59324 |

HI-VISIBILITY EVAPORATIVE COOLING APPAREL

HI-VISIBILITY EVAPORATIVE COOLING APPAREL

HI-VIS EVAPORATIVE COOLING NECK SHADE*

Features

- Keep your neck cool, comfortable and protected from the sun's damaging rays
- Hook and loop conveniently attaches to hard hat (hard hat not included)
- Provides 5-10 hours of cooling relief per soaking; lightweight and durable
- Comfortable, quilted nylon outer with HyperKewl™ fabric inner, water repellent nylon liner, black poly-cotton trim and hook and loop attachments
- Hi-Viz Lime

*Approved for purchase by the CA, AZ and TX DOT (Departments of Transportation)



| DESCRIPTION | PART |
|----------------------------------------------------------|---------|
| Hi-Vis Evaporative Cooling Neck Shade (One Size – Adult) | A 59325 |

HI-VIS EVAPORATIVE COOLING CROWN COOLER WITH NECK SHADE

Features

- Protect the head and neck from dangerous heat and sun while on the job
- Hook and loop attaches easily to hard hat liner (hard hat not included)
- Provides 5-10 hours of cooling relief per soaking; lightweight and durable
- Comfortable, quilted nylon outer with HyperKewl™ fabric inner, water repellent nylon liner, black poly-cotton trim and hook and loop attachments
- Hi-Viz Lime



| DESCRIPTION | PART |
|----------------------------------------------------------------------------|---------|
| Hi-Vis Evaporative Cooling Crown Cooler with Neck Shade (One Size – Adult) | A 59326 |

RETRACTA-BELT® SAFETY SYSTEM

SHOP SUPPLIES

MAGNETIC RETRACTA-BELT® SYSTEMS

Chromate's Retracta-Belt® Systems are designed to improve the safety and versatility of jobsite safety while increasing productivity. These units are used every day where maintenance or cleaning is being performed, allowing or restricting access into your working environment. Ideal for warehouse aisles, hallways, and doorways (ie, bathroom facilities). Great for hospitals, nursing homes, casinos, hotels, universities, public schools, utility companies, railroads, apartment/condo complexes, etc.



Yellow Unit

- 15' Yellow Belt
- CAUTION
- DO NOT ENTER
(Black imprint, double-sided)

P/N 20001



Black Unit

- 15' Red Belt
- DANGER
- HIGH VOLTAGE
- DO NOT ENTER
(White imprint, double-sided)

P/N 20007

Features

- High impact polycarbonate construction, internal mechanism and body, for long term durability
- Extended top ridge; protects the unit during falls
- All parts easily replaceable
- 10 year warranty
- Unit available in smooth black or safety yellow
- Dimensions:
4-1/8" W x 5-1/8" D x 3-7/8" H
- Mountable units allow quicker setups and frees up valuable floor space
- Magnet Strength
- Unit/housing magnet:
82 lbs. pull force
- Belt end magnet:
20 lbs. pull force



P/N 20001



P/N 20001



P/N 20007

OTHER RETRACTA-BELT® SYSTEMS - WALL MOUNT AND WAREHOUSE UNITS



Available Mounting Options
4 different mounting plate options:



- Fixed/Removable permanently attach mounting plate to wall, unit slides on and off easily or can be fixed via a screw



- Magnet/Clip allows unit to attach to shelving quickly by means of a strong magnet and clip that hooks into holes or slots in most shelving units (3/8" minimum slot or hole required)



P/N 20029



- Velcro® straps for quick and temporary installation on any column or post ranging from 1-1/2" to 5" diameter (longer straps available)



- Hose clamp metal straps for a secure and semi-permanent connection to uprights

RETRACTA-BELT® SAFETY SYSTEM

SHOP SUPPLIES

RETRACTA-BELT® SYSTEMS – PART NUMBERS FOR ORDERING

| PART NUMBER | UNIT TYPE | BELT LENGTH | BELT COLOR | IMPRINT TEXT | TEXT COLOR | # OF SIDES |
|-------------|----------------------------------|-------------|------------|----------------------------------------------|------------|------------|
| 2000 | BLACK MAGNETIC | 15' | Black | BLANK | NA | NA |
| 2001* | YELLOW MAGNETIC | 15' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2001C | YELLOW MAGNETIC W/ CLIP | 15' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2002 | YELLOW MAGNETIC | 30' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2003 | BLACK MAGNETIC | 30' | Red | DANGER - HIGH VOLTAGE - DO NOT ENTER | White | Double |
| 2004 | BLACK MAGNETIC | 30' | Red | DANGER! ARC FLASH BOUNDARY - DO NOT ENTER | White | Double |
| 2005 | YELLOW MAGNETIC | 30' | Yellow | CONTROLLED WORK AREA | Black | Double |
| 2006 | YELLOW MAGNETIC | 15' | Yellow | CONTROLLED WORK AREA | Black | Double |
| 2007 | BLACK MAGNETIC | 15' | Red | DANGER - HIGH VOLTAGE - DO NOT ENTER | White | Double |
| 2008 | BLACK MAGNETIC | 15' | Red | SUPPLY PERSONNEL ONLY | White | Double |
| 2009 | YELLOW MAGNETIC | 20' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2010MR | YELLOW MAGNETIC | 15' | Red | DANGER - DO NOT ENTER - LIFT IN PROGRESS | White | Single |
| 2010ML | YELLOW MAGNETIC | 15' | Red | DANGER - DO NOT ENTER - LIFT IN PROGRESS | White | Single |
| 2011MR | YELLOW MAGNETIC | 30' | Red | DANGER - DO NOT ENTER - LIFT IN PROGRESS | White | Single |
| 2011ML | YELLOW MAGNETIC | 30' | Red | DANGER - DO NOT ENTER - LIFT IN PROGRESS | White | Single |
| 2012 | BLACK MAGNETIC | 15' | Red | DO NOT ENTER | White | Double |
| 2013 | BLACK MAGNETIC | 30' | Red | DO NOT ENTER | White | Double |
| 2014 | YELLOW HOSE CLAMP UP TO 12" DIA. | 15' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2015 | YELLOW MAGNETIC | 15' | Red | DANGER ELECTRICAL SHOCK / ARC / HAZARD | White | Single |
| 2016 | YELLOW MAGNETIC | 15' | Red | DANGER ELECTRICAL SHOCK / ARC / HAZARD | White | Single |
| 2017 | BLACK MAGNETIC | 30' | Red | DANGER - DO NOT ENTER | White | Double |
| 2018 | YELLOW MAGNETIC | 30' | Yellow | CAUTION - WELDING IN PROGRESS - DO NOT ENTER | Black | Double |
| 2019 | YELLOW MAGNETIC | 15' | Green | DANGER - HIGH VOLTAGE - DO NOT ENTER | White | Double |
| 2020 | YELLOW MAGNETIC | 30' | Green | CAUTION | White | Double |
| 2021 | YELLOW ALUM POST W/ WHEELS | 25' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2022 | RED ALUMINUM POST ONLY – NO BELT | NA | NA | NA | NA | NA |
| 2023MR | YELLOW MAGNETIC | 30' | Yellow | SMART TEAM WORK AREA | Black | Single |
| 2023ML | YELLOW MAGNETIC | 30' | Yellow | SMART TEAM WORK AREA | Black | Single |
| 2024 | MAGNET MOUNT REPLACEMENT | NA | NA | NA | NA | NA |
| 2025 | YELLOW HOSE CLAMP UP TO 12" DIA. | 15' | Yellow | NA | NA | NA |
| 2026 | YELLOW WALL MOUNT | 15' | Yellow | CAUTION - DO NOT ENTER | Black | Double |
| 2027 | YELLOW MAGNETIC | 15' | Yellow | CLOSED FOR CLEANING | Black | Double |
| 2028 | N/A | N/A | N/A | N/A | N/A | N/A |
| 2029 | N/A | N/A | N/A | N/A | N/A | N/A |

*Stocked item. All other part numbers will ship approximately 2 weeks after receipt of order. Lead time on custom items will be quoted as per the manufacturer's conditions.

For CUSTOM orders, specify the following:

Housing Finish: Smooth black or safety yellow

Mounting Style:

- Fixed/Removable
- Magnetic/Clip
- Velcro or Hose Clamp

Belt Length: 15', 20', 25' and 30'

Belt Color: Standard colors are: Blue, Red, Maroon, Grey, Green, Dark Green, Black, Black w/ White stripe, Dark Blue, Yellow, and Black/Yellow Diagonal

Printing:

- Text/Print
- One-side or double sided print
- Color of text
- Custom logo

BARRICADE TAPES / ANTI-SLIP TAPES

SHOP SUPPLIES

BARRICADE TAPE - CAUTION DO NOT ENTER / DANGER DO NOT ENTER

CAUTION DO NOT ENTER

DANGER DO NOT ENTER

Features

- Roll length: 1000'
- Roll width: 3"
- Thickness: 2 mil
- Standards OSHA 1910.144
- YELLOW or RED film with BLACK print
- Durable polyethylene
- Continuous repeating message or warning in bold black letters
- For visual warning in hazardous areas
- Temporarily control and secure identified areas on an immediate basis
- Protect pedestrians, employees and anyone who might fall into a dangerous situation




Applications

- Road work
- Construction sites
- Chemical and industrial plants
- Fire and crime scenes
- Any potential dangerous areas

| DESCRIPTION | PART |
|---------------------------------------------------------------------------|---------|
| Barricade Tape (Yellow With Black Type - CAUTION DO NOT ENTER) 1000' Roll | A 20098 |
| Barricade Tape (Red With Black Type - DANGER DO NOT ENTER) 1000' Roll | A 20099 |

ANTI-SLIP TAPES - GLOW-IN-THE-DARK - 50 GRIT



The ultimate non-slip egress tape! Sudden power outages or natural disasters can increase the potential for panic, as well as the risk of injuries caused by slips and falls.

Safety grade glow-in-the-dark solution for marking stairs and corridors that are part of the emergency egress route. Offered in 60 ft. rolls.

Features and Benefits

- Manufactured with the same aggressive adhesive system as our other safety tape products
- Complies with all safety grade photoluminescent domestic and international standards
- It will adhere to most clean, dry, oil-free surfaces
- For use on painted wood, metal, sealed concrete and non-porous surfaces
- NFSI - National Flooring Safety Institute certified for "high traction"



| DESCRIPTION | PART |
|------------------------------------------|---------|
| 2" x 60' Roll, 50 Grit, Glow-in-the-Dark | A 28212 |
| 4" x 60' Roll, 50 Grit, Glow-in-the-Dark | A 28213 |
| 6" x 60' Roll, 50 Grit, Glow-in-the-Dark | A 28214 |

ANTI-SLIP TAPES

SHOP SUPPLIES

ANTI-SLIP TAPES – COLORS – 46 / 50 / 60 GRIT



Anti-Slip Tape is the preferred product line when visual warning is required to mark potential slip and fall hazards. Developed with maximum visual warning characteristics in mind. We provide the best assortment of visual cues to meet your requirements. Anti-Slip Tape is offered in 60 ft. rolls and easy to apply sections.



Features and Benefits

- Durable high traction grit surface
- Easy to apply
- Aggressive adhesive system for product longevity
- Fuel, water and fluid resistant
- Reduce the risks of slips and falls
- Ensure worker safety on potentially hazardous surfaces
- Prevent costly injuries in the workplace due to slips and falls
- Reduce Worker's Compensation claims
- NFSI - National Flooring Safety Institute certified for "high traction"
- Exceeds OSHA standards for non-slip protection on walking surfaces

Applications

- Farm machinery
- Construction equipment
- Forklifts
- Cherry pickers
- Steps, stairs
- RVs
- Snowmobiles
- ATVs
- Garden tractors
- Lawn mowers
- Wet & oily areas
- Loading docks
- Cold storage
- Catwalks
- Platforms/ramps
- Ladders, step stools
- Scaffolds
- Airline decks
- Airline cargo holds
- Trains
- Semi-trailers
- Buses
- Ship decks
- Boats
- Conveyors
- Pulleys
- Food service areas
- Machine shops
- Auto repair shops
- Garages

| DESCRIPTION | PART | DESCRIPTION | PART |
|--------------------------------|---------|------------------------------------------|---------|
| 2" x 60' Roll, 46 Grit, Black | A 28207 | 4" x 60' Roll, 60 Grit, Yellow | A 28265 |
| 4" x 60' Roll, 46 Grit, Black | A 28208 | 6" x 60' Roll, 60 Grit, Yellow | A 28266 |
| 6" x 60' Roll, 46 Grit, Black | A 28209 | 2" x 60' Roll, 60 Grit, Yellow/Black | A 28267 |
| 2" x 60' Roll, 60 Grit, Red | A 28261 | 4" x 60' Roll, 60 Grit, Yellow/Black | A 28268 |
| 4" x 60' Roll, 60 Grit, Red | A 28262 | 6" x 60' Roll, 60 Grit, Yellow/Black | A 28269 |
| 6" x 60' Roll, 60 Grit, Red | A 28263 | 6" x 24" Piece, 60 Grit, Caution | A 28215 |
| 2" x 60' Roll, 60 Grit, Yellow | A 28264 | 6" x 24" Piece, 60 Grit, Watch Your Step | A 28260 |

ANTI-SLIP TAPES – LOW PROFILE

- Prevents slips and falls on slippery surfaces
- Abrasive grain coated plastic film with pressure sensitive adhesive
- Low profile helps prevent edge curl
- Abrasive grain – provides a consistent co-efficient of friction
- Conformability – installs over most irregular surfaces
- Easy installation – simply position, peel-off backing paper and apply to a clean, dry, oil-free surface
- Superior quality materials – assures long life, durability and resistance to heavy traffic, water and grease
- Meets or exceeds motor vehicle safety standard no. 302, mil-d-17951e (ships), and non-slip mil-w-5044c type iv



Surface Compatibility: Painted wood, painted metal, sealed concrete

Application Temperature: Apply when above 50°F

| DESCRIPTION | PART |
|---------------|---------|
| 2" x 60' Roll | A 28210 |
| 4" x 60' Roll | A 28211 |


ANTI-FATIGUE

SHOP SUPPLIES

ANTI FATIGUE MAT – ALLEVIATES STRESS TO THE BACK AND LEGS

Anti-fatigue mats alleviate stress to the back and legs where people have to continually stand or walk, which in turn increases worker productivity. The non-slip surface means that the mat is ideal for use in wet or dry conditions to reduce slip hazards. The implementation of ergonomic concepts offers tremendous value to any company, and can be realized with the creation of comfortable, healthy and safe work environments. We know that standing workers are less fatigued while working, and feel less discomfort at the end of the day, if they stand on anti-fatigue mats. This has been proven time and time again.

- Outstanding Anti-fatigue qualities
- UV Stable
- Solid nitrile rubber top surface for excellent chemical resistance
- 100% nitrile rubber border remains flexible for the life of the mat and will not crack or curl.
- Textured nitrile rubber surface for superior slip resistance
- Welding safe
- Closed-cell nitrile/PVC cushion backing provides long lasting comfort
- Closed-cell cushion backing is permanently molded to the nitrile rubber surface, providing a comfortable long lasting mat.
- Thicknesses: 5/8"
- Available in black
- Certified slip-resistant by the National Floor Safety Institute.
- Recommended for use in work stations, assembly lines, shipping lines and other areas where workers stand for extended periods.



DESCRIPTION

Anti-Fatigue Mat, 3' x 5'

PART

A 28229

VISIBILITY SOLUTIONS

SHOP SUPPLIES

SAFETY FLARES – FOR LONG DISTANCE ILLUMINATION

- Provides long distance illumination for safety during emergency road-side situations
- Visible in fog, rain or snow
- Easy to ignite with self-contained striker
- 20 minute duration
- 36 flares in a case



| DESCRIPTION | PART |
|-----------------------------------------------------------------|-------|
| 20 Minute Non-Spike Safety Flares (Package Quantity: 36 Flares) | 59080 |

EARLY WARNING TRIANGLE KIT – REFLECTIVE SAFETY WARNING

- Instant alert for oncoming motorists
- Visually alerts authorities quickly
- Meets US Federal Motor Vehicle Safety Standard No. 125 for Warning Devices
- Weighted base for stability
- Kit includes three (3) reflective triangles

Applications

- Emergency assistance
- Truck / Auto accidents
- Hazardous conditions



| DESCRIPTION | PART |
|----------------------------|---------|
| Early Warning Triangle Kit | A 59082 |

GLOW STICKS

- A dependable light source whenever and wherever you need it, light lasts for 12 hours
- Non-toxic / non-flammable / weatherproof
- Made with Cyalume® technology (10 ml fluid)
- To activate remove from foil wrapper, bend, snap and shake



| DESCRIPTION | PART |
|--------------------------|---------|
| 6" Glow Sticks – 12 Hour | F 59081 |

LIGHTING SOLUTIONS

SHOP SUPPLIES

ROUGH SERVICE LIGHT BULBS

Lasts longer under adverse operating conditions, 2000 to 4000 hours. Up to 4X longer than the average life of most rough service bulbs.

STANDARD

- Resists shock and vibration
- Brass base



TUFF SKIN COATED

- Provides safety from glass cuts, electric shock and burns when bulbs are broken
- Resists thermal shocks, precipitation, scratches and molten splatter
- No fragmentation of glass if accidentally broken



| | 50 WATTS | 75 WATTS | 100 WATTS |
|---|----------|----------|-----------|
| F | 28952 | 28950 | 28951 |

| | 60 WATTS | 75 WATTS | 100 WATTS |
|---|----------|----------|-----------|
| F | 28953 | 28954 | 28955 |

CORD CONNECT

- Provides a water-tight connection while locking cords together
- Protective "clamshell" housing is made of durable all-weather plastic
- Tapered ends ensure the cord connect pulls smoothly without getting caught
- Eliminates disruptive disconnects while working with extension cords or power tools
- Watertight gasket withstands jet nozzle sprays, drip box tests and prevents water from reaching the electrical connection
- Easy to handle design allows workers wearing heavy gloves to connect and disconnect easily
- UV protected



1. Open half, place cord inside, clip closed
2. Slip water-tight gasket on the male plug and plug cords together
3. Screw both halves together until plugs are securely pushed together



| DESCRIPTION | PART |
|--------------------------------|---------|
| Cord Connect – OSHA Orange | A 28162 |
| Cord Connect - Landscape Green | A 28163 |

LIGHTING SOLUTIONS

SHOP SUPPLIES

36" PORTABLE JOBSITE LIGHTING - WOBBLIGHT



Features

- Patented counter-weighted self-righting design!
- Floating shock system protects bulb from impact
- Low heat output, no hot surfaces
- High-impact thermoplastic housing and lens
- 400 watt metal halide work light
- Lumens: 40,000
- 360° lighting – Adjustable to 180° with optional reflector
- Plugs into 120VAC supply
- Convenience receptacle for connecting units in series

Applications

- Ideal for applications requiring temporary high-output lighting

Replacement/Optional Parts

- Bulb "400 watt" P/N 66346
- 180° reflector P/N 66347
- Body back panel P/N 66335
- Body front panel P/N 66336
- Dome cap P/N 66337
- Dome and cap P/N 66338



P/N 66345



27" PORTABLE JOBSITE LIGHTING - WOBBLIGHT JR.



Features

- Patented counter-weighted self-righting design!
- Floating shock system protects bulb from impact
- Energy efficient 85 watt compact fluorescent bulb
- Instant-on technology
- Lumens: 5,000
- Low heat output, no hot surfaces
- High-impact thermoplastic housing and lens
- 360° lighting – Adjustable to 180° with optional reflector
- Integrated 5-foot power cord

Applications

Ideal for applications requiring temporary energy efficient lighting.

Replacement/Optional Parts

- CFL bulb, 85 watt P/N 66343
- 180° reflector P/N 66342



P/N 66344



LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

66 LED RECHARGEABLE MAGNETIC WORK LIGHT

Spotlight



Floodlight



Features/Specifications

- **Spotlight:** 32 Lumens
- **Floodlight:** 230 Lumens
- **Run-time:** Spotlight 18 hours / Floodlight 3 hours
- Dual integrated magnets & hook
- Single rocker switch
- **Water rating:** IP-X4 water resistant
- **Length:** 14.25" (without hook)
- **Weight:** 16 oz. with battery

P/N 66358

- Dual Function / Spotlight – Floodlight
- 35,000 hour LED life
- 60 LED Floodlight / 6 LED Spotlight
- Bright white LEDs
- Impact and chemical resistant housing
- Rechargeable NiMH battery pack
- 8 hour charge time
- AC & DC adapters included
- Will stand upright on flat surface
- Dual position magnetic hook attaches to top or side
- Water resistant: IP-X4 rating

RECHARGEABLE!



Magnetic Hook
P/N 66358HOOK

| DESCRIPTION | PART |
|-------------------------------------------|---------|
| 66 LED Magnetic Work Light (Rechargeable) | A 66358 |

LED LIGHT (SAFETY ORANGE)

- Flashlight – Floodlight
- Bright white LEDs
- 35,000 hour life
- Small size – Light weight
- Safety orange housing
- Impact and chemical resistant
- Removable hanger-hook and magnet
- Rechargeable high quality NiMH battery
- Long run-time per charge
- Home and car chargers included



Features/Specifications

- **Flashlight:** 1 LED = 65 lumens
- **Floodlight:** 60 LEDs = 120 lumens
- **Run-time:** 4 hrs. flashlight, 4 hrs. floodlight
- **Charge time:** 4 hours
- **Length:** 11.5"
- **Weight:** 12.0 oz.

P/N 66380

RECHARGEABLE!




| DESCRIPTION | PART |
|------------------------------------------|---------|
| LED Light (Safety Orange – Rechargeable) | A 66380 |

LED LIGHTING SOLUTIONS

LED WORK LIGHT


120 LED UNDER-HOOD WORK LIGHT

- Under-hood illumination
- Interior illumination
- 120 premium LEDs
- 35,000 hour life
- Two light levels (full or half power)
- Use in the shop or roadside
- Use with or without the carrier
- Internal NiMH battery pack
- AC & DC chargers included
- Shop and car chargers included
- Chemical resistant housing
- Moisture and impact resistant
- Magnetic or hanger-hook mounting
- Spring loaded carrier extends 77"



P/N 66325

Hook or Magnet Mounting Options



Magnets/Both Ends

Magnetic Mounts

Hang-Hooks

Specifications

- 1 Row (60 LED)
Lumens: 150
Run-time: 6.5 hours
- 2 Rows (120 LED)
Lumens: 330
Run-time: 3.5 hours
- Charge Time: 6 hours (AC or DC chargers)
- Length: 48"
- Weight: 4.9 lbs

| DESCRIPTION | PART |
|----------------------------------------------|---------|
| 120 LED Under-Hood Work Light (Rechargeable) | A 66325 |

LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

TECHNICIAN'S FLOODLIGHT

Features

- Over 300 lumens of brilliant white light with no hot spots or dark spots
- Strong, retractable hook allows you to hang it
- Dual rare-earth magnets, for fastening it to a work-space
- Removable belt clip
- Head tilts 180° and rotates 360°
- 6 AA rechargeable NiMH battery pack included, with smart recharger
- Run-time: High: 2 hours continuous, Low: 8 hours
- Battery condition indicator light
- Ergonomic light-weight, secure grip
- Includes a 12V charger and a 120V charger
- Flared base allows standing light on end
- Standard 1/4-20 threaded hole in base for tripod (not included)
- Length: 10-1/4" (26 cm)
- Weight: 1 lb (0.5 kg)

Applications

- Automotive
- Industrial
- HVAC repairmen
- IT maintenance
- Emergencies
- Power outages

THE BEST PROFESSIONAL LED WORK LIGHT!



RECHARGEABLE!

Details

Brightness: High: 300 emitter lumens
LOW: 75 emitter lumens

Color: Cool white

LED: Cree XP-G, 5 W

Material: High impact ABS, except hook, which is glass reinforced ABS

Head Adjustment: Tilt tension adjustment screw prevents head from flopping

Hook length: 3" (7.5 cm) when extended, retracts into body of floodlight

Hook diameter: 1" (2.5 cm)

Magnets: 2 co-planar, nickel-plated, neodymium rare-earth magnets

Charger: Smart switching charger, 120 VAC with standard "Type A", 2 prong plug

Recharge Time: About 6 hours

| DESCRIPTION | PART |
|----------------------------------------|---------|
| Technician's Floodlight (Rechargeable) | A 66340 |

STREAMLIGHT® TWIN-TASK™ FLASHLIGHT

- Patented led/xenon combo for super brightness and ultra-long run time
- Computer-machined to exacting tolerances for superior quality
- Anodized aluminum – for lightweight design
- Water-resistant, o-ring sealed – great for outdoor use
- Unbreakable polycarbonate lens for durability and long life
- Adjustable focus – provides wide and narrow beam
- Micro-faceted reflector – increased brightness
- Enhanced knurled grip – ease of handling
- Lanyard included
- 100,000 hour LEDs

3-Modes:

| 3 LEDs | 6 LEDs | XENON |
|-----------|-----------|----------|
| Run Time | Run Time | Run Time |
| 160 Hours | 100 Hours | 5 Hours |

LIFETIME WARRANTY!
Uses 3 "C" Alkaline Batteries (Not Included)



| DESCRIPTION | PART |
|-----------------------------------|----------|
| Streamlight Twin-Task™ Flashlight | A 66400 |
| Replacement Xenon Bulb | A 66400X |

LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

WATERPROOF LED FLASHLIGHT "WITH GLASS FILLED NYLON POLYMER HOUSING"


- CREE® LED technology
- 50,000 + hours LED life
- Waterproof: IP-X7 Rating
- 180 lumens
- Momentary or constant-on flashlight
- Sharp focused beam
- Aircraft-grade 6061-T6 aluminum tail-cap with type 3 hard anodized finish
- Non-slip grip

- Large textured tail-switch
- 1" handle diameter fits most scope/flashlight mounts
- 1.25" head diameter accepts 3rd party filters
- Impact & chemical resistant
- Removable pocket clip
- Available in Black, Yellow & Tan
- Two CR-123 lithium batteries included

P/N 66321BLA



Yellow and tan housing colors are also available. (non-stock items*).
 - P/N 66321YEL
 - P/N 66321TAN
 * Please call for delivery.



- **Lumens:** 180
- **Run-time:** 3 hours
- **Beam distance:** 190 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters

- **Length:** 5.5"
- **Head diameter:** 1.25"
- **Handle diameter:** 1.035"
- **Weight:** 4.4 oz.



| DESCRIPTION | PART | |
|--------------------------------------------|------|----------|
| Waterproof LED Flashlight – Black | A | 66321BLA |
| Waterproof LED Flashlight – Yellow | A | 66321YEL |
| Waterproof LED Flashlight – Tan | A | 66321TAN |
| Replacement Lithium Batteries, Type CR-123 | B | 28899 |

POCKET FLOODLIGHT™

Features

- Up to 10X brighter than ordinary penlights
- Pure cool white LED high performance light
- Lightweight & compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Black Type II Anodized Body
- Water & dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles



P/N 66341

Applications

- Designed for all technicians in a demanding shop
- For use in manufacturing or maintenance environments

Details

- **Brightness:** 120 lumens
- **Forward Current:** 400 mA
- **Battery Voltage:** Between 3.3 and 4.8 volts
- **Batteries:** 3 AAAA alkaline, *included*
- **Run-Time:** 2 hours to half brightness / 4 hours light w/ typical intermittent use
- **Reflector:** Custom design w/ bright center spot. Orange peel (OP) surface for an even beam.
- **Switch Tailcap:** Click ON/Click OFF. Rubber cap seals out dirt and grit.
- **Water Resistant:** Threaded joints have rubber O-ring seals. Sealed tailcap switch.
- **Head Diameter:** 9/16" (14 mm)
- **Body Diameter:** 7/16" (10 mm)
- **Body Length:** 6" (15 cm)



AAAA Energizer Batteries (Pkg. 6)
 P/N 29207

LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

RED LED POCKET FLOODLIGHT™

Features

- Up to 10X brighter than ordinary "Red" LED penlights
- LED high performance light
- Lightweight and compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Red Type II Anodized Body
- Water and dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Energizer batteries included



P/N 66333

Applications

- Preserves night vision of individuals
- Reading flight plans
- Security
- Reading equipment in the dark
- Aviators
- Doctors/Nurses monitoring patients
- Astronomers
- Military/Police operating equipment
- Emergency Service Personnel
- Photographers
- Ushers

Details

| | |
|-------------------------|---------------------------------------------------------------------------------------------|
| BRIGHTNESS: | 46 lumens |
| LED, WAVELENGTH: | Cree Xp-C, Red 620-630 nm |
| FORWARD CURRENT: | 350 mA |
| BATTERY VOLTAGE: | Between 3.3 and 4.8 volts |
| BATTERIES: | 3 AAAA alkaline (included) |
| RUN-TIME: | 2 hours to half brightness / 4 hours light with typical intermittent use |
| REFLECTOR: | Custom design with bright center spot. Orange peel (OP) surface for a huge floodlight beam. |
| SWITCH TAILCAP: | Click ON / click OFF, plus half-press momentary on. Rubber cap seals out dirt & grit. |
| WATER RESISTANT: | Threaded joints have rubber O-ring seals. Tailcap switch is sealed with a rubber cap. |
| HEAD DIAMETER: | 9/16" (14 mm) |
| BODY DIAMETER: | 7/16" (10 mm) |
| BODY LENGTH: | 6" (15 cm) |

AAAA Energizer Batteries (Pkg. 6)
P/N 29207



PROFESSIONAL UV LED INSPECTION FLOODLIGHT™

Features

- Up to 20X brighter than ordinary UV penlights
- High performance UV LED light
- Lightweight and compact
- Clips easily and comfortably into any pocket
- Indestructible T6 Aluminum with Violet Type II Anodized Body
- Water and dirt resistant
- Rugged tailcap switch – rated at 100,000 cycles
- Energizer batteries included



P/N 66334

Applications

- A/C refrigerant dye leak detection
- Hairline crack detection/Quality control
- Fluorescent hand stamp verification
- Dog, cat & rodent urine stain detection
- Restroom cleanliness inspection
- Document and lab analysis
- Crime scene investigation
- Paint authentication
- Currency verification
- Bacteria detection
- Gem inspection
- UV curing

Details

| | |
|-------------------------|---------------------------------------------------------------------------------------------|
| BRIGHTNESS: | 120 mW emitter radiant flux |
| LED, WAVELENGTH: | UltraViolet (UVA) 400-405 nm |
| FORWARD CURRENT: | 350 mA |
| BATTERY VOLTAGE: | Between 3.3 and 4.8 volts |
| BATTERIES: | 3 AAAA alkaline (included) |
| RUN-TIME: | 2 hours to half brightness / 4 hours light with typical intermittent use |
| REFLECTOR: | Custom design with bright center spot. Orange peel (OP) surface for a huge floodlight beam. |
| SWITCH TAILCAP: | Click ON / click OFF, plus half-press momentary on. Rubber cap seals out dirt & grit. |
| WATER RESISTANT: | Threaded joints have rubber O-ring seals. Tailcap switch is sealed with a rubber cap. |
| HEAD DIAMETER: | 9/16" (14 mm) |
| BODY DIAMETER: | 7/16" (10 mm) |
| BODY LENGTH: | 6" (15 cm) |

AAAA Energizer Batteries (Pkg. 6)
P/N 29207



CAUTION: Wear 100% UVA blocking safety glasses when using. Do not shine the light in anyone's eyes.

LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

DUAL LIGHT W/ DUAL MAGNETS

130 Flashlight Lumens / 110 Floodlight Lumens

- Flashlight – Floodlight – Dual-light
- CREE® LED technology
- Flashlight beam distance, 181 meters
- 50,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Dual-light (flashlight & floodlight at same time) for maximum versatility
- Powerful integrated magnets built into the base and clip for multiple hands-free options
- Engineered polymer housing, red or black
- Non-slip grip
- Dual body switches
- Waterproof, IP-X7 rating
- Impact and chemical resistant
- Built-in pocket/belt clip
- Includes removable lanyard
- 3 AA premium batteries included

Specifications

- Lumens:
 - Flashlight: 130 lumens
 - Floodlight: 110 lumens
 - Dual-light: 235 lumens
- Run-time:
 - Flashlight: 9.5 hrs
 - Floodlight: 10.5 hrs
 - Dual-light: 5 hrs
- Beam distance: 181 meters (594 ft)
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 7"
- Head diameter: 1.8"
- Handle diameter: 1" x 1.3"
- Weight: 6.4 oz

Included Items

- Light with integrated magnets and built-in pocket/belt clip
- Removable lanyard
- 3 AA premium batteries

Replacement Batteries

- Duracell® Procell®
AA alkaline batteries
Pkg: 8
P/N 29203

Flashlight



Floodlight



Dual-Light



P/N 66310
RED



P/N 66312B*
BLUE TRAFFIC
CONE



P/N 66311*
BLACK

**Non-stock item. Please call for delivery.*



LED LIGHTING SOLUTIONS

INTRINSICALLY SAFE

INTRINSICALLY SAFE LED PENLIGHTS

- 30 or 50 Lumens/Class I, II, III, Division I, Groups A-G
- CREE® LED technology – 50,000+ hours LED life
- 30 or 50 Lumens
- 13.75/18 hours run-time
- Ultra-compact and super slim
- Powerful light output designed to illuminate very tight spaces
- Single tail-cap switch provides momentary or constant-on functionality
- Sharp focused beam for distance illumination (50/40 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing (impact & chemical resistant)
- Built-in pocket/belt clip




Safety Rating

cETLus Listed Intrinsically Safe for use in Class I II III Div 1
SECURITE INTRINSEQUE Groups A,B,C,D,E,F & G Hazardous Locations




Specifications – P/N 66316

- **Lumens:** 50
- **Run-time:** 13.75 hrs
- **Beam distance:** 50 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Length:** 6.8"
- **Diameters:** 0.6" head / 0.5" handle
- **Weight:** 1.5 oz.
- **Power:** 3 AAAA batteries (P/N 29207) included



Specifications – P/N 66317*

- **Lumens:** 30
- **Run-time:** 18 hrs
- **Beam distance:** 40 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Length:** 5.8"
- **Diameters:** 0.9" head / 0.7" handle
- **Weight:** 1.9 oz.
- **Power:** 2 AAA batteries (P/N 29204) included



*Non-stock item, please call for delivery.

INTRINSICALLY SAFE LED HEADLAMPS

- Dual-Function/Class I, II, III, Division I, Groups A-G
- Multi-position tilt head design with elastic head strap (with non-slip lining) and a heavy-duty rubber head strap for use on a hard hat
- Selectable high or low brightness spotlight operation
- CREE® LED technology – 50,000+ hours LED life
- High-brightness spotlight – 115/60 Lumens Low-brightness spotlight – 65/40 Lumens
- Focused spotlight beam for distance illumination (92/80 meters)
- Waterproof: IP-X7 Rating
- Engineered polymer housing (impact & chemical resistant)
- Single switch located on top of light
- 3 AAA premium batteries (included), reorder using P/N 29204



Safety Rating


cETLus Listed Intrinsically Safe for use in Class I II III Div 1 SECURITE
INTRINSEQUE Groups A,B,C,D,E,F & G Hazardous Locations
-20C ≤ Tamb ≤ +40C

- Ex ia IIC T3 Ga Class 1 Zone 0
- AEx ia IIC T3 Ga, Zone 20
- AEx ia IIIC T 165C Da



Specifications – P/N 66318

- **Spotlight Lumens:** High - 115 / Low - 65
- **Run-time:** High - 4.5 hrs / Low - 13 hrs
- **Beam distance:** 92 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz.




High/Low brightness
spotlight switch



Spotlight

Specifications – P/N 66319*

- **Spotlight Lumens:** High - 60 / Low - 40
- **Run-time:** High - 13.5 hrs / Low - 22.75 hrs
- **Beam distance:** 80 meters
- **Water rating:** IP-X7 waterproof
- **Drop rating:** 2 meters
- **Dim:** 2.4" width x 1.9" height x 1.8" depth
- **Weight:** 3.5 oz.



*Non-stock item, please call for delivery.

LED LIGHTING SOLUTIONS

INTRINSICALLY SAFE

INTRINSICALLY SAFE LED HEADLAMPS

- Designed for hazardous workplace environments
- Safe to use in potentially explosive atmospheres
- Night vision red floodlight or high contrast green floodlight
- Spotlight • Two level white floodlight • Colored floodlight
- Spotlight CREE® LED technology - 50,000 hour life
- White / red / green floodlight LEDs - 35,000 hour life
- Full or half power white floodlight for extended run-time
- Waterproof IP-X7
- Impact and chemical resistant
- Two switch light control
- Behind the head battery pack for comfort and balance
- Adjustable ratchet tilt headlamp
- Width: 3.3" • Height: 3.3" • Depth: 3.5" • Weight: 9.5 oz.
- Rubber hardhat strap included
- 3 premium alkaline AA batteries – Reorder with P/N 29203



Safety Rating

cETLus Listed Intrinsically Safe for use in Class I II III Div 1 SECURITRE INTRINSEQUE Groups A,B,C,D, E, F & G Hazardous Locations -20C ≤ Tamb ≤ +40C

- Ex ia IIC T3 Ga Class 1 Zone 0
- AEx ia IIC T3 Ga, Zone 20
- AEx ia IIIC T 165C Da




P/N 66326



P/N 66327


Specifications - P/N 66326

- Spotlight: 130 lumens
- Floodlight: 100 lumens - full power, 25 half-power
- Dual-Light: 190 lumens
- Green floodlight: 21 lumens
- Run-time hours:
 - Spotlight: 14
 - Floodlight at full power: 12.5
 - Floodlight at half-power: 70
 - Dual-light: 6
 - Green floodlight: 37




Specifications - P/N 66327

- Spotlight: 100 lumens
- Floodlight: 90 lumens - full power, 20 half-power
- Dual-Light: 175 lumens
- Red floodlight: 18 lumens
- Run-time hours:
 - Spotlight: 18
 - Floodlight at full power: 13.5
 - Floodlight at half-power: 75
 - Dual-light: 6.5
 - Red floodlight: 37



INTRINSICALLY SAFE LED DUAL-LIGHT

Designed for hazardous workplace environments and is safe to use in potentially explosive atmospheres.



- Dual-Light Innovation®
- 120 lumen CREE® LED
- Sharp focused flashlight
- Broad beam floodlight
- 50,000 hour LED life
- Separate switches for flashlight & floodlight
- Momentary or constant-on

- Non-slip grip textured push-buttons
- Rugged hi-visibility green polymer housing
- Impact and chemical resistant
- Built-in pocket clip and lanyard
- Rating: XP-67
- Length: 7.0 in (178 mm)
- Limited lifetime warranty

ANSI Performance

- Flashlight: 120 lumens
- Floodlight: 120 lumens
- Dual-Light: 240 lumens
- Flashlight beam distance: 170 m
- Run-time: 17.5 hours Flashlight/Floodlight and 4.5 hours Dual-light

Note: Order batteries with P/N 29203 (Duracell PC1500, MSHA approved batteries). See instruction manual for details. 3 AA alkaline batteries are not included.



P/N 66339

NEW & IMPROVED!
 • 50% MORE LUMENS OUTPUT!
 • MSHA APPROVED!

LED LIGHTING SOLUTIONS

LED HEADLAMPS

MULTI-FUNCTION HEADLAMP


Dual Brightness Spotlight/Floodlight & Dual-light

- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide: high/low-brightness spotlight & high/low-brightness floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Spotlight: 100/60 lumens / Floodlight: 90/50 lumens / Dual-light: 115 lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing
- Waterproof: XP-X7 Rating
- Impact and chemical resistant
- Powered by 3 AAA batteries, included (reorder with P/N 29204)



High/low-brightness spotlight switch High/low-brightness floodlight switch

Spotlight Floodlight



Features/Specifications

- **Lumens:**
 - High spotlight-100 / Low spotlight-60
 - High floodlight-90 / Low floodlight-50
 - Dual-light-115
- **Run-time:**
 - High spotlight-5 hrs / Low spotlight-13.5 hrs,
 - High floodlight-4.25 hrs / Low floodlight-13.75 hrs
 - Dual-light-3.5 hrs

- **Beam distance:** 77 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6"
- **Height:** 2.1"
- **Depth:** 1.8"
- **Weight:** 3.3 oz.

MULTI-FUNCTION HEADLAMP


Dual Brightness Spotlight, White/Red/Green Floodlight & Dual-light

- CREE® LED technology – 50,000+ hours LED life
- Top mounted dual switches provide: high/low-brightness spotlight and white/red/green floodlight
- Dual-light (spotlight & white floodlight mode at same time) for maximum versatility
- Colored floodlight for night-vision preservation
- Spotlight – 150/80 lumens / White Floodlight – 100 lumens / Red Floodlight – 9 lumens / Green Floodlight – 18 lumens / Dual-light – 180 lumens
- Multi-position adjustable ratchet tilt head design with non-slip elastic head strap
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Engineered polymer housing (impact and chemical resistant)
- Waterproof: XP-X7 Rating
- Powered by 3 AAA batteries, included (reorder with P/N 29204)



High/low-brightness spotlight & white floodlight switch Red/green floodlight switch

Spotlight White/red/green floodlight



Features/Specifications

- **Lumens:**
 - High spotlight-150 / Low spotlight-80
 - White floodlight-100
 - Red floodlight-9
 - Green floodlight-18
 - Dual-light-180
- **Run-time:**
 - High spotlight-4 hrs / Low spotlight-8 hrs,
 - White floodlight-4 hrs / Red floodlight-25 hrs
 - Green floodlight-22.5 hrs / Dual-light-3 hrs

- **Beam distance:** 60 meters
- **Water rating:** IP-X7
- **Drop rating:** 2 meters
- **Width:** 2.6"
- **Height:** 2.1"
- **Depth:** 1.8"
- **Weight:** 3.3 oz.

LED LIGHTING SOLUTIONS

LED HEADLAMPS / LED FLASHLIGHTS

HEADLAMP - WATERPROOF

- Spotlight – Floodlight – Dual-light
- Water proof IP-X7
- Small in size, big in light output
- Perfect hands-free lighting solution
- Wear on head or mount on hard-hat
- Premium super bright white LEDs
- Single LED Deep Reflector Spotlight with CREE® LED Technology
- 12 LED Floodlight
- Spotlight - 50,000 hour life
- Floodlight - 35,000 hour life
- Impact & chemical resistant
- Single switch light control
- Adjustable ratchet tilt head lamp
- Non-slip elastic band
- 3 AAA batteries included




Features/Specifications

- **Spotlight:** 55 lumens
- **Floodlight:** 40 lumens
- **Dual-light:** 80 lumens
- **Run-time:**
 - Spotlight: 6 hours
 - Floodlight: 8 hours
 - Dual-light: 5 hours
- **Width:** 2.44"
- **Height:** 1.75"
- **Depth:** 1.88"
- **Weight:** 3.7 oz.



P/N 66329



MULTI-FUNCTION LED FLASH/FLOODLIGHT

- Flashlight – Floodlight – Dual-Light
- Single body switch
- Flashlight with CREE® LED technology – 50,000 + hours LED life
- Floodlight with premium LED technology – 35,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam flashlight
- Wide-beam unfocused floodlight
- Engineered polymer housing
- Non-slip grip – Comfortable oval shape
- Soft touch finish
- Water resistant
- Impact and chemical resistant
- 2 AAA premium alkaline batteries included

FLASHLIGHT FLOODLIGHT DUAL-LIGHT



- **Lumens:**
 - Flashlight - 60
 - Floodlight - 25
 - Dual-light - 50
- **Run-time:**
 - Flashlight - 4 hrs
 - Floodlight - 4 hrs
 - Dual-light - 3 hrs
- **Beam distance:** 50 meters
- **Water rating:** IP-X6 water resistant
- **Drop rating:** 2 meters
- **Length:** 4.7"
- **Width:** 1.1" x 0.8"
- **Weight:** 2.2 oz.

P/N 66322



LED LIGHTING SOLUTIONS

LED FLASHLIGHTS

MAGNETIC STICK LIGHT

- 7 super-bright LEDs - 75 lumens output
- Powerful magnet for flush, secure attachment
- Extra strong magnet in handle provides an extra hand as well as handy pick-up tool
- Has a pocket clip that moves 0°-180° to flood in light at every angle
- Produces a floodlight effect as well as directional
- Water resistant and rugged
- Runs more than 10 hours
- Uses 3 AAA batteries (included)
- Replacement batteries (P/N 29204)

POWERFUL!
POCKET-SIZED FLOODLIGHT


P/N 66328

Pocket clip rotates 0°-180°.

Magnetically attach to a vertical surface!

Magnetically attach to a horizontal surface!

Magnetically attach to vertical surface!



| DESCRIPTION | PART | |
|------------------------------------|------|-------|
| Magnetic Stick Light | A | 66328 |
| Replacement Lithium Batteries, AAA | G | 29204 |

CLAMP LIGHT

- Spotlight – Flashlight – Floodlight – Dual-light
- 35,000 hour LED life
- 1 Spotlight LED
- 12 Floodlight LEDs
- Multi-function locking clamp
 - Stands by itself
 - Secures to round objects and flat objects
- Light reaches out in all directions
 - Light swivels 360°
 - Light tilts 180° +
- Impact & moisture resistant safety orange light housing
- Engineered polymer clamp base
- Premium AAA batteries included



Features/Specifications

- **Spotlight:** 65 lumens
- **Floodlight:** 24 lumens
- **Dual-Light:** 89 lumens
- Detachable light with magnetic base
- 2 beam Flashlight
- Run-time: Up to 18 hours

HANDS FREE!

P/N 66359



2 Beam Flashlight



Round Stock



Square Stock



Detachable Light with Magnetic Base



Self Standing

| DESCRIPTION | PART | |
|-------------|------|-------|
| Clamp Light | A | 66359 |

WIPE AND TOWELS

HIGH CAPACITY – ALL SURFACE CLEANING WIPES

FACILITY WIPES

Facility Wipes

Designed to clean and deodorize any surface, anywhere. They are excellent for quick and easy cleaning of equipment, furniture and facilities. Wipe down surface with fresh towel and throw towel away when finished. Good for cleaning metal, glass, tiles and ceramic.

Features and Benefits

- 800 wipes per roll
- Cleans and deodorizes surfaces on contact
- Fast and easy to use towel, one step cleaning
- Wall mounted dispenser allows convenient individual use

Use With Center-Pull Dispenser (P/N 1789)

- Single-sheet release requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications

Applications

- Athletic clubs • Schools • Hospitals • Nursing homes • Restaurants • Health clubs • Offices



P/N 28235



P/N 1789

| DESCRIPTION | PART | |
|------------------------------------------------|------|-------|
| Facility Wipes (800 Wipes Per Roll - 8" x 10") | A | 28235 |
| Center-Pull Dispenser | A | 1789 |

WIPE AND TOWELS

HIGH CAPACITY – HAND TOWELS

CENTERFEED HAND TOWELS

Centerfeed Hand Towels

- 600 towels per roll
- Offers one-at-a-time service, and reduces waste
- High capacity, reduces labor and refills
- Few, or no moving parts, nothing to jam or break
- High absorbency, means less towels used
- Touch only dispensing towel reduces cross contamination
- Made from 100% recycled fiber
- Provides environmental benefits



EcoLogo™ Certified
Towel, Tissue and
Napkin Products



P/N 28237

Centerfeed Dispenser (P/N 1788)

- Simplify and complement any environment, providing a clean, hygienic appearance
- Our new design ensures easy and intuitive maintenance, refilling and use
- High capacity cabinets are ideal for high traffic environments
- No cross contamination from levers or cranks
- The portion control feature dispenses one towel every time
- Cabinets are simple and reliable offering low maintenance costs

Applications

- Auto shops
- Work benches
- Maintenance areas
- Offices
- Plumbing sites
- Marinas
- Break rooms
- Kitchens
- Construction sites
- Printing areas
- Painting areas
- Manufacturing



P/N 1788

| DESCRIPTION | PART | |
|-----------------------------------|------|-------|
| Hand Towels (600 Towels Per Roll) | A | 28237 |
| Centerfeed Dispenser | A | 1788 |

WIPE AND TOWELS

HIGH-POWERED CLEANING AND PORTABLE

SHOP WIPES (HIGH-POWERED VERSATILE CLEANER)

Designed for use in industrial and manufacturing settings, each towel is pre-moistened with a powerful cleaning formula capable of cleaning hard-working hands, as well as non-porous surfaces. Made from an abrasive, yet non-scratching fabric that helps lift away heavy deposits of grime and dirt off hands and surfaces as well as leaving behind a fresh citrus scent. Scrub surfaces with abrasive side of towel until the dirt is loosened, then use the smooth side to wipe surfaces clean and discard.

Features and Benefits

- 400 wipes per roll
- High powered multipurpose cleaner
- Effective against tar, paint, wax, grease, adhesives and ink
- Abrasive, yet non-scratching fabric aids in cleaning
- Natural oils and emollients, safe for hands & skin

P/N 28236



Use With Center-Pull Dispenser

- Offers single-sheet release
- Requires only one hand to tear off
- Made of tough impact resistant materials
- One of the most vandal-proof, break resistant, chemical and flame resistant products
- For heavy use applications

P/N 1789



Applications

- Auto shops • Work benches • Maintenance areas • Offices • Plumbing sites • Marinas
- Break rooms & kitchens • Construction sites • Printing & painting areas • Manufacturing

| DESCRIPTION | PART |
|--------------------------------------------|---------|
| Shop Wipes (400 Wipes Per Roll - 8" x 12") | A 28236 |
| Center-Pull Dispenser | A 1789 |

TOWELS IN A TUB

Chromate Advanced Shop Wipes with Bucket Dispenser

- Removable lid for easy on-off quick access.
- Pop top is resealable, angled and connected to water channels for maximum protection.
- Handle designed for easy portability and added convenience.
- Dispensing disk designed for single towel dispensing to reduce pilferage and lower cost-in-use.
- Plastic container is durable to protect against dry or wet chemicals.
- Stackable packaging design allows for more efficient packing and storage.

Chromate Advanced Shop Wipes Refill

- Best all purpose with cloth like softness
- Absorbs large spills and leaks
- Janitorial maintenance wiping
- Patient hygiene
- Line wiping and cleaning
- Absorbs oil and water
- Works on grease and grime
- Industrial cleaning and maintenance
- Can be used on hands and face
- 200 wipes

- Sheet Size: 9.9" x 13.1"
- Tub Size: 10" x 8.5" x 9"



| DESCRIPTION | PART |
|--------------------------------|---------|
| Towels In A Tub with Dispenser | A 28216 |
| Towels In A Tub – Refill | A 28217 |

RED LION™ CHEMICALS

CHEMICALS

SNOW & ICE MELTER

Red Lion™ Snow & Ice Melter granulars is a blend of 100% active ingredients (calcium chloride blend). This unique formula has the added benefit of all materials working together in a synergistic fashion to effectively melt snow and ice. Red Lion™ Snow & Ice Melter can be used on asphalt, concrete, granite, tile, brick, bluestone, natural flagging, pavers and pave stone.

Features

- **Pink color** to improve smooth and consistent coverage, especially during low visibility conditions
- Will not harm lawns, trees, or shrubs when used as directed
- Contains dust control and anti-caking agents
- Melts to -25°F
- Does not contain any rock salt
- Easy to apply by hand or spreader
- Safe for use in the State of California

Used by professionals for

- Commercial buildings • Residential buildings • Campuses
- Hospitals • Municipal buildings • Businesses

Applications

- Parking lots • Driveways • Sidewalks • Steps • Porches • Patios



| DESCRIPTION | PART |
|--------------------------------------|----------|
| Snow & Ice Melter, 50 lb. box | A 74608 |
| Snow & Ice Melter, Pallet (48 boxes) | A 74608P |

ICE & FROST REMOVER

Red Lion™ Ice & Frost Remover is specifically formulated to quickly dissolve ice, frost and snow deposits. Melts ice, frost and snow instantly. Use on automobiles, trucks, buses, and maintenance equipment.

Features

- Fast acting, water rinseable
- Helps prevent freezing when applied in advance
- Eliminates scraping and potential damage to glass
- Thaws frozen locks
- Works in any temperature

Applications

- Windows • Headlights • Windshields • Locks • Tires • Tail lights • Hinges • Sidewalks • Steps



| DESCRIPTION | PART |
|------------------------------|---------|
| Ice & Frost Remover – 13 oz. | A 74488 |

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

CLEANERS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.

In our continuing effort to offer the most environmentally preferable and effective products, we would like to introduce our Red Lion™ Eco-Friendly "Green" line of chemicals.

The products are designed to meet "Green Product" industry criteria. The standards encompass environmental impact, health effects as well as product performance. They are Environmentally Preferable Products that are formulated to perform well yet have no harmful effects on our environment or to the person using the product. We are proud to announce that Eco-Friendly Multi-Purpose Cleaner, Eco-Friendly Glass Cleaner, Eco-Friendly Tub & Tile Cleaner, Eco-Friendly Peroxide Cleaner, Eco-Friendly Zinc-Free Seal & Finish and Eco-Friendly Floor Stripper all meet specific Green Seal™ Environmental Standards.

There are laws already in place or are pending that will require the use of environmentally sensitive products in N.Y. State Buildings, N.Y.C. Municipal Buildings and all schools in N.Y. State. Although New York has taken the lead in this area, other states are sure to follow.

Perfect for use in schools, office buildings, apartment buildings, hospitals, nursing homes and other institutions where environmentally preferred products are desired.

Eco-Friendly Multi-Purpose Cleaner

A highly concentrated, multi-purpose cleaner formulated to be a H.D. Cleaner, Spray and Wipe Cleaner and a Neutral Floor Cleaner depending upon dilution. This product meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.

- **Spray/wipe Cleaner:** 1:128 dilution
1 gallon dilutes with water to make up to 512 quart bottles
- **Heavy-duty Cleaner/Degreaser:** 1:32 dilution
1 gallon dilutes with water to make up to 128 quart bottles
- **Neutral Floor Cleaner:** 1:256 dilution
Low suds, so it's great for auto-scrubbers as well as mop buckets.

P/N 74067 (1 gal. Container)

P/N 74068 (5 gal. Pail)

P/N 74069 (55 gal. Drum)



Eco-Friendly Glass & Window Cleaner

A highly concentrated, glass, window and multi-purpose cleaner. It is designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.

- **Glass & Window Cleaner:** 1:64 dilution
1 gallon dilutes with water to make 256 quart bottles

P/N 74070 (1 gal. Container)

P/N 74071 (5 gal. Pail)

P/N 74072 (55 gal. Drum)



RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

CLEANERS

These Red Lion™ Eco-Friendly "Green" Chemicals meet Green Seal™ Environmental Standards for industrial and institutional cleaners and floor-care products.



Eco-Friendly Tub & Tile Cleaner

A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.

P/N 74073 (1 gal. Container)

P/N 74074 (5 gal. Pail)

P/N 74075 (55 gal. Drum)

.....



Eco-Friendly Peroxide Cleaner

A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.

- **Spray/Wipe Cleaner:** 1:128 dilution • 1 gallon dilutes with water to make up to 512 quart bottles
- **Multi-purpose Cleaner:** 1:64 dilution • 1 gallon dilutes with water to make up to 256 quart bottles
- **Restroom Cleaner:** 1:16 dilution • 1 gallon dilutes with water to make 64 quart bottles

P/N 74076 (1 gal. Container)

.....



Eco-Friendly Floor Stripper

A concentrated, highly effective, fast acting, low odor, floor finish and wax remover – environmentally benign but still strong enough to remove floor finishes and wax seals without the use of a floor machine. Eco-Friendly Floor Stripper meets the GS-40 Green Seal™ Standard for Floor Stripper, based on its reduced human and aquatic toxicity and reduced smog production potential. Using state-of-the-art chemistry, it provides top-tier performance without the potentially harmful effects of 2-butoxyethanol, ammonia, nonylphenol surfactants, dye or fragrance. A highly effective fast acting product with low odor.

P/N 74080 (1 gal. Container)

P/N 74081 (5 gal. Pail)

P/N 74082 (55 gal. Drum)

.....



Eco-Friendly Zinc-Free Seal & Finish

A highly effective, low V.O.C., zinc free floor seal and finish. Eco-Friendly Zinc-Free Seal & Finish represents a new generation of floor care products. It exhibits a deep, wet-look gloss and it can be incorporated into any floor maintenance program. It meets the GS-40 Green Seal™ Standard for Floor Finish. Eco-Friendly Zinc-Free Seal & Finish contains no heavy metals, formaldehyde, ammonia or nonylphenol surfactants. High levels of zinc have been found to be toxic to aquatic life.

P/N 74077 (1 gal. Container)

P/N 74078 (5 gal. Pail)

P/N 74079 (55 gal. Drum)

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

DISPENSING EQUIPMENT FOR CLEANERS

Red Lion™ Blend Mate Wall Dispensers

Directions For Use

1. Hang cabinet on wall using mounting screws provided, making sure water hose will reach water source.
2. Connect black 6' water hose to upper right side of dispenser cabinet and water source.
3. Using key(s) provided, unlock cabinet.
4. Remove cap from gallon bottle of concentrate and place inside dispenser cabinet, inserting draw tube into bottle.
5. Close and lock cabinet.
6. Following direction label on front of dispenser, turn toggle switch to desired dilution strength. Insert clear plastic fill tube into spray bottle or mop bucket and push appropriate button to activate flow.

Use Blend Mate Wall Dispensers and 32 oz. Spray Bottles With The Following:



Eco-Friendly
Multi-Purpose Cleaner
Meets the requirements of the GS-37 Green Seal™ Standard. Provides top-tier performance for cleaning floors, walls, chrome, stainless steel, table tops, vinyl, sealed wood and many other surfaces not harmed by water.

P/N 74067 (1 gal. Container)



Eco-Friendly
Glass & Window Cleaner
Designed to meet the requirements of GS-37, the Green Seal™ Standard for Glass Cleaner. Eco-Friendly Glass & Window Cleaner has been formulated with completely biodegradable surfactants and other naturally derived ingredients. This non-toxic glass, window and multi-purpose cleaner provides top-tier performance. It is alcohol-free, ammonia-free, non-streaking and fast drying.

P/N 74070 (1 gal. Container)



Eco-Friendly Tub & Tile Cleaner
A highly concentrated, non-corrosive, non-fuming, tub & tile cleaner. This product meets the requirements of the GS-37 Green Seal™ Standard. It is formulated with a low pH organic salt capable of replacing a wide range of traditional acids. Provides top-tier performance for cleaning tubs, tile, grout, walls, toilet bowls, urinals, shower stalls and other bathroom surfaces.

P/N 74073 (1 gal. Container)



Eco-Friendly Peroxide Cleaner
A highly concentrated, multi-purpose cleaner providing top-tier performance as a Glass Cleaner, Multi-Purpose Cleaner and a Restroom Cleaner depending upon dilution. Eco-Friendly Peroxide Cleaner meets the requirements of the GS-37 Green Seal™ Standard. It has a pleasant orange scent.

P/N 74076 (1 gal. Container)

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

DISPENSING EQUIPMENT FOR CLEANERS

Red Lion™ Blend Mate Wall Dispensers

A mounted dispenser for automatic dilution/metering of Eco-Friendly cleaners into secondary containers (32 oz. bottle or bucket fill) in ready to use form.

P/N 1822 – Peroxide Cleaner Wall Dispenser

P/N 1824 – Multi-Purpose Cleaner Wall Dispenser

P/N 1826 – Glass & Window Cleaner Wall Dispenser

P/N 1828 – Tub & Tile Cleaner Wall Dispenser

Uses

Convenient wall mount in janitors closets, housekeeping/maintenance rooms, etc.

Features

- Gray high density plastic cabinet
- Installation Materials Included:
Mounting hardware, water inlet hose, 2 locking keys, appropriate metering tips installed by the factory according to product used.
- Cabinet Size:
22" high x 6-1/2" wide x 7-3/4" deep. Up to 4 cabinets can be linked together with a single cold water source.

Available Types

Eco-Friendly Glass & Window Cleaner:

- 1 button
- 32 oz. bottle
- pre-set dilution

Eco-Friendly Multi Purpose Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

Eco-Friendly Tub & Tile Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 3 dilution selector

Eco-Friendly Peroxide Cleaner:

- 2 button
- 32 oz. bottle & bucket fill
- 2 dilution selector



Multi Purpose
Cleaner Dispenser



Glass & Window
Cleaner Dispenser



Tub & Tile
Cleaner Dispenser



Peroxide Cleaner
Dispenser

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

CLEANERS/DEGREASERS

Red Lion™ Safe-T-Line™ products are less hazardous to the user and less damaging to the environment, while still providing all the quality and performance essential for those tough, demanding industrial applications. They are safer for the user and the environment because it does not contain harmful CFC's, chlorinated solvents, toluene or butyl. It is extremely low in V.O.C.'s and carries a level 1 NFPA 30B fire code rating (the safest storage rating for aerosol products).

NO CFCs (Chlorofluorocarbons) – Chemicals linked to ozone depletion.

NO Chlorinated Solvents – Also linked to ozone depletion. Certain chlorinated solvents are suspected carcinogens.

NO Perchloroethylene, Toluene or Butyl – Suspected carcinogens.

OZONE-SAFE Propellant – Propellant has no harmful effect on ozone.

LOW VOC's (Volatile Organic Compounds) – Carbon-containing (organic) compounds created from sources such as automobile exhaust, power plants, paints, etc. VOC's can form ground level ozone, a major component of smog.

NFPA 30B Level 1 Fire Code Rating – The National Fire Protection Association's best rating for the safe storage of aerosols.

Engine Degreaser (High pressure spray, water rinsing)

P/N 74183 – 15 oz.



This natural citrus cleaner/degreaser is a powerful engine degreasing formula. It cleans and degreases oil, dirt, grease, tar and adhesives.

Features:

- Superior formulation cuts through stubborn grease and oil
- High pressure spray
- Water rinsing
- Non-chlorinated
- Easy to use



Applications:

- For use on automotive engines, aluminum, stainless steel, tire whitewalls and garage floors

H.D. Citrus Cleaner/Degreaser (Powerful citrus base, biodegradable cleaner)

P/N 74145 – 18 oz.



H.D. Citrus Cleaner is a highly concentrated cleaner and degreaser with its powerful foaming action actually lifts dirt and grease off surfaces so it can be easily wiped clean with a cloth.

Features:

- Natural citrus solvent
- Powerful foaming action
- Removes grease, oil and dirt from most surfaces
- Deodorizes with fresh citrus scent
- Biodegradable



Applications:

- For use on porcelain, formica, tiles, enamel surfaces, vinyl tops, floor mats, sinks, tubs, appliances, tools and equipment, oil and tar stains, printing presses and white wall tires

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

LUBRICANT

Red Lion™ Eco-Friendly Cutting Oil "Green Aerosol" is toxin-free, petroleum distillate-free, VOC compliant, and contains no ozone depleters. Manufactured from environmentally safe, naturally derived materials and packaged in recyclable containers that are made from partially recycled steel.

What are bio-enzymatic products?

Many cleaners and industrial products contain toxins and chemicals which can cause harmful effects on the environment and human health.

Bio-enzymatic products contain strains of safe, naturally occurring bacteria and enzymes that are very efficient at breaking down and digesting organic materials and eliminating soil and odor, and do not create pollution. Instead of using man-made chemicals that use energy to produce and deplete natural resources, to clean and deodorize, Chromate uses nature's approach.

What are renewable resources products?

These products are formulated from ingredients derived from renewable agricultural sources, including citrus and soy, and are excellent alternatives to products made from traditional petroleum-based or synthetic components.

Renewable resource ingredients are constantly replenished by nature and help promote sound environmental stewardship since they don't harm the environment or expose the user to dangerous chemicals.

What are the benefits of using aerosols?

Aerosols can produce results unavailable from any other application method by controlling the particle's size, spray pattern, volume and concentration. This combination ensures that the proper amount and concentration of the product is delivered exactly where it's needed.

Additionally, aerosols are packed in sealed containers, making them spill-proof, unlike liquid products. They reduce waste because precise amounts of the product are delivered to an exact area. You can aim and spray exactly where you want to, with maximum effectiveness. Products stay fresh because no air can get in the can, giving them a long shelf-life.



Eco-Friendly Cutting Oil

A multi-purpose, low odor cutting oil formulated from all natural ingredients for light-to-medium duty applications. Keeps work pieces cooler and generates less smoke than petroleum-based cutting oils.

Suitable For:

- Cutting, Tapping, Threading, Sawing, Grinding

Features:

- Reduces heat distortion and tool burning, resulting in increased productivity
- Readily biodegrades
- Non-staining on all metals
- Specially designed for field and portable operations



P/N 74084 – Net wt. 11 oz.

RED LION™ CHEMICALS

ECO-FRIENDLY CHEMICALS

BIO-LUBE "LUBRICANT/PENETRANT"

A high performance penetrant and lubricating oil for general purpose use. Formulated with the best optimized USA-grown natural seed oils and select additives, it surpasses the lubricity and performance of conventional lubricants. Loosens rusty bolts, quiets squeaky hinges and moving parts. For general purpose cutting, grinding and drilling metals, milling, tapping, and reaming.

Features

- Multipurpose lubricant and penetrant
- Loosens rusty bolts
- Quiets squeaky hinges and moving parts
- Deters water and protects from rust and corrosion
- General purpose cutting, grinding and drilling metals, milling, tapping, and reaming

Benefits

- Made from renewable USA-grown crop-based vegetable oils, better for your health
- Biobased
- Biodegradable
- Reduces foreign oil dependence
- Multiple applications – Reduces product inventory
- Superior lubricity improves productivity
- Cooler operating and less smoke – Higher operating speeds
- Safe for all metals
- Will help your business comply with ISO-14000
- Does not contain chlorine
- High flash and fire points



| DESCRIPTION | PART |
|------------------------------|---------|
| Bio-Lube Spray Bottle, 2 oz. | J 74266 |
| Bio-Lube Spray Bottle, 8 oz. | F 74267 |

RED LION™ CHEMICALS

FOR COLOR CODING APPLICATIONS

PAINTS AND COATINGS




P/N 74190 – Red
P/N 74194 – Yellow
P/N 74196 – Green
(All OSHA Paints 15.25 oz.)

OSHA Color Industrial Enamel Paints (Extremely tough, corrosion resistant, fast drying, acrylic enamel paints)

Provide maximum coverage for marking and color coding pipe lines, electrical equipment, safety equipment, emergency equipment, conduit, tools, motors, ducting and sheet metal. The tough protective coating resists corrosion, chipping and peeling and our unique SprayPro™ nozzle makes application easy in both horizontal and vertical positions.

Features:

- One coat coverage
- Protects against rust and corrosion
- Use on metal and wood
- Leaves a durable, protective finish
- Dries fast
- SprayPro™ nozzle



Color Coding Applications:

Even though the Occupational Safety and Health Administration (OSHA) has eliminated the specific color definitions and detailed requirements for Safety Color Coding, the following suggested color scheme has been utilized and accepted throughout the industry. The marking of physical hazards should never take the place of eliminating those hazards when possible, and proper employee training in the recognition of these colors and their respective warnings is imperative.

- **RED** is used to mark fire protection equipment such as alarm boxes, extinguishers, fire blankets and doors, hose connections, hydrants and sprinkler piping. It can also be used on emergency stop bars on hazardous machinery or stop buttons and electrical switches.
- **YELLOW** is used to color code dangerous materials such as flammable liquids, poisonous gases, corrosive liquids (acids and alkalis) and steam, water or air at high temperatures and/or pressures. It can also be used to highlight handrails.
- **GREEN** is used to color code relatively safe materials such as drinking water, service water, brine, syrups or glycols. It can also be used to mark the location of First Aid equipment such as kits, dispensary, stretchers and safety showers.

RED LION™ CHEMICALS

FOR OUTDOOR SAFETY APPLICATIONS

STRIPING AND MARKING PAINTS



(Dependable performance in a wide range of marking applications)

These Striping and Marking Paints are formulated to address today's environmental concerns while providing efficient and dependable performance in a wide range of marking applications. From utilities and construction to recreational and maintenance applications, we offer a striping product suited to your needs.

- **GOLF COURSE MARKER** – a **16 oz.** water-base marker for use on golf courses and other porous applications. Formulated not to harm grass, this marker is not water-soluble and will not wash away during rain or irrigation. This marker comes with the “Converta-Cap”, a specially designed protective cover that does not need to be removed before using.
- **ATHLETIC FIELD MARKER** – A specially formulated **20 oz.** water-base paint that will not harm grass and is not water soluble for maximum durability.
- **INVERTED TIP MARKER** – A heavy-duty, **20-oz.** water-base industrial marker. The no-clog, fast drying formula is available in a full range of construction and APWA colors. This marker also comes with the “Converta-Cap”. This provides the user with a convenient marking tool without the worry of accidentally spraying. The new spray tip provides crisp lines up to 4" wide and approximately 250 feet in length.
- **TRAFFIC MARKER** – A **20-oz.** water-base paint formulated with high pigment solids ideally suited for a wide range of applications including concrete, blacktop, gravel or dirt. Not affected by water.

Applications:

ATHLETIC MARKER PRODUCTS

For grass and turf applications

- Recreational school fields
- Rental yards
- Golf courses
- Nurseries
- Paving contractors
- Landscaping
- Home landscaping layouts

TRAFFIC MARKER PRODUCTS

For asphalt and concrete applications

- School Parking Lots and Playgrounds
- Apartment complexes
- Churches
- Rental yards
- Golf courses
- Paving contractors
- Water/Sewer lines
- Hotels
- Public works municipal projects

For applicator tools, see next page.

GOLF COURSE MARKER

- Inverted-Straight Nozzle – 16 oz.
P/N 74050 – White
P/N 74051 – Red

ATHLETIC FIELD MARKER

- "T" Type Nozzle – 20 oz.
P/N 74052 – White
P/N 74053 – Orange

INVERTED TIP MARKER

- Inverted-Straight Nozzle – 20 oz.
P/N 74004 – Purple
P/N 74054 – White
P/N 74055 – Fluorescent Red
P/N 74056 – Fluorescent Orange
P/N 74057 – Precaution Blue
P/N 74058 – Alert Orange
P/N 74059 – Safety Red
P/N 74060 – Fluorescent Green
P/N 74061 – Fluorescent Hot Pink
P/N 74062 – Utility Yellow

TRAFFIC MARKER

- T-Type Nozzle – 20 oz.
P/N 74063 – White
P/N 74064 – Yellow
P/N 74065 – Red
P/N 74066 – Handicap Blue

RED LION™ CHEMICALS

FOR OUTDOOR SAFETY APPLICATIONS

STRIPING AND MARKING PAINTS – APPLICATORS



Traffic Marking Machine

P/N 1810

Designed exclusively for Traffic Striping Marker Paints. Applies clean, crisp even stripes or marks from 2" to 4". Use on porous surfaces ranging from asphalt to concrete.

.....

Marking Wand

P/N 1812

Easy loading. Machine is ready to use and requires no accessories. 33" overall extension and light touch makes marking simple and accurate. Nickel zinc plating makes it durable and corrosion resistant. Great for golf courses, utilities, surveyors, contractors and more.



Athletic Marking Machine

P/N 1811

Designed with larger wheels and to be used exclusively with Athletic Field Striping Paints only. Ready to use and requires no accessories. Allows applications of lines up to 2" to 4" on athletic fields or other turf surfaces.

.....



Traffic Marking Applicator

P/N 1809

Designed for heavy-duty paint application where a wider stripe is required. For use on concrete, asphalt and athletic fields. Easy loading, with light touch control that makes marking simple and accurate.

Use with all 20 oz. Traffic or Athletic Marker Paints only.

RED LION™ CHEMICALS

SPECIALIZED SAFETY COATINGS

PAINTS AND COATINGS



Non-Conductive Paint

(Maintains Non-conductivity Coating Integrity)

P/N 74029 – 16 oz.

Features:

- Glossy white
- Single coat hiding power
- Resists:
 - Fading
 - Chipping
 - Peeling
 - Cracking
 - Corrosion
- High opacity
- Great durability
- Lead-free formulation

Applications:

- Bucket trucks
- Buckets
- Utility bodies
- Utility contractors
- Power companies
- Fire departments
- Scaffolding coating
- Tops of ladders & hooks
- Power boxes

Rust-Away II Rust Converter

(Converts rust to a tough protective coating)

P/N 74701 – 15 oz.



Features:

- Specially formulated to convert rusted metal surfaces to a tough, black protective coating.
- No priming or sanding and won't crack, chip or peel
- Forms an airtight protective seal
- Stops rust dead in its tracks
- Weather and chemical resistant
- Paintable

Applications:

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.

Rust-Away™ Rust Conversion Coating

(Flexible latex coating – chemically converts rust)

P/N 74157 – 32 oz.

P/N 74555 – 1 gal.



Features:

- Chemically converts rust to a long lasting weather and chemical resistant coating
- This water-based formulation is easily applied like paint and stops rust dead in its tracks
- The flexible latex acrylic coating is specially formulated for rusted metal surfaces
- No priming or sanding and won't crack, chip or peel
- Forms an airtight seal
- Flexible latex coating lasts for years

Applications:

- Protects transformers, coils, tools, fixtures, brackets, equipment, heavy machinery, chain link fences and hundreds of other applications.
- Bonds to metal, wood, concrete and plastics without primers.

SPILL CONTAINMENT

BASIC AND OIL ONLY

SORBENT PADS, ROLLS AND BOOM



Fine Fiber Meltblown Pads and Rolls

- Top and bottom layers of fine fiber are built of densely-woven, small-diameter strands of fiber to increase surface area, enabling the mat to grip the floor and secure it for safe walking
- A 3-ply construction with a layer of melt blown polypropylene ultrasonically sandwiched between two fine fiber layers makes this mat virtually indestructible to foot traffic
- Polypropylene fibers creates a high-loft inner layer

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|--------------------------|------------|------------------|-----------|---------|
| 28310* | Medium Weight Pads, Gray | 15" x 19" | 21 Gallons | 100/Box | 13 lbs. |
| 28311 | Double Weight Roll, Gray | 30" x 150' | 50 Gallons | 1 Roll | 29 lbs. |
| 28312 | Single Weight Roll, Gray | 30" x 300' | 50 Gallons | 1 Roll | 30 lbs. |

Bonded Meltblown Pads and Rolls – For Oil Only



- Twin bonded layers of melt blown polypropylene creates high surface area
- The mat sucks up liquid quickly and keeps its shape when fully saturated
- Twin layered random assembly of large diameter melt blown polypropylene fibers creates a high loft inner layer
- Ultrasonic weld points fuse the layers of melt blown polypropylene fibers together

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|---------------------------|------------|------------------|-----------|---------|
| 28313 | Double Weight Pads, White | 15" x 19" | 30 Gallons/Bale | 100/Bale | 15 lbs. |
| 28314 | Double Weight Roll, White | 30" x 150' | 56 Gallons/Roll | 1 Roll | 29 lbs. |
| 28315 | Single Weight Roll, White | 30" x 300' | 59 Gallons/Roll | 1 Roll | 30 lbs. |

Standard Meltblown Pads – For Oil Only



- Loose stacked-weave construction increases surface area on spill
- Starts absorbing on contact
- Fibers are left in their natural hydrophobic state
- Hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|---------------------------|-----------|------------------|-----------|---------|
| 28316* | Double Weight Pads, White | 15" x 19" | 34 Gallons/Bale | 100/Bale | 15 lbs. |
| 28317* | Medium Weight Pads, White | 15" x 19" | 27 Gallons/Bale | 100/Bale | 12 lbs. |
| 28318 | Single Weight Pads, White | 15" x 19" | 36 Gallons/Bale | 200/Bale | 16 lbs. |

Booms – For Oil Only



- Strong mesh outer skin encases a poly sock sleeve filled with highly sorbent polypropylene
- Filler won't shed and booms won't sink, even when saturated with oil
- Built in connectors link booms together

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|---------------------------------|----------|------------------|--------------|---------|
| 28319 | Lint-Free Absorbent Boom, White | 5" x 10' | 35 Gallons/Bale | 4 Booms/Bale | 24 lbs. |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SPILL CONTAINMENT

OIL ONLY, UNIVERSAL AND HAZMAT

SORBENT SOCKS AND SPILL KITS



Sorbent Socks – For Oil-Only

- Ideal for surrounding spilled fluids to keep them from spreading
- Easy and convenient to put into place
- Conforms to the base of leaky machines
- Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|--------------------------------|---------|------------------|---------------|---------|
| 28320 | Oil-Only Absorbent Sock, White | 3" x 4' | 30 Gallons/Case | 30 Socks/Case | 35 lbs. |
| 28321 | Oil-Only Absorbent Sock, White | 3" x 8' | 30 Gallons/Case | 15 Socks/Case | 35 lbs. |



Sorbent Socks – Universal/Maintenance

- Ideal for surrounding spilled fluids to keep them from spreading
- Easy and convenient to put into place
- Conforms to the base of leaky machines
- Fits snugly to absorb leaking fluids before they spread to walk areas and become slippery hazards

| Part No. | Description | Size | Sorbent Capacity | Packaging | Weight |
|----------|--------------------------------|---------|------------------|---------------|---------|
| 28322 | Universal Absorbent Sock, Gray | 3" x 4' | 30 Gallons/Case | 30 Socks/Case | 35 lbs. |
| 28323 | Universal Absorbent Sock, Gray | 3" x 8' | 30 Gallons/Case | 15 Socks/Case | 35 lbs. |

Spill Kits – Oil Only, Universal & Hazmat

- Everything you need for a complete and thorough clean up of a large industrial spill
- Screw on lid makes a tight, secure seal ensuring a secure and leak free transport to a disposal site
- 65 gallon and 95 gallon spill kits are DOT approved



| Part No. | Description | Type | Sorbent Capacity | Weight |
|-------------|--------------------------------------|-----------|------------------|---------|
| 28336 | 30 Gallon Drum Spill Kit, Blue | Oil-Only | 18 Gallons | 31 lbs. |
| 28337 | 30 Gallon Drum Spill Kit, Blue | Universal | 18 Gallons | 31 lbs. |
| 28338 | 30 Gallon Drum Spill Kit, Blue | Hazmat | 18 Gallons | 31 lbs. |
| 28336REFILL | 30 Gallon Drum Spill Kit Refill | Oil-Only | 18 Gallons | 17 lbs. |
| 28337REFILL | 30 Gallon Drum Spill Kit Refill | Universal | 18 Gallons | 17 lbs. |
| 28338REFILL | 30 Gallon Drum Spill Kit Refill | Hazmat | 18 Gallons | 17 lbs. |
| 28333 | 55 Gallon Drum Spill Kit, Blue | Oil-Only | 44 Gallons | 55 lbs. |
| 28334 | 55 Gallon Drum Spill Kit, Blue | Universal | 44 Gallons | 55 lbs. |
| 28335 | 55 Gallon Drum Spill Kit, Blue | Hazmat | 44 Gallons | 55 lbs. |
| 28333REFILL | 55 Gallon Drum Spill Kit Refill | Oil-Only | 44 Gallons | 29 lbs. |
| 28334REFILL | 55 Gallon Drum Spill Kit Refill | Universal | 44 Gallons | 29 lbs. |
| 28335REFILL | 55 Gallon Drum Spill Kit Refill | Hazmat | 44 Gallons | 29 lbs. |
| 28330 | 65 Gallon Overpack Spill Kit, Yellow | Oil-Only | 46 Gallons | 85 lbs. |
| 28331 | 65 Gallon Overpack Spill Kit, Yellow | Universal | 46 Gallons | 85 lbs. |
| 28332 | 65 Gallon Overpack Spill Kit, Yellow | Hazmat | 46 Gallons | 85 lbs. |
| 28330REFILL | 65 Gallon Overpack Spill Kit Refill | Oil-Only | 46 Gallons | 38 lbs. |
| 28331REFILL | 65 Gallon Overpack Spill Kit Refill | Universal | 46 Gallons | 38 lbs. |
| 28332REFILL | 65 Gallon Overpack Spill Kit Refill | Hazmat | 46 Gallons | 38 lbs. |
| 28327 | 95 Gallon Overpack Spill Kit, Yellow | Oil-Only | 73 Gallons | 90 lbs. |
| 28328 | 95 Gallon Overpack Spill Kit, Yellow | Universal | 73 Gallons | 90 lbs. |
| 28329 | 95 Gallon Overpack Spill Kit, Yellow | Hazmat | 73 Gallons | 90 lbs. |
| 28327REFILL | 95 Gallon Overpack Spill Kit Refill | Oil-Only | 73 Gallons | 40 lbs. |
| 28328REFILL | 95 Gallon Overpack Spill Kit Refill | Universal | 73 Gallons | 40 lbs. |
| 28329REFILL | 95 Gallon Overpack Spill Kit Refill | Hazmat | 73 Gallons | 40 lbs. |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SPILL CONTAINMENT

OIL ONLY, UNIVERSAL, HAZMAT AND ACIDS/CAUSTICS

SPILL KITS



Spill Cart on Wheels – Oil Only, Universal & Hazmat

- Developed to contain spills over 100 gallons
- 4" rubber casters allow for maximum mobility across a plant floor to quickly respond to a spill
- Refills are also available for large spill carts

| Part No. | Description | Type | Sorbent Capacity | Weight |
|-------------|----------------------------------|-----------|------------------|----------|
| 28324 | Large Spill Kit On Wheels, White | Oil-Only | 108 Gallons | 170 lbs. |
| 28325 | Large Spill Kit On Wheels, White | Universal | 108 Gallons | 170 lbs. |
| 28326 | Large Spill Kit On Wheels, White | Hazmat | 108 Gallons | 170 lbs. |
| 28324REFILL | Large Spill Kit On Wheels Refill | Oil-Only | 108 Gallons | 85 lbs. |
| 28325REFILL | Large Spill Kit On Wheels Refill | Universal | 108 Gallons | 85 lbs. |
| 28326REFILL | Large Spill Kit On Wheels Refill | Hazmat | 108 Gallons | 85 lbs. |

Spill Kit in Zipper Poly Bag – Oil Only & Universal



- Use around the shop or in a vehicle
- Kit allows a worker or driver to act quickly when responding to a spill
- Compact enough to fit easily in a truck cab

| Part No. | Description | Type | Sorbent Capacity | Weight |
|----------|---------------------------------|-----------|------------------|--------|
| 28339 | Poly Bag Spill Kit – Clear Poly | Oil-Only | 5 Gallons | 6 lbs. |
| 28340 | Poly Bag Spill Kit – Clear Poly | Universal | 5 Gallons | 6 lbs. |

Spill Kit for Acids/Caustics – 5 Gallons



- Ideally used in battery shops or any area prone to leaking caustics.
- Kit Contains:
 - (1) Pail
 - (1) Two lb. Shaker of Neutralizers
 - (5) Acid Absorbing Pads, 15" x 19"
 - (2) Socks
 - (2) Disposable Bags with Ties
 - (1) Scoop
 - (1) Pair of Goggles
 - (1) Pair of Nitrile Gloves

| Part No. | Description | Size | Type | Sorbent Capacity | Weight |
|----------|---------------------|-----------|---------------|------------------|--------|
| 28341 | Acid Spill Kit | – | Acid/Caustics | 5 Gallons | 9 lbs. |
| 28342 | Acid Absorbing Pads | 15" x 19" | Acid/Caustics | 5 Gallons | – |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SPILL CONTAINMENT

DRUM PALLETS

SPILL PALLETS



Spill Pallet – 1 Drum

- Great for safely storing a single 55 gallon drum

| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|------------------------|-------------|---------|
| 28350 | 1 Drum Spill Pallet | 26" L x 26" W x 6.5" H | 15 Gallons | 16 lbs. |



Spill Pallet (Low Profile) – 2 Drum

- Store two 55 gallon drums without worrying about spills or leaks

| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|-----------------------------|-------------|---------|
| 28351 | 2 Drum Spill Pallet | 26.25" L x 51.5" W x 6.5" H | 32 Gallons | 32 lbs. |
| 28356 | Poly Ramp | 45.5" L x 32" W x 8" H | – | 32 lbs. |



Spill Pallet (High Profile) – 2 Drum

- Store two 55 gallon drums without worrying about spills or leaks
- SPCC compliant, so you can be sure that your facility will remain clean and safe



| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|----------------------------|-------------|---------|
| 28352 | 2 Drum Spill Pallet | 26.25" L x 51.5" W x 15" H | 68 Gallons | 54 lbs. |



Spill Pallet (Low Profile) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|---------------------------|-------------|---------|
| 28353 | 4 Drum Spill Pallet | 51.5" L x 51.5" W x 10" H | 62 Gallons | 65 lbs. |
| 28356 | Poly Ramp | 45.5" L x 32" W x 8" H | – | 32 lbs. |



Spill Pallet (In-Line) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|-----------------------------|-------------|---------|
| 28354 | 4 Drum Spill Pallet | 106" L x 30.25" W x 6.75" H | 63 Gallons | 74 lbs. |
| 28356 | Poly Ramp | 45.5" L x 32" W x 8" H | – | 32 lbs. |



Spill Pallet (High Profile) – 4 Drum

- Designed for facilities storing multiple drums on location
- SPCC compliant, so you can be sure that your facility will remain clean and safe



| Part No. | Description | Pallet Size | Containment | Weight |
|----------|---------------------|----------------------------|-------------|---------|
| 28355 | 4 Drum Spill Pallet | 26.25" L x 51.5" W x 15" H | 98 Gallons | 88 lbs. |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.
 SPCC compliant: Drum pallet must contain 110% of the largest container on pallet.

SPILL CONTAINMENT

STORAGE AND GROUNDING WIRES

SAFETY CABINETS



45 gallon flammable



60 gallon flammable

30/45/60 Gallon Flammable Storage Cabinets

- Safely store combustible fluids that must be stored away from any open flames or electricity
- Store up to 60 gallons
- Available in manual or self close and with one or two shelves
- Bright yellow for visibility
- 2 Doors
- 1 Shelf models – 4 gal. / 30 gal. (*not shown*)
- 2 Shelf models – 45 gal. / 60 gal.

| Part No. | Description | Cabinet Size | Capacity | Weight |
|----------|------------------------------------------|-----------------------------|------------|----------|
| 28362 | Storage Cabinet (Self Close) – 2 Shelf | 31.25" L x 31.25" W x 65" H | 60 Gallons | 364 lbs. |
| 28363 | Storage Cabinet (Manual Close) – 2 Shelf | 31.25" L x 31.25" W x 65" H | 60 Gallons | 364 lbs. |
| 28364 | Storage Cabinet (Manual Close) – 2 Shelf | 43" L x 18" W x 65" H | 45 Gallons | 353 lbs. |
| 28365 | Storage Cabinet (Self Close) – 2 Shelf | 43" L x 18" W x 65" H | 45 Gallons | 353 lbs. |
| 28366 | Storage Cabinet (Manual Close) – 1 Shelf | 43" L x 18" W x 44" H | 30 Gallons | 257 lbs. |
| 28367 | Storage Cabinet (Manual Close) – 1 Shelf | 17.5" L x 18" W x 22.5" H | 4 Gallons | 70 lbs. |



40 gallon paint and ink



60 gallon paint and ink

40/60 Gallon Paint and Ink Storage Cabinets

- Safely store up to 60 gallons of paint or ink in these cabinets
- 3 shelf model – 40 gal.
- 5 shelf model – 60 gal.

| Part No. | Description | Cabinet Size | Capacity | Weight |
|----------|------------------------------------------|-----------------------|------------|----------|
| 28360 | Storage Cabinet (Manual Close) – 3 Shelf | 43" L x 18" W x 44" H | 40 Gallons | 281 lbs. |
| 28361 | Storage Cabinet (Manual Close) – 5 Shelf | 43" L x 18" W x 65" H | 60 Gallons | 389 lbs. |

Grounding Wires for Storage Cabinets

- These wires provide maximum protection against any static electricity or sparks that may cause ignition of fuels, paints or inks
- Helps comply with Uniform Fire Code, Division VIII, Section 79.803
- Used to prevent sparking around flammable or combustible liquids, when used in combination with safety cabinets



| Part No. | Description | Length | Weight |
|----------|-----------------------|--------|--------|
| 28368 | Bonding Wires, Silver | 3' | 1 lb. |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SPILL CONTAINMENT

RAILROAD AND UNIVERSAL

SPECIALTY SPILL ABSORBENTS



Track Mat – Oil Only Railroad Containment Absorbent

- For preventing or controlling oil spills, leaks and drips
- 3-ply construction includes an oil only polypropylene core, surrounded by an impenetrable barrier film that prevents absorbed liquids from leaching out
- Has a UV resistant cover-stock, providing an outdoor life of 12 to 18 months
- Capable of absorbing nearly 3 gallons of oil or other petroleum products per square yard
- Originally designed for use between and on the outside of RR tracks
- Used by transportation companies, utilities, refineries, and steel mills

| Part No. | Description | Size | Packaging |
|----------|----------------------|----------------|-----------|
| 28226 | Track Mat Inner Roll | 59" W x 100' L | 1 |
| 28227 | Track Mat Outer Roll | 19" W x 100' L | 2 |



CAUTION: Cannot be used to absorb Hydrofluoric Acid (HF).

Chromagic – Universal Spill Absorbent

- One absorbent for multiple types of spills
- Non-toxic & Non-flammable
- Environmentally safe and friendly
- 15 times more absorbent than clay based products
- Lightweight – Up to 20 times lighter than clay based products
- Will save money on shipping, storing and disposal
- Instant clean up saves time
- Meets or exceeds all OSHA and EPA requirements
- Unlike kitty litter products that contain "Crystalline" Silica, Chromagic does not, under OSHA standards, qualify as a carcinogen, or as a substance causing silicosis, a lung disease
- Less accidents, It picks up oily sheen – Reduce Workers' Compensation
- One pound of Chromagic can completely absorb one quart of motor oil; clay, earth, and sand products require 15 pounds of material
- Works on all animal, vegetable, mineral, petroleum based or semi-liquid spills
- Non-injurious to most surfaces including cement, asphalt, tile, and carpet

| Part No. | Description | Size | Packaging |
|----------|---------------------------|--------------|-----------|
| 28234 | Chromagic Spill Absorbent | 0.15 cu. ft. | 2 |

Quik-Zorb™ Spill Absorbent

P/N 74189 – 16 oz.

Features:

- Instantly "gels" all water-based chemical spills
- Instantly "gels" human and animal bodily fluids; including blood, urine and vomit
- Turns liquid biohazards into sweepable, flushable gel / Biodegradable – can be flushed
- Works on hard surfaces and carpet
- Absorbs over 100 times its weight, allowing quick and easy cleanup of spills
- Deodorizes with a fresh mint odor counteractant fragrance
- USDA approved
- V.O.C. compliant – contains no VOC's or ozone depleting chemicals

Applications:

- Industrial plants • Processing plants • Plumbing contractors • hospitals • Nursing homes
- Day care centers • Athletic clubs • Schools/Offices • School buses • Laboratories • Restaurants
- Shopping centers • Taverns • Airlines • Cruise liners • Public transportation • Ambulance services
- Taxi cabs/Watercraft • Pet stores • Kennels • Veterinarians • Jail cells • Waste haulers



SPILL CONTAINMENT

ONE-PIECE SECONDARY CONTAINMENT BERMS

SNAP UP BERMS, GROUND TARPS AND TRACK BELTS



One-piece secondary containment berm is easily deployed and set up by one or more people

- Deploys in minutes
- Drive in and use
- Snap-up leg supports; manufactured using high tensile patented, unbreakable, non-sparking co-polymer rods
- Leg supports snap into place creating strong dependable side walls
- Leg supports are permanently attached to containment berm

Features

- No difficult assembly
- No air needed
- Stores in a compact shippable size
- Resistant to corrosive solvents
- Long lasting
- Heavy durable fully fuel resistant to all EPA regulations for secondary containment
- High level UV standards

Ground Tarp

- 30 mils minimum reinforced fabric
- High abrasion resistance
- Puncture resistant
- Specially designed to be driven over
- Adds protection from rough sub grades
- Allows the berm systems to be deployed in almost any terrain

Track Belts

- Gives added protection for tire tracks onto and over containment berms and other areas in need of protection
- Heavy duty vinyl coated polyester core
- Rolls out ready to use

| Part No. | Description | Liquid Capacity | For Size |
|---------------|----------------|-----------------|-----------------|
| 9-STC-1010-12 | Berm | 750 Gallons | 10' x 10' x 12" |
| 9-STC-TB-3-10 | Track Belt Set | — | 10' x 10' x 12" |
| 9-STC-GT-1010 | Ground Tarp | — | 10' x 10' x 12" |
| 9-STC-1236-12 | Berm | 3,240 Gallons | 12' x 36' x 12" |
| 9-STC-TB-3-36 | Track Belt Set | — | 12' x 36' x 12" |
| 9-STC-GT-1236 | Ground Tarp | — | 12' x 36' x 12" |
| 9-STC-1260-12 | Berm | 5,400 Gallons | 12' x 60' x 12" |
| 9-STC-TB-3-60 | Track Belt Set | — | 12' x 60' x 12" |
| 9-STC-GT-1260 | Ground Tarp | — | 12' x 60' x 12" |
| 9-STC-1466-12 | Berm | 6,930 Gallons | 14' x 66' x 12" |
| 9-STC-TB-3-66 | Track Belt Set | — | 14' x 66' x 12" |
| 9-STC-GT-1466 | Ground Tarp | — | 14' x 66' x 12" |

* Stock item. For all other part numbers, please allow up to 10 days after receipt of order for delivery.

SAFETY ACCESSORIES

MISCELLANEOUS – SAFETY CENTER

MSDS SAFETY SHELF / MSDS BINDER / HAZARDOUS MATERIALS POSTERS

MSDS Safety Shelf

- Holds up to three binders
- Wall Mountable
- 3 pierced holes for chain attachments
- Exterior Dimensions:
20" H x 37-1/2" W x 14" D
- Shipping weight: 32 lbs.



P/N 50024

P/N 17033

Get all of these great safety items in one shot with the Safety Center (P/N 17033). Or order each item separately using the individual part numbers.

Under Federal law, you may be required to have a Material Safety Data Sheet (MSDS) on file for every chemical used at your place of business.

Keep your Material Safety Data Sheets organized and readily accessible with our top quality MSDS Binders.

Employees who don't understand how to handle hazardous materials properly are a risk to themselves and others.

An overly technical MSDS and different labeling systems can add to the confusion. Help your workers understand all of the technical terms and label symbols so they can work safely.



P/N 85199

MSDS Binder

- 1-1/2" ring – yellow
- Made from .055 gauge polyethylene
- Durable, yet lightweight
- Bright yellow poly with black imprint provides high visibility
- Top quality 1-1/2" capacity 3-ring (metal), with opening and closing boosters
- Holds approximately 300 sheets of 20# bond – 8.5" x 11" paper

Hazardous Material Posters (2)

- Heavy duty laminated posters
- One poster instructs employees on how to read a MSDS
- The second poster instructs employees on how to read hazardous material labels
- Poster size: 18" W x 26" H



P/N 200147