

THREADED ROD



- **B7 High Strength Alloy Continuous Thread Rod**
- **Continuous Thread Forming Rod**
- **Protected with Special Chromate Plating**
- **Threaded Rod Couplings**
- **High Strength Nuts**

CHROMATE THREADED ROD – SPECIALLY DESIGNED HIGH STRENGTH AND FORMING RODS FOR ALL YOUR CUSTOM APPLICATIONS. Manufactured from the finest materials, they offer greater strength and durability. Always use Chromate Threaded Rod when quality and reliability are of utmost importance.



CIC 200™ ALLOY THREADED ROD

HIGH STRENGTH CONTINUOUS THREAD ROD

B7 alloy steel with durable CIC 200™ dichromate plating. Minimum 125,000 psi tensile strength.

6-FOOT LENGTHS



SIZE	USS/ASTM	SAE	SIZE	USS
1/4	A 8600	A 7650	1-1/8-7	A 8650
5/16	A 8605	A 7655	1-1/4-7	A 8655
3/8	A 8610	A 7660	1-3/8-6	A 8660
7/16	A 8615	A 7665	1-1/2-6	A 8665
1/2	A 8620	A 7670		
9/16	A 8625	A 7675		
			SIZE	ASTM
5/8	A 8630	A 7680	1-1/8-8	A 7610
3/4	A 8635	A 7685	1-1/4-8	A 7615
7/8	A 8640	A 7690	1-3/8-8	A 7620
1	A 8645	A 7695	1-1/2-8	A 7625


3-FOOT LENGTHS



SIZE	USS/ASTM	SAE	SIZE	USS
1/4	A 8300	A 7350	1-1/8-7	A 8350
5/16	A 8305	A 7355	1-1/4-7	A 8355
3/8	A 8310	A 7360	1-3/8-6	A 8360
7/16	A 8315	A 7365	1-1/2-6	A 8365
1/2	A 8320	A 7370		
9/16	A 8325	A 7375		
			SIZE	ASTM
5/8	A 8330	A 7380	1-1/8-8	A 7310
3/4	A 8335	A 7385	1-1/4-8	A 7315
7/8	A 8340	A 7390	1-3/8-8	A 7320
1	A 8345	A 7395	1-1/2-8	A 7325

HIGH STRENGTH NUTS

FINISHED THICK HEX NUTS




- TRIPLE HEAT TREATED
- 30% THICKER FOR GREATER HOLDING/WRENCHING POWER
- 180,000 PSI TENSILE STRENGTH
- CHROMATE PLATING AND WAXED



SIZE	USS/ASTM	SAE	USS
1/4	U 4700	U 3700	-
5/16	T 4705	T 3705	-
3/8	T 4710	T 3710	-
7/16	T 4715	T 3715	-
1/2	R 4720	R 3720	-
9/16	O 4725	O 3725	-
5/8	O 4730	O 3730	-
3/4	L 4735	L 3735	-
7/8	I 4740	I 3740	-
1	E 4745	E 3745	-
1-1/8-7	-	-	E 4746
1-1/4-7	-	-	E 4747
1-1/2-6	-	-	A 4748
-	-	-	-

2H HEAVY HEX NUTS



- TRIPLE HEAT TREATED
- EXTRA WIDTH FOR OVERSIZE WRENCHING
- MEETS ASTM 194-2H
- PLAIN FINISH

SIZE	USS/ASTM	USS	ASTM
3/8-16	R 4840	-	-
1/2-13	R 4850	-	-
5/8-11	O 4855	-	-
3/4-10	L 4860	-	-
7/8-9	L 4865	-	-
1-8	I 4870	-	-
1-1/8-7	-	E 4875	-
1-1/8-8	-	-	A 4775
1-1/4-7	-	E 4878	-
1-1/4-8	-	-	A 4780
1-3/8-6	-	E 4882	-
1-3/8-8	-	-	A 4785
1-1/2-6	-	E 4885	-
1-1/2-8	-	-	A 4790

THREADED ROD AND COUPLINGS

FORMING ROD — CONTINUOUS THREAD

Protected with special Chromate plating. Cut, heat and bend to desired shapes.

6-FOOT LENGTHS



SIZE		USS		SAE
6-32	D	10604		-
8-32	D	10606		-
10-24	C	10608		-
10-32		-	C	60602
1/4	C	10612	C	60604
5/16	C	10614	C	60606
3/8	C	10616	C	60608
7/16	C	10618	C	60610
1/2	C	10620	C	60612
9/16	A	10622	A	60615
5/8	A	10624	A	60618
3/4	A	10626	A	60620
7/8	A	10628		-
1	A	10630		-


3-FOOT LENGTHS



SIZE		USS		SAE
4-40	F	10302		-
6-32	F	10304		-
8-32	F	10306		-
10-24	F	10308		-
10-32		-	F	60302
12-24	F	10310		-
1/4	F	10312	F	60304
5/16	F	10314	F	60306
3/8	D	10316	D	60308
7/16	D	10318	D	60310
1/2	D	10320	D	60312
9/16	C	10322	C	60315
5/8	C	10324	C	60318
3/4	C	10326	C	60320
7/8	A	10328		-
1	A	10330		-


REDUCING AND HEX ROD COUPLINGS

REDUCING COUPLING



SIZE	LENGTH		PART
1/4-20 x 5/16-18	7/8	O	714
1/4-20 x 3/8-16	1	O	715
5/16-18 x 3/8-16	1	O	716
5/16-18 x 1/2-13	1-1/4	L	717
3/8-16 x 1/2-13	1-1/4	L	718
3/8-16 x 5/8-11	1-1/2	I	719
1/2-13 x 5/8-11	1-1/2	I	720
5/8-11 x 3/4-10	2-3/16	E	722

HEX ROD COUPLING



SIZE		PART
10-24 x 7/8	R	707
1/4-20 x 7/8	O	708
5/16-18 x 7/8	O	709
3/8-16 x 1	O	710
1/2-13 x 1-1/4	L	711
5/8-11 x 1-1/2	I	712
3/4-10 x 2-1/4	E	713
-		-

METRIC THREADED ROD

HIGH STRENGTH CONTINUOUS THREAD

Property Class 4.6. Zinc plated for extra corrosion resistance.

1-METER LENGTHS

- MEETS DIN 975 SPECIFICATIONS




SIZE mm	THREAD PITCH		PART
4	0.70	A	68651
5	0.80	A	68652
6	1.00	A	68653
8	1.25	A	68654
10	1.50	A	68655
12	1.75	A	68656
14	2.00	A	68657
16	2.00	A	68658

BIN ASSORTMENTS

CARBON STEEL

THREADED ROD



You Receive an 18-Compartment Bin with 2-1/8" Diameter Holes to Separate and Protect Threaded Rods Needed in Maintenance!

PART NO. 17792

ONE STEEL 18-COMPARTMENT BIN
24" wide, 24-3/82" high, 6-7/8" deep*

*Can be shipped via UPS

INCLUDED IN THE ORIGINAL ASSORTMENT YOU WILL RECEIVE 11 DIFFERENT ITEMS. YOU WILL BE ABLE TO FILL IN ADDITIONAL SIZES EACH MONTH ON MY SERVICE CALL.

COMPARTMENTS ARE FULLY LABELED.

(See Plan-A-Graph for complete details)

Use Bin Label Set #168138

ASSORTMENT CONTAINS:

11 Sizes 3' Threaded Rod (Carbon Steel) 6-32 through 3/4-10


1 P/N 7960 – 18 Compartment Threaded Rod Bin

CARBON STEEL THREADED ROD

P/N 17792 — 3 FOOT LENGTHS — 11 ITEMS / 18 HOLES

6-32 x 3' THREADED ROD 10304	10-24 x 3' THREADED ROD 10308	1/4-20 x 3' THREADED ROD 10312	5/16-18 x 3' THREADED ROD 10314	3/8-16 x 3' THREADED ROD 10316	7/16-14 x 3' THREADED ROD 10318	1/2-13 x 3' THREADED ROD 10320	5/8-11 x 3' THREADED ROD 10324	3/4-10 x 3' THREADED ROD 10326
8-32 x 3 THREADED ROD 10306	10-32 x 3' THREADED ROD 60302							

BIN ASSORTMENTS CIC 200 B7 ALLOY THREADED ROD



You Receive an 18-Compartment Bin with 2-1/8" Diameter Holes to Separate and Protect Threaded Rods Needed in Maintenance!

PART NO. 17793

ONE STEEL 18-COMPARTMENT BIN
24" wide, 24-3/82" high, 6-7/8" deep*

*Can be shipped via UPS

INCLUDED IN THE ORIGINAL ASSORTMENT YOU WILL RECEIVE 7 DIFFERENT ITEMS. YOU WILL BE ABLE TO FILL IN ADDITIONAL SIZES EACH MONTH ON MY SERVICE CALL.

COMPARTMENTS ARE FULLY LABELED.

(See Plan-A-Graph for complete details)

Use Bin Label Set #168139

ASSORTMENT CONTAINS:

7 Sizes 3' Threaded Rod (B7 Alloy) 1/4-20 through 3/4-10

1 P/N 7960 – 18 Compartment Threaded Rod Bin

CIC 200 B7 ALLOY THREADED ROD

P/N 17793 — 3 FOOT LENGTHS — 7 ITEMS / 18 HOLES

1/4-20 x 3' THREADED ROD 8300	5/16-18 x 3' THREADED ROD 8305	3/8-16 x 3' THREADED ROD 8310						
7/16-14 x 3' THREADED ROD 8315	1/2-13 x 3' THREADED ROD 8320	5/8-11 x 3' THREADED ROD 8330	3/4-10 x 3' THREADED ROD 8335					