



























CIC 200™ SLOTTED BINDING HEAD MACHINE SCREW ASSORTMENT

P/N 7705

FEATURES:

- Precision, burr-free threads for exact fit
- Special chromate plating resists rust and corrosion for easier removal

1180

 6-32 x 1/2 P/N 312	 8-32 x 1/2 P/N 323	 10-32 x 1/2 P/N 336	 10-24 x 1/2 P/N 349	 10-24 x 1-1/4 P/N 354	 1/4-20 x 3/4 P/N 374
 6-32 x 5/8 P/N 313	 8-32 x 5/8 P/N 324	 10-32 x 5/8 P/N 337	 10-24 x 5/8 P/N 350	 10-24 x 1-1/2 P/N 355	 1/4-20 x 1 P/N 376
 6-32 x 3/4 P/N 314	 8-32 x 3/4 P/N 325	 10-32 x 3/4 P/N 338	 10-24 x 3/4 P/N 351	 1/4-20 x 1/2 P/N 372	 1/4-20 x 1-1/4 P/N 377
 6-32 x 1 P/N 316	 8-32 x 1 P/N 327	 10-32 x 1 P/N 340	 10-24 x 1 P/N 353	 1/4-20 x 5/8 P/N 373	 1/4-20 x 1-1/2 P/N 378

A151

TRAY FRONT



























CIC 200™ FLAT HEAD MACHINE SCREW ASSORTMENT

P/N 7706

FEATURES:

- Precision, burr-free threads for exact fit
- Special chromate plating resists rust and corrosion for easier removal

1180

 6-32 x 1/2 P/N 412	 8-32 x 1/2 P/N 423	 10-32 x 1/2 P/N 436	 10-24 x 1/2 P/N 449	 10-24 x 1-1/4 P/N 454	 1/4-20 x 3/4 P/N 474
 6-32 x 5/8 P/N 413	 8-32 x 5/8 P/N 424	 10-32 x 5/8 P/N 437	 10-24 x 5/8 P/N 450	 10-24 x 1-1/2 P/N 455	 1/4-20 x 1 P/N 476
 6-32 x 3/4 P/N 414	 8-32 x 3/4 P/N 425	 10-32 x 3/4 P/N 438	 10-24 x 3/4 P/N 451	 1/4-20 x 1/2 P/N 472	 1/4-20 x 1-1/4 P/N 477
 6-32 x 1 P/N 416	 8-32 x 1 P/N 427	 10-32 x 1 P/N 440	 10-24 x 1 P/N 453	 1/4-20 x 5/8 P/N 473	 1/4-20 x 1-1/2 P/N 478

A152

TRAY FRONT



CIC 200™ PHILLIPS PAN HEAD MACHINE SCREWS

P/N 7771



FEATURES:

- For faster application without slippage using a screw gun, drill motor or screwdriver
- Special chromate plating eliminates rust and corrosion for easier removal

1000

























 6-32 x 1/2 P/N 26113	 8-32 x 1/2 P/N 26123	 10-24 x 1/2 P/N 26162	 10-24 x 1-1/4 P/N 26166	 10-32 x 3/4 P/N 26135	 1/4-20 x 1 P/N 26152
 6-32 x 5/8 P/N 26114	 8-32 x 5/8 P/N 26124	 10-24 x 5/8 P/N 26163	 10-24 x 1-1/2 P/N 26167	 10-32 x 1 P/N 26136	 1/4-20 x 1-1/4 P/N 26153
 6-32 x 3/4 P/N 26115	 8-32 x 3/4 P/N 26125	 10-24 x 3/4 P/N 26164	 10-32 x 1/2 P/N 26133	 1/4-20 x 1/2 P/N 26150	 1/4-20 x 1-1/2 P/N 26154
 6-32 x 1 P/N 26116	 8-32 x 1 P/N 26126	 10-24 x 1 P/N 26165	 10-32 x 5/8 P/N 26134	 1/4-20 x 3/4 P/N 26151	 1/4-20 x 2 P/N 26156

A15-2A

TRAY FRONT

FEATURES:

- Precision, burr-free threads for exact fit
- Phillips drive for faster application without slippage using a screw gun, drill motor or screwdriver
- Special chromate plating eliminates rust and corrosion for easier removal

1000	 6-32 x 1/2 P/N 36113	 8-32 x 1/2 P/N 36123	 10-24 x 1/2 P/N 36162	 10-24 x 1-1/4 P/N 36166	 10-32 x 3/4 P/N 36135	 1/4-20 x 1 P/N 36152
	 6-32 x 5/8 P/N 36114	 8-32 x 5/8 P/N 36124	 10-24 x 5/8 P/N 36163	 10-24 x 1-1/2 P/N 36167	 10-32 x 1 P/N 36136	 1/4-20 x 1-1/4 P/N 36153
	 6-32 x 3/4 P/N 36115	 8-32 x 3/4 P/N 36125	 10-24 x 3/4 P/N 36164	 10-32 x 1/2 P/N 36133	 1/4-20 x 1/2 P/N 36150	 1/4-20 x 1-1/2 P/N 36154
A15-ZB	 6-32 x 1 P/N 36116	 8-32 x 1 P/N 36126	 10-24 x 1 P/N 36165	 10-32 x 5/8 P/N 36134	 1/4-20 x 3/4 P/N 36151	 1/4-20 x 2 P/N 36156

TRAY FRONT



























NUT/LOCK WASHER/FLAT WASHER ASSORTMENT

P/N 7726

FEATURES:

- Washers are precision stamped to exacting tolerance
- Special Chromate plating for corrosion resistance

3075

 No. 4 LOCKWASHER P/N 71200	 No. 6 LOCKWASHER P/N 71202	 No. 8 LOCKWASHER P/N 71204	 No. 10 LOCKWASHER P/N 71206	 No. 12 LOCKWASHER P/N 71208	 1/4" LOCKWASHER P/N 71210
 No. 4 FLATWASHER P/N 31235	 No. 6 FLATWASHER P/N 31236	 No. 8 FLATWASHER P/N 31237	 No. 10 FLATWASHER P/N 31238	 3/16" FLATWASHER P/N 66431	 1/4" USS FLATWASHER P/N 66432
 4-40 HEX NUT P/N 5195	 6-32 HEX NUT P/N 5200	 8-32 HEX NUT P/N 5205	 10-32 HEX NUT P/N 6210	 10-24 HEX NUT P/N 5210	 1/4-20 HEX NUT P/N 52300
 12-24 HEX NUT P/N 5220	 6-32 KEP NUT P/N 6900	 8-32 KEP NUT P/N 6904	 10-32 KEP NUT P/N 6912	 10-24 KEP NUT P/N 6908	 1/4-20 KEP NUT P/N 6914

A153

TRAY FRONT





















CIC 200™ STEEL SPRING NUTS “FLAT”, “J” AND “U” TYPE ASSORTMENT

P/N 7716

FEATURES:

- Can be used with a variety of panel and channel edge thickness
- Precision burr-free threads and special chromate plating provides for fast, smooth installation and easy, corrosion-free removal
- Versatile-can be used with machine or sheet metal screws

700

 10-32 “FLAT” TYPE P/N 62505	 6-32 “J” TYPE P/N 62510	 8-32 “U” TYPE P/N 62526	 #6 “FLAT” TYPE P/N 62601	 #6 “J” TYPE P/N 62605	 #6 “U” TYPE P/N 62614
 6-32 “FLAT” TYPE P/N 62501	 8-32 “J” TYPE P/N 62515	 10-24 “U” TYPE P/N 62528	 #8 “FLAT” TYPE P/N 62602	 #8 “J” TYPE P/N 62608	 #8 “U” TYPE P/N 62620
 8-32 “FLAT” TYPE P/N 62503	 10-24 (SHORT) “J” TYPE P/N 62519	EXPANSION	 #10 “FLAT” TYPE P/N 62603	 #10 (SHORT) “J” TYPE P/N 62610	 #10 “U” TYPE P/N 62625
 10-24 “FLAT” TYPE P/N 62504	 10-24 (LONG) “J” TYPE P/N 62524	EXPANSION	EXPANSION	 #10 (LONG) “J” TYPE P/N 62612	EXPANSION

A154

TRAY FRONT



CIC 200™ SUPER MACHINE SCREW ASSORTMENT (6-32, 8-32 AND 10-32)

























P/N 17722



FEATURES:

- Precision, burr-free threads for exact fit
- Special chromate plating eliminates rust and corrosion for easier removal

1270

 6-32 x 1/4 P/N 56111	 6-32 x 3/4 P/N 56115	 8-32 x 1/4 P/N 56121	 8-32 x 3/4 P/N 56125	 10-32 x 1/4 P/N 56131	 10-32 x 3/4 P/N 56135
 6-32 x 3/8 P/N 56112	 6-32 x 1 P/N 56116	 8-32 x 3/8 P/N 56122	 8-32 x 1 P/N 56126	 10-32 x 3/8 P/N 56132	 10-32 x 1 P/N 56136
 6-32 x 1/2 P/N 56113	 6-32 x 1-1/2 P/N 56118	 8-32 x 1/2 P/N 56123	 8-32 x 1-1/2 P/N 56128	 10-32 x 1/2 P/N 56133	 10-32 x 1-1/2 P/N 56138
 6-32 x 5/8 P/N 56114	 6-32 HEX NUT P/N 5200	 8-32 x 5/8 P/N 56124	 8-32 HEX NUT P/N 5205	 10-32 x 5/8 P/N 56134	 10-32 HEX NUT P/N 6210

9-515
A1-5

TRAY FRONT



























CIC 200™ SUPER MACHINE SCREW ASSORTMENT (10-24 AND 1/4-20)

P/N 17723

FEATURES:

- Strength and durability unmatched by any other machine screw
- Special chromate plating provides for fast, smooth installation and easy, corrosion-free removal
- 120,000 PSI minimum tensile strength – exceeds grade 5 cap screw strength specifications
- Super tough through-hardening process – reduces possibility of snapping, shearing, stretching or bending

1100

 10-24 x 3/8 P/N 56161	 10-24 x 1 P/N 56165	 10-24 x 2-1/2 P/N 56170	 1/4-20 x 1/2 P/N 56150	 1/4-20 x 1-1/4 P/N 56154	 1/4-20 x 3 P/N 56158
 10-24 x 1/2 P/N 56162	 10-24 x 1-1/4 P/N 56166	 #10 WIDE BAND FLAT WASHER P/N 66431	 1/4-20 x 5/8 P/N 56151	 1/4-20 x 1-1/2 P/N 56155	 1/4-20 HEX NUT P/N 5225
 10-24 x 5/8 P/N 56163	 10-24 x 1-1/2 P/N 56167	 10-24 HEX NUT P/N 5210	 1/4-20 x 3/4 P/N 56152	 1/4-20 x 2 P/N 56156	 10-24 x 2-3/4 P/N 56172
 10-24 x 3/4 P/N 56164	 10-24 x 2 P/N 56169	 #10 NARROW BAND FLAT WASHER P/N 31238	 1/4-20 x 1 P/N 56153	 1/4-20 x 2-1/2 P/N 56157	 1/4 USS FLAT WASHER P/N 66432

TRAY FRONT

A15-7

MMS LEVEL "C"

























CHROMATE INDUSTRIAL CORP. • 5250-A NAIMAN PARKWAY, SOLON, OH 44139 • 800-BUY-BOLT • FAX: 877-233-3377 • www.chromate.com

Rev. 073106

FEATURES:

- Protected with special chromate plating
- Designed for use with standard machine screws

1200

 6-32 CAP NUT P/N 6930	 8-32 CAP NUT P/N 6934	 10-24 CAP NUT P/N 6938	 1/4-20 CAP NUT P/N 6944	 6-32 WING NUT P/N 5130	 8-32 WING NUT P/N 5135
 6-32 NYLON LOCK NUT P/N 6005	 8-32 NYLON LOCK NUT P/N 6010	 10-24 NYLON LOCK NUT P/N 6015	 10-32 NYLON LOCK NUT P/N 5015	 1/4-20 NYLON LOCK NUT P/N 6020	 10-24 WING NUT P/N 5142
 6-32 KEP NUT P/N 6900	 8-32 KEP NUT P/N 6904	 10-24 KEP NUT P/N 6908	 10-32 KEP NUT P/N 6912	 1/4-20 KEP NUT P/N 6914	 10-32 WING NUT P/N 5140
 6-32 HEX MACH NUT P/N 5200	 8-32 HEX MACH NUT P/N 5205	 10-24 HEX MACH NUT P/N 5210	 10-32 HEX MACH NUT P/N 6210	 1/4-20 HEX MACH NUT P/N 5225	 1/4-20 WING NUT P/N 5145

8514
A158

TRAY FRONT



OVERSIZE FENDER WASHER ASSORTMENT (3/16" TO 1/2")

P/N 17742






FEATURES


- Fender washers have an extra-wide bearing surface, eliminates the need for hole patching
- Precision stamped to exacting tolerance
- Special Chromate plating for durability

400

A15-9

<p>3/16 ID: 7/32 OD: 1 P/N 990</p>  	<p>3/16 ID: 7/32 OD: 1-1/4 P/N 988</p>  	<p>EXPANSION</p>
<p>1/4 ID: 9/32 OD: 1 P/N 989</p>  	<p>1/4 ID: 9/32 OD: 1-1/4 P/N 991</p>  	<p>1/4 ID: 9/32 OD: 1-1/2 P/N 992</p>  
<p>5/16 ID: 11/32 OD: 1-1/4 P/N 993</p>  	<p>5/16 ID: 11/32 OD: 1-1/2 P/N 994</p>  	<p>1/2 ID: 17/32 OD: 2 P/N 997</p>  
<p>3/8 ID: 13/32 OD: 1-1/4 P/N 996</p>  	<p>3/8 ID: 13/32 OD: 1-1/2 P/N 995</p>  	<p>3/8 ID: 27/64 OD: 1-5/8 P/N 998</p>  

TRAY FRONT



























INTERNAL AND EXTERNAL STAR WASHER ASSORTMENT

P/N 17836

FEATURES:

- High carbon spring tempered steel for strength and resiliency
- Positive “spring action” keeps assemblies under tension, eliminating failures

950

 #6 Internal P/N 5171	 #8 Internal P/N 5172	 #10 Internal P/N 5173	 #12 Internal P/N 5174	 1/4 Internal P/N 5175	 5/16 Internal P/N 5176
 3/8 Internal P/N 5177	 7/16 Internal P/N 5178	 1/2 Internal P/N 5179	 9/16 Internal P/N 5180	 5/8 Internal P/N 5181	 3/4 Internal P/N 5182
 #6 External P/N 5101	 #8 External P/N 5102	 #10 External P/N 5103	 #12 External P/N 5104	 1/4 External P/N 5105	 5/16 External P/N 5106
 3/8 External P/N 5107	 7/16 External P/N 5108	 1/2 External P/N 5109	 9/16 External P/N 5110	 5/8 External P/N 5111	 3/4 External P/N 5112

A15-10

TRAY FRONT



























NYLON SLOTTED ROUND HEAD MACHINE SCREW ASSORTMENT

P/N 17873

FEATURES:

- Non-conductive and corrosion resistant
- Resists chemicals and solvents (except mineral acids)
- Temperature range 0°F to 300°F
- Conforms to irregular surfaces and provides good vibration dampening

1500

 6-32 Nylon Hex Nut P/N 26703	 8-32 Nylon Hex Nut P/N 26705	 10-32 Nylon Hex Nut P/N 26707	 #6 Nylon Flat Washer P/N 26730	 #8 Nylon Flat Washer P/N 26731	 #10 Nylon Flat Washer P/N 26732
 6-32 x 1/4 P/N 26500	 6-32 x 1/2 P/N 26504	 6-32 x 3/4 P/N 26508	 6-32 x 1 P/N 26510	 6-32 x 1-1/2 P/N 26513	 6-32 x 2 P/N 26517
 8-32 x 1/4 P/N 26525	 8-32 x 1/2 P/N 26530	 8-32 x 3/4 P/N 26532	 8-32 x 1 P/N 26534	 8-32 x 1-1/2 P/N 26538	 8/32 x 2 P/N 26541
 10-32 x 1/4 P/N 26555	 10-32 x 1/2 P/N 26559	 10-32 x 3/4 P/N 26561	 10-32 x 1 P/N 26564	 10-32 x 1-1/2 P/N 26567	 10-32 x 2 P/N 26569

A15-11

TRAY FRONT



























NYLON HEX CAP MACHINE SCREW ASSORTMENT (1/4" - 3/8")

P/N 17874

FEATURES:

- Non-conductive and corrosion resistant
- Temperature range 0°F to 300°F
- Resists chemicals and solvents (except mineral acids)
- Conforms to irregular surfaces and provides good vibration dampening

615

 1/4-20 Nylon Hex Nut P/N 26709	 5/16-18 Nylon Hex Nut P/N 26711	 3/8-16 Nylon Hex Nut P/N 26713	 1/4 Nylon Flat Washer P/N 26733	 5/16 Nylon Flat Washer P/N 26734	 3/8 Nylon Flat Washer P/N 26735
 1/4-20 x 1/2 P/N 26601	 1/4-20 x 3/4 P/N 26603	 1/4-20 x 1 P/N 26604	 1/4-20 x 1-1/4 P/N 26605	 1/4-20 x 1-1/2 P/N 26606	 1/4-20 x 2 P/N 26607
 5/16-18 x 1/2 P/N 26616	 5/16-18 x 3/4 P/N 26617	 5/16-18 x 1 P/N 26618	 5/16-18 x 1-1/4 P/N 26619	 5/16-18 x 1-1/2 P/N 26621	 5/16-18 x 2 P/N 26622
 3/8-16 x 1/2 P/N 26632	 3/8-16 x 3/4 P/N 26633	 3/8-16 x 1 P/N 26634	 3/8-16 x 1-1/4 P/N 26635	 3/8-16 x 1-1/2 P/N 26636	 3/8-16 x 2 P/N 26637

A15-12

TRAY FRONT

























INDENTED HEX HEAD MACHINE SCREW ASSORTMENT

P/N 17907

FEATURES:

- Indented hex head and case hardened strength offer superior clamping force and durability

1215

 6-32 x 1/2 P/N 23202	 8-32 x 3/8 P/N 23210	 8-32 x 1-1/2 P/N 23214	 10-24 x 1-1/2 P/N 23223	 10-32 x 1 P/N 23233	 12-24 x 3/4 P/N 23243
 6-32 x 3/4 P/N 23203	 8-32 x 1/2 P/N 23211	 10-24 x 1/2 P/N 23220	 10-24 x 2 P/N 23224	 10-32 x 1-1/2 P/N 23234	 12-24 x 1 P/N 23244
 6-32 x 1 P/N 23204	 8-32 x 3/4 P/N 23212	 10-24 x 3/4 P/N 23221	 10-32 x 1/2 P/N 23231	 10-32 x 2 P/N 23235	 12-24 x 1-1/2 P/N 23245
 6-32 x 1-1/2 P/N 23205	 8-32 x 1 P/N 23213	 10-24 x 1 P/N 23222	 10-32 x 3/4 P/N 23232	 12-24 x 1/2 P/N 23242	 12-24 x 2 P/N 23246

A15-13
















TRAY FRONT

FEATURES:

- Precision burr-free threads and special zinc plating provides for fast, smooth installation and easy, corrosion-free removal.

623

A15-14

 <p>4-40 Square Machine Screw Nuts P/N 62900</p>	 <p>10-32 Square Machine Screw Nuts P/N 62904</p>	 <p>3/8-16 Regular Square Nuts P/N 62802</p>	 <p>3/4-10 Regular Square Nuts P/N 62806</p>
 <p>6-32 Square Machine Screw Nuts P/N 62901</p>	 <p>12-24 Square Machine Screw Nuts P/N 62905</p>	 <p>7/16-14 Regular Square Nuts P/N 62803</p>	 <p>7/8-9 Regular Square Nuts P/N 62807</p>
 <p>8-32 Square Machine Screw Nuts P/N 62902</p>	 <p>1/4-20 Regular Square Nuts P/N 62800</p>	 <p>1/2-13 Regular Square Nuts P/N 62804</p>	 <p>1-8 Regular Square Nuts P/N 62808</p>
 <p>10-24 Square Machine Screw Nuts P/N 62903</p>	 <p>5/16-18 Regular Square Nuts P/N 62801</p>	 <p>5/8-11 Regular Square Nuts P/N 62805</p>	

TRAY FRONT