



























CIC 200™ BI-CUT SCREW ASSORTMENT FOR LOW DENSITY MATERIALS

P/N 7715

FEATURES:

- Phillips binding and hex washer heads
- High performance double-threaded design for plastic, fiberglass, wood, masonite and other low density materials
- Lower driving torque, greater pull-out strength
- Maximum protection against stripping, cracking and splitting
- High 30° and low 60° included angle threads

1290

 4 x 1/4 PHILLIPS BINDING P/N 95000	 6 x 3/8 PHILLIPS BINDING P/N 95008	 8 x 3/4 PHILLIPS BINDING P/N 95016	 4 x 1/4 HEX WASHER P/N 95100	 6 x 3/8 HEX WASHER P/N 95108	 8 x 3/4 HEX WASHER P/N 95116
 4 X 3/8 PHILLIPS BINDING P/N 95002	 6 x 1/2 PHILLIPS BINDING P/N 95010	 10 x 1/2 PHILLIPS BINDING P/N 95018	 4 x 3/8 HEX WASHER P/N 95102	 6 x 1/2 HEX WASHER P/N 95110	 10 x 1/2 HEX WASHER P/N 95118
 4 x 1/2 PHILLIPS BINDING P/N 95004	 8 x 3/8 PHILLIPS BINDING P/N 95012	 10 x 5/8 PHILLIPS BINDING P/N 95020	 4 x 1/2 HEX WASHER P/N 95104	 8 x 3/8 HEX WASHER P/N 95112	 10 x 5/8 HEX WASHER P/N 95120
 6 x 1/4 PHILLIPS BINDING P/N 95006	 8 x 1/2 PHILLIPS BINDING P/N 95014	 10 x 3/4 PHILLIPS BINDING P/N 95022	 6 x 1/4 HEX WASHER P/N 95106	 8 x 1/2 HEX WASHER P/N 95114	 10 x 3/4 HEX WASHER P/N 95122

A16-1

TRAY FRONT



























CIC 200™ HEX WASHER HEAD SELF DRILLING METAL SCREW ASSORTMENT

P/N 7710

FEATURES:

- Drill and tap holes without pre-drilling
- Hex washer head designs are case hardened for extra strength
- Corrosion resistant coating

730

 8 x 1/2 P/N 94009	 8 x 1-1/4 P/N 94014	 10 x 5/8 P/N 94018	 10 x 1-1/2 P/N 94024	 12 x 1-1/2 P/N 94035	 10 x 2 P/N 94026
 8 x 5/8 P/N 94010	 8 x 1-1/2 P/N 94015	 10 x 3/4 P/N 94019	 12 x 3/4 P/N 94029	 14 x 3/4 P/N 94041	 12 x 2 P/N 94037
 8 x 3/4 P/N 94011	 8 x 1-3/4 P/N 94016	 10 x 1 P/N 94021	 12 x 1 P/N 94031	 14 x 1 P/N 94043	 14 x 1-1/2 P/N 94047
 8 x 1 P/N 94013	 10 x 1/2 P/N 94017	 10 x 1-1/4 P/N 94023	 12 x 1-1/4 P/N 94032	 14 x 1-1/4 P/N 94045	 14 x 2 P/N 94048

A162

TRAY FRONT



CIC 200™ SUR-GRIP HEX WASHER/AB POINT METAL SCREW ASSORTMENT
















P/N 7773

FEATURES:

- Recessed, serrated washer face resists vibration loosening
- Full diameter threads prevents "strip-out"
- Zinc plated and waxed for corrosion resistance and easy driving

640

At 16

 8-18 x 1/2 P/N 22530	 10-16 x 1/2 P/N 22544	 12-14 x 5/8 P/N 22554	 1/4-14 x 5/8 P/N 22564
 8-18 x 5/8 P/N 22532	 10-16 x 5/8 P/N 22546	 12-14 x 3/4 P/N 22556	EXPANSION
 8-18 x 3/4 P/N 22536	 10-16 x 3/4 P/N 22648	 12-14 x 1 P/N 22558	 1/4-14 x 1 P/N 22568
 8-18 x 1 P/N 22538	 10-16 x 1 P/N 22550	 12-14 x 1-1/2 P/N 22560	 1/4-14 x 1-1/2 P/N 22570

TRAY FRONT




















CIC 200™ HEX-LOCK™ SECURITY SCREWS ASSORTMENT

P/N 17733

FEATURES:

- Prevents pilferage, vandalism and unauthorized access
- 18-8 stainless steel – for corrosion resistance and durability
- Unique hex key/pin lock design – makes removal virtually impossible without specially machined keys
- Use for: computers, videos, typewriters, and office equipment; alarm systems, smoke detectors and lighting; bathroom fixtures, etc.

224

 6-32 x 3/8 P/N 44101	 8-32 x 1/2 P/N 44110	 10-24 x 1/2 P/N 44119	 10-32 x 1/2 P/N 44127	 1/4-20 x 3/4 P/N 44137	 1/8 HEX LOCK KEY P/N 44200
 6-32 x 1/2 P/N 44102	 8-32 x 3/4 P/N 44112	 10-24 x 3/4 P/N 44121	 10-32 x 3/4 P/N 44129	 1/4-20 x 1 P/N 44138	 5/32 HEX LOCK KEY P/N 44202
 6-32 x 3/4 P/N 44104	 8-32 x 1 P/N 44113	 10-24 x 1 P/N 44122	 10-32 x 1 P/N 44130	 1/4-20 x 1-1/2 P/N 44140	EXPANSION
EXPANSION	EXPANSION	EXPANSION	EXPANSION	EXPANSION	EXPANSION



















AT66

TRAY FRONT

FEATURES:

- Hex Key/Pin Lock design makes removal virtually impossible without specially machined keys
- Prevents pilferage, vandalism and unauthorized access
- Manufactured of 18-8 stainless steel for corrosion resistance and durability

204

 10 x 1/2 P/N 44014	 10 x 3/4 P/N 44016	 10 x 1 P/N 44017	 10 x 1-1/4 P/N 44018	 10 x 1-1/2 P/N 44019	 10 x 2 P/N 44020
 8 x 3/8 P/N 44006	 8 x 1/2 P/N 44007	 8 x 3/4 P/N 44009	 8 x 1 P/N 44010	 8 x 1-1/4 P/N 44011	 8 x 1-1/2 P/N 44012
 6 x 3/8 P/N 44000	 6 x 1/2 P/N 44001	 6 x 3/4 P/N 44003	 6 x 1 P/N 44004	<p style="text-align: center;">EXPANSION</p>	 1/8 HEX LOCK KEY P/N 44200
<p style="text-align: center;">EXPANSION</p>	<p style="text-align: center;">EXPANSION</p>	<p style="text-align: center;">EXPANSION</p>	<p style="text-align: center;">EXPANSION</p>	<p style="text-align: center;">EXPANSION</p>	 5/32 HEX LOCK KEY P/N 44202

AT61

TRAY FRONT

























THUMB SCREW KNOB ASSORTMENT

P/N 17744

FEATURES:

- Instantly produce any size/style thumb screw by pressing onto a standard socket head cap screw
- Acetal Resin construction for strength and durability
- Color-coded for easy identification
- Four styles accomodate different leverage/speed requirements

370

 1/4 "L" KNOB (BLACK) P/N 44096	 1/4 TEE KNOB (BLACK) P/N 44080	 3/8 TEE KNOB (BLACK) P/N 44088	 #10 KNURLED KNOB (BLACK) P/N 44052	 1/4 x 1 KNURLED KNOB (BLACK) P/N 44060	 3/8 ROSETTE KNOB (BLACK) P/N 44072
 #10 "L" KNOB (BLACK) P/N 44092	 #10 TEE KNOB (BLACK) P/N 44076	 #6 KNURLED KNOB (BLACK) P/N 44044	 #8 KNURLED KNOB (BLACK) P/N 44048	 1/4 x 3/4 KNURLED KNOB (BLACK) P/N 44056	 1/4 ROSETTE KNOB (BLACK) P/N 44064
 1/4 "L" KNOB (RED) P/N 44097	 1/4 TEE KNOB (RED) P/N 44081	 3/8 TEE KNOB (RED) P/N 44089	 #10 KNURLED KNOB (RED) P/N 44053	 1/4 x 1 KNURLED KNOB (RED) P/N 44061	 3/8 ROSETTE KNOB (RED) P/N 44073
 #10 "L" KNOB (RED) P/N 44093	 #10 TEE KNOB (RED) P/N 44077	 #6 KNURLED KNOB (RED) P/N 44045	 #8 KNURLED KNOB (RED) P/N 44049	 1/4 x 3/4 KNURLED KNOB (RED) P/N 44057	 1/4 ROSETTE KNOB (RED) P/N 44065




















A168

TRAY FRONT

FEATURES:

- Made from shock resistant tool steel and heat treated for maximum strength and hardness
- For longest life, always use the correct bit for the screw you are driving
- Skill articulating screwdriver has project power driver, 4 project positions, durable metal front end, built-in work light and built-in rechargeable battery

62

 <p>1-15/16" 6-8 PHILLIPS POWER BIT P/N 83025</p>	 <p>1" 8-10 PHILLIPS INSERT BIT P/N 83022</p>	 <p>T20 TORX® INSERT BIT P/N 83056</p>	 <p>1/4 x 3 MAGNETIC BIT HOLDER ADAPTER P/N 83020</p>	 <p>7/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83008</p>	 <p>SKIL 2.4V ARTICULATING SCREWDRIVER P/N 8212</p>
 <p>1-15/16" 8-10 PHILLIPS POWER BIT P/N 83026</p>	 <p>1" 12-14 PHILLIPS INSERT BIT P/N 83023</p>	 <p>1/4 x 2 #6 SQUARE DRIVE POWER BIT P/N 7069</p>	 <p>1/4 x 2-9/16 MAGNETIC NUTSETTER P/N 83005</p>	 <p>5F-6R SLOTTED POWER BIT WITH FINDER P/N 83060</p>	
 <p>1-15/16" 12-14 PHILLIPS POWER BIT P/N 83027</p>	 <p>T10 TORX® INSERT BIT P/N 83054</p>	#8-10 Square Drive Power Bit" data-bbox="363 575 423 649"/> <p>1/4 x 2 #8-10 SQUARE DRIVE POWER BIT P/N 7070</p>	 <p>5/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83006</p>	 <p>6F-8R SLOTTED POWER BIT WITH FINDER P/N 83061</p>	
 <p>1" 6-8 PHILLIPS INSERT BIT P/N 83021</p>	 <p>T15 TORX® INSERT BIT P/N 83055</p>	#12-14 Square Drive Power Bit" data-bbox="363 735 423 809"/> <p>1/4 x 2 #12-14 SQUARE DRIVE POWER BIT P/N 7071</p>	 <p>3/8 x 2-9/16 MAGNETIC NUTSETTER P/N 83007</p>	 <p>10F-12R SLOTTED POWER BIT WITH FINDER P/N 83062</p>	

TRAY FRONT

A16-9





DRYWALL SCREW ASSORTMENT

P/N 17879

FEATURES:

- Attaches drywall to wood
- Superior holding power
- Easy Penetration
- Unique head design minimizes paper burrs
- No. 2 phillips drive
- Coarse thread – black phosphate finish
- Includes (2) drywall screw setters that perfects countersink drywall screws into drywall every time

1502



Drywall Screw Setter
P/N 83065

6 x 1
P/N 13000

6 x 1-1/4
P/N 13002

6 x 1-5/8
P/N 13003

7 x 2
P/N 13004



8 x 2-1/2
P/N 13006

8 x 3
P/N 13007

10 x 3-1/2
P/N 13008

10 x 4
P/N 13009

A16-10

TRAY FRONT



























CIC 200™ THREAD CUTTING SCREWS

P/N 17884

FEATURES:

- Specially designed to thread their own hole through strong, sharp threads with a minimum amount of torque
- The type F point provides cleaner threads and positive chip ejection
- Eliminates expensive tapping costs
- Special hardening process provides maximum resistance to breakage
- Washer head provides an even load bearing surface

750

 6-32 x 1/4 P/N 7033	 8-32 x 1/4 P/N 7038	 10-24 x 1/2 P/N 7005	 10-32 x 3/8 P/N 7046	 12-24 x 3/4 P/N 7054	 1/4-20 x 1 P/N 7012
 6-32 x 1/2 P/N 7035	 8-32 x 1/2 P/N 7040	 10-24 x 3/4 P/N 7006	 10-32 x 1 P/N 7047	 12-24 x 1 P/N 7055	 1/4-20 x 1-1/4 P/N 7010
 6-32 x 3/4 P/N 7036	 8-32 x 3/4 P/N 7041	 10-24 x 1 P/N 7042	 10-32 x 1-1/4 P/N 7048	 1/4-20 x 1/2 P/N 7009	 1/4-20 x 1-1/2 P/N 7013
 6-32 x 1 P/N 7037	 8-32 x 1 P/N 7000	 10-24 x 1-1/2 P/N 7044	 10-32 x 1-1/2 P/N 7049	 1/4-20 x 3/4 P/N 7011	 1/4-20 x 2 P/N 7014

A16-11

TRAY FRONT



DRIVER BIT ASSORTMENT
























P/N 17893



FEATURES:

- Nutsetters and bits are ideal for drill motors and screw guns
- Made from shock resistant tool steel and heat treated for maximum strength and hardness
- Always use the correct size bit for the screw you are driving to prevent stripping

54

 1-15/16 6-8 PHILLIPS POWER BIT P/N 83025	 1" 8-10 PHILLIPS INSERT BIT P/N 83022	 T20 TORX® INSERT BIT P/N 83056	 1/4 x 3 MAGNETIC BIT HOLDER ADAPTOR P/N 83020	 7/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83008	 5F-6R SLOTTED POWER BIT W/FINDER P/N 83060
 1-15/16 5-10 PHILLIPS POWER BIT P/N 83026	 1" 12-14 PHILLIPS INSERT BIT P/N 83023	 1/4 x 2 #6 SQUARE DRIVE POWER BIT P/N 7069	 1/4 x 2-9/16 MAGNETIC NUTSETTER P/N 83005	 6F-8R SLOTTED INSERT BIT P/N 83072	 6F-8R SLOTTED POWER BIT W/FINDER P/N 83061
 1-15/16 12-16 PHILLIPS POWER BIT P/N 83027	 T10 TORX® INSERT BIT P/N 83054	 1/4 x 2 #8-10 SQUARE DRIVE POWER BIT P/N 7070	 5/16 x 2-9/16 MAGNETIC NUTSETTER P/N 83006	 8F-10R SLOTTED INSERT BIT P/N 83073	 10F-12R SLOTTED POWER BIT W/FINDER P/N 83062
 1" 6-8 PHILLIPS INSERT BIT P/N 83021	 T15 TORX® INSERT BIT P/N 83055	 1/4 x 2 #12-14 SQUARE DRIVE POWER BIT P/N 7071	 3/8 x 2-9/16 MAGNETIC NUTSETTER P/N 83007	 10F-12R SLOTTED INSERT BIT P/N 83074	 QUICK CHANGE CHUCK ADAPTER P/N 83066

TRAY FRONT

A16-12



SECURITY BIT ASSORTMENT

FEATURES:

- Convenient assortment of the most commonly used security screw bits
- Made from shock resistant tool steel and heat treated for maximum strength and hardness
- For longest life, always use the correct bit for the screw you are driving

P/N 17964



43

<p>#4 X 1" SPANNER INSERT BIT P/N 83080</p>	<p>#6 X 1" SPANNER INSERT BIT P/N 83081</p>	<p>#8 X 1" SPANNER INSERT BIT P/N 83082</p>	<p>#10 X 1" SPANNER INSERT BIT P/N 83083</p>	<p>#12 X 1" SPANNER INSERT BIT P/N 83084</p>	<p>1/4 X 1" SPANNER INSERT BIT P/N 83085</p>
<p>T9 TORX® SECURITY INSERT BIT P/N 83091</p>	<p>T10 TORX® SECURITY INSERT BIT P/N 83092</p>	<p>T15 TORX® SECURITY INSERT BIT P/N 83093</p>	<p>T20 TORX® SECURITY INSERT BIT P/N 83094</p>	<p>T25 TORX® SECURITY INSERT BIT P/N 83095</p>	<p>T27 TORX® SECURITY INSERT BIT P/N 83096</p>
<p>T30 TORX® SECURITY INSERT BIT P/N 83097</p>	<p>T40 TORX® SECURITY INSERT BIT P/N 83098</p>	<p>3/32 HEX-LOCK DRIVER BIT P/N 44203</p>	<p>1/8 HEX-LOCK DRIVER BIT P/N 44204</p>	<p>5/32 HEX-LOCK DRIVER BIT P/N 44206</p>	<p>3/16 HEX-LOCK DRIVER BIT P/N 44207</p>
<p>7/32 HEX-LOCK DRIVER BIT P/N 44208</p>	<p>#6 TRI-WING INSERT BIT W3 P/N 83122</p>	<p>#8 TRI-WING INSERT BIT W4 P/N 83123</p>	<p>#10 TRI-WING INSERT BIT W5 P/N 83124</p>	<p>#2 PHILLIPS PIN HEAD INSERT BIT P/N 83120</p>	<p>#3 PHILLIPS PIN HEAD INSERT BIT P/N 83121</p>

A16-13

TRAY FRONT



POWER BIT ASSORTMENT



































FEATURES:

- Convenient assortment of the most commonly used power bits
- Made from shock resistant tool steel and heat treated for maximum strength and hardness
- For longest life, always use the correct size bit for the screw you are driving.

P/N 17965



30

<p>EXPANSION</p>	 <p>1/4" x 3" SLOTTED POWER BIT P/N 83046</p> 	 <p>1/4" x 6" SLOTTED POWER BIT P/N 83047</p> 
<p>QUICK CHANGE CHUCK ADAPTER P/N 83066</p>  	 <p>5/16" x 3" SLOTTED POWER BIT P/N 83048</p> 	 <p>5/16" x 6" SLOTTED POWER BIT P/N 83049</p> 
 <p>1-15/16" 2-4 PHILLIPS POWER BIT P/N 83025</p> 	 <p>2-3/4" 6-8 PHILLIPS POWER BIT P/N 83030</p> 	 <p>6" 6-8 PHILLIPS POWER BIT P/N 83041</p> 
 <p>1-15/16" 5-10 PHILLIPS POWER BIT P/N 83026</p> 	 <p>2-3/4" 8-10 PHILLIPS POWER BIT P/N 83031</p> 	 <p>6" 8-10 PHILLIPS POWER BIT P/N 83042</p> 
 <p>1-15/16" 12-16 PHILLIPS POWER BIT P/N 83027</p> 	 <p>2-3/4" 12-14 PHILLIPS POWER BIT P/N 83032</p> 	 <p>6" 12-14 PHILLIPS POWER BIT P/N 83043</p> 
 <p>1/4" x 2-1/4" MAGNETIC BIT HOLDER ADAPTER P/N 83018</p> 	 <p>1/4" x 3" MAGNETIC BIT HOLDER ADAPTER P/N 83020</p> 	 <p>1/4" x 6" MAGNETIC BIT HOLDER P/N 83019</p> 

A16-14

TRAY FRONT



BUTTON HEAD TORX® S/S T/R MACHINE SCREWS

FEATURES

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Uniformly threaded screws designed to be threaded into nuts or holes
- Sizes 6-32 to 1/4-20
- Insert Bits T10 to T27

P/N 17670



189

8 82503 12098 6 6-32 X 1/2 P/N 43807	8 82503 12106 8 8-32 X 1/2 P/N 43815	8 82503 12114 3 10-24 X 1/2 P/N 43823	8 82503 12122 8 10-32 X 1/2 P/N 43831	8 82503 12132 7 1/4-20 X 3/4 P/N 43841	8 82503 83092 2 T10 SECURITY INSERT BIT P/N 83092
8 82503 12100 6 6-32 X 3/4 P/N 43809	8 82503 12107 5 8-32 X 3/4 P/N 43816	8 82503 12116 7 10-24 X 3/4 P/N 43825	8 82503 12124 2 10-32 X 3/4 P/N 43833	8 82503 12133 4 1/4-20 X 1 P/N 43842	8 82503 83093 9 T15 SECURITY INSERT BIT P/N 83093
8 82503 12101 3 6-32 X 1 P/N 43810	8 82503 12108 2 8-32 X 1 P/N 43817	8 82503 12117 4 10-24 X 1 P/N 43826	8 82503 12125 9 10-32 X 1 P/N 43834	8 82503 12135 8 1/4-20 X 1-1/2 P/N 43844	8 82503 83095 3 T25 SECURITY INSERT BIT P/N 83095
8 82503 12102 0 6-32 X 1-1/2 P/N 43811	8 82503 12109 9 8-32 X 1-1/4 P/N 43818	8 82503 12119 8 10-24 X 1-1/2 P/N 43828	8 82503 12127 3 10-32 X 1-1/2 P/N 43836	8 82503 12137 2 1/4-20 X 2 P/N 43846	8 82503 83096 0 T27 SECURITY INSERT BIT P/N 83096

A16-15

TRAY FRONT



FLAT HEAD TORX® S/S T/R MACHINE SCREWS

FEATURES

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Uniformly threaded screws designed to be threaded into nuts or holes
- Sizes 8-32 to 1/4-20
- Security Insert Bits T20 to T30

PN 17671



183

 8-32 X 1/2 P/N 43888	 10-24 X 1/2 P/N 43896	 10-32 X 1/2 P/N 43903	 12-24 X 1/2 P/N 43908	 1/4-20 X 1 P/N 43915	 T20 SECURITY INSERT BIT P/N 83094
 8-32 X 3/4 P/N 43890	 10-24 X 3/4 P/N 43898	 10-32 X 3/4 P/N 43904	 12-24 X 3/4 P/N 43909	 1/4-20 X 1-1/4 P/N 43916	 T25 SECURITY INSERT BIT P/N 83095
 8-32 X 1 P/N 43891	 10-24 X 1 P/N 43899	 10-32 X 1 P/N 43905	 12-24 X 1 P/N 43910	 1/4-20 X 1-1/2 P/N 43917	 T30 SECURITY INSERT BIT P/N 83097
 8-32 X 1-1/2 P/N 43893	 10-24 X 1-1/2 P/N 43901	 10-32 X 1-1/2 P/N 43907	 1/4-20 X 3/4 P/N 43914	 1/4-20 X 2 P/N 43919	EXPANSION

A16-16

TRAY FRONT



BUTTON HEAD TORX® S/S T/R SHEET METAL SCREWS

FEATURES

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Designed to join thin pieces of metal to wood, fiberglass or metal
- For general repair
- Sizes 6 to 14
- Insert Bits T10 to T27

P/N 17672



194

 6 X 1/2 P/N 43850	 8 X 3/8 P/N 43855	 8 X 1-1/2 P/N 43860	 10 X 1-1/2 P/N 43866	 14 X 1/2 P/N 43872	 T10 SECURITY INSERT BIT P/N 83092
 6 X 3/4 P/N 43851	 8 X 1/2 P/N 43856	 10 X 1/2 P/N 43861	 12 X 3/4 P/N 43868	 14 X 3/4 P/N 43873	 T15 SECURITY INSERT BIT P/N 83093
 6 X 1 P/N 43852	 8 X 3/4 P/N 43857	 10 X 3/4 P/N 43863	 12 X 1 P/N 43869	 14 X 1 P/N 43874	 T25 SECURITY INSERT BIT P/N 83095
 6 X 1-1/2 P/N 43853	 8 X 1 P/N 43858	 10 X 1 P/N 43864	 12 X 1-1/2 P/N 43871	 14 X 1-1/2 P/N 43876	 T27 SECURITY INSERT BIT P/N 83096

A16-17

TRAY FRONT



FLAT HEAD TORX® S/S T/R SHEET METAL SCREWS

FEATURES

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Designed to join thin pieces of metal to wood, fiberglass or metal
- For general repair
- Sizes 6 to 14
- Insert Bits T15 to T30

P/N 17673



189

8 82503 12208 9 6 X 1/2 P/N 43925	8 82503 12213 3 8 X 1/2 P/N 43930	8 82503 12218 8 8 X 1-1/2 P/N 43935	8 82503 12222 5 10 X 1 P/N 43939	8 82503 12226 3 14 X 3/4 P/N 43943	T15 SECURITY INSERT BIT P/N 83093
8 82503 12210 2 6 X 3/4 P/N 43927	8 82503 12215 7 8 X 3/4 P/N 43932	8 82503 12219 5 8 X 2 P/N 43936	8 82503 12223 2 10 X 1-1/4 P/N 43940	8 82503 12227 0 14 X 1 P/N 43944	T20 SECURITY INSERT BIT P/N 83094
8 82503 12211 9 6 X 1 P/N 43928	8 82503 12216 4 8 X 1 P/N 43933	8 82503 12220 1 10 X 1/2 P/N 43937	8 82503 12224 9 10 X 1-1/2 P/N 43941	8 82503 12228 7 14 X 1-1/4 P/N 43945	T25 SECURITY INSERT BIT P/N 83095
882503122126 6 X 1-1/2 P/N 43929	8 82503 12217 1 8 X 1-1/4 P/N 43934	8 82503 12221 8 10 X 3/4 P/N 43938	8 82503 12225 6 14 X 5/8 P/N 43942	8 82503 12229 4 14 X 1-1/2 P/N 43946	T30 SECURITY INSERT BIT P/N 83097

A16-18

TRAY FRONT



PAN HEAD TORX® 410 S/S T/R SELF DRILLING SCREWS























FEATURES

- High quality TORX® Stainless Steel Tamper Resistant (T/R) Security Screws
- Eliminates separate drilling and tapping operations
- Provides sharp, clean and consistent drill point, excellent thread engagement and holding power
- Sizes 8-18 and 10-16
- Insert Bits T20 and T25

P/N 17674



92

  <p>8-18 X 1/2 P/N 43950</p>	  <p>10-16 X 1/2 P/N 43954</p>	  <p>10-16 X 1-1/2 P/N 43958</p>	  <p>T20 SECURITY INSERT BIT P/N 83094</p>
  <p>8-18 X 3/4 P/N 43951</p>	  <p>10-16 X 3/4 P/N 43955</p>	<p style="text-align: center; font-size: 2em; opacity: 0.5;">EXPANSION</p>	  <p>T25 SECURITY INSERT BIT P/N 83095</p>
  <p>8-18 X 1 P/N 43952</p>	  <p>10-16 X 1 P/N 43956</p>	<p style="text-align: center; font-size: 2em; opacity: 0.5;">EXPANSION</p>	<p style="text-align: center; font-size: 2em; opacity: 0.5;">EXPANSION</p>
  <p>8-18 X 1-1/4 P/N 43953</p>	  <p>10-16 X 1-1/4 P/N 43957</p>	<p style="text-align: center; font-size: 2em; opacity: 0.5;">EXPANSION</p>	<p style="text-align: center; font-size: 2em; opacity: 0.5;">EXPANSION</p>

A16-19

TRAY FRONT