




CIC 200™ METRIC SET SCREW ASSORTMENT WITH HEX KEYS

P/N 7768

FEATURES:

- Alloy steel
- Thermal black oxide finish
- Multiple heat-treated
- Meets ISO grade 12.9 property class specifications

429

 4 x 12mm P/N 67740	 5 x 12mm P/N 67768	 6 x 12mm P/N 67796	 8 x 12mm P/N 67824	 10 x 30mm P/N 67860	 (Not Actual Size) 4mm KEY FOR 8mm SCREW P/N 64307
 4 x 10mm P/N 67738	 5 x 10mm P/N 67766	 6 x 10mm P/N 67794	 8 x 10mm P/N 67822	 10 x 20mm P/N 67856	 (Not Actual Size) 3mm KEY FOR 6mm SCREW P/N 64306
 4 x 8mm P/N 67736	 5 x 8mm P/N 67764	 6 x 8mm P/N 67792	 8 x 8mm P/N 67820	 10 x 12mm P/N 67852	 (Not Actual Size) 2.5mm KEY FOR 5mm SCREW P/N 64305
 4 x 6mm P/N 67734	 5 x 6mm P/N 67762	 6 x 6mm P/N 67790	 6 x 20mm P/N 67800	 8 x 20mm P/N 67828	 (Not Actual Size) 5mm KEY FOR 10mm SCREW P/N 64308  (Not Actual Size) 2mm KEY FOR 4mm SCREW P/N 64304

A33-1

TRAY FRONT



























CIC 200™ METRIC PAN HEAD MACHINE SCREW ASSORTMENT WITH HEX NUTS AND LOCKWASHERS

P/N 7769

FEATURES:

- Precision, burr-free threads for exact fit
- Special chromate plating eliminates rust and corrosion

1895

 6mm x 10mm 1.0 THREAD PITCH P/N 67980	 6mm x 20mm 1.0 THREAD PITCH P/N 67986	 6mm x 30mm 1.0 THREAD PITCH P/N 67990	 6mm x 40mm 1.0 THREAD PITCH P/N 67994	 6mm x 1.0 P/N 67312	 6mm P/N 67372
 5mm x 10mm .80 THREAD PITCH P/N 67950	 5mm x 20mm .80 THREAD PITCH P/N 67956	 5mm x 30mm .80 THREAD PITCH P/N 67960	 5mm x 40mm .80 THREAD PITCH P/N 67964	 5mm x .80 P/N 67310	 5mm P/N 67370
 4mm x 10mm .70 THREAD PITCH P/N 67922	 4mm x 20mm .70 THREAD PITCH P/N 67928	 4mm x 30mm .70 THREAD PITCH P/N 67932	 4mm x 40mm .70 THREAD PITCH P/N 67936	 4mm x .70 P/N 67308	 4mm P/N 67368
 3mm x 8mm .50 THREAD PITCH P/N 67902	 3mm x 12mm .50 THREAD PITCH P/N 67906	 3mm x 20mm .50 THREAD PITCH P/N 67910	 3mm x 30mm .50 THREAD PITCH P/N 67914	 3mm x .50 P/N 67304	 3mm P/N 67364

A332

TRAY FRONT



























CIC 200™ METRIC FLAT HEAD MACHINE SCREW ASSORTMENT P/N 17774

FEATURES:

- Precision, burr-free threads for exact fit
- For faster application without slippage using a screw gun, drill motor or screwdriver
- Special chromate plating eliminates rust and corrosion for easier removal

1945

 3mm x 8mm P/N 68045	 3mm x 12mm P/N 68049	 3mm x 20mm P/N 68053	 3mm x 30mm P/N 68057	 3mm LOCKWASHER P/N 67364	 3mm HEX NUT P/N 67304
 4mm x 10mm P/N 68063	 4mm x 20mm P/N 68069	 4mm x 30mm P/N 68073	 4mm x 40mm P/N 68077	 4mm LOCKWASHER P/N 67368	 4mm HEX NUT P/N 67308
 5mm x 10mm P/N 68091	 5mm x 20mm P/N 68097	 5mm x 30mm P/N 68101	 5mm x 40mm P/N 68105	 5mm LOCKWASHER P/N 67370	 5mm HEX NUT P/N 67310
 6mm x 10mm P/N 68121	 6mm x 20mm P/N 68127	 6mm x 30mm P/N 68131	 6mm x 40mm P/N 68135	 6mm LOCKWASHER P/N 67372	 6mm HEX NUT P/N 67312

A33-3

TRAY FRONT



























METRIC PHILLIPS PAN HEAD MACHINE SCREW ASSORTMENT P/N 17773

FEATURES:


- Manufactured to DIN7985
- Property class 4.8
- Zinc Plated

1895

 3mm x 8mm P/N 67903	 3mm x 12mm P/N 67907	 3mm x 20mm P/N 67911	 3mm x 30mm P/N 67915	 3mm LOCKWASHER P/N 67364	 3mm HEX NUT P/N 67304
 4mm x 10 mm P/N 67923	 4mm x 20mm P/N 67929	 4mm x 30mm P/N 67933	 4mm x 40mm P/N 67937	 4mm LOCKWASHER P/N 67368	 4mm HEX NUT P/N 67308
 5mm x 10mm P/N 67951	 5mm x 20mm P/N 67957	 5mm x 30mm P/N 67961	 5mm x 40mm P/N 67965	 5mm LOCKWASHER P/N 67370	 5mm HEX NUT P/N 67310
 6mm x 10mm P/N 67981	 6mm x 20mm P/N 67987	 6mm x 30mm P/N 67991	 6mm x 40mm P/N 67995	 6mm LOCKWASHER P/N 67372	 6mm HEX NUT P/N 67312

A334

TRAY FRONT



























CIC 200 METRIC SOCKET HEAD CAP SCREW ASSORTMENT

P/N 17789

FEATURES:

- Medium carbon steel
- Meets ISO grade 12.9 property class specifications
- Multiple heat-treated
- ISO Grade 12.9 - DIN 912

370

 4mm x 8mm P/N 67452	 4mm x 10mm P/N 67454	 4mm x 12mm P/N 67456	 4mm x 16mm P/N 67458	 4mm x 20mm P/N 67460	 4mm x 25mm P/N 67462
 5mm x 10mm P/N 67482	 5mm x 12mm P/N 67484	 5mm x 16mm P/N 67486	 5mm x 20mm P/N 67488	 5mm x 25mm P/N 67490	 5mm x 30mm P/N 367492
 6mm x 10mm P/N 67512	 6mm x 12mm P/N 67514	 6mm x 16mm P/N 67516	 6mm x 20mm P/N 67518	 6mm x 25mm P/N 67520	 6mm x 30mm P/N 67522
 8mm x 16mm P/N 67544	 8mm x 20mm P/N 67546	 8mm x 25mm P/N 67548	 8mm x 30mm P/N 67550	 8mm x 35mm P/N 67552	 8mm x 40mm P/N 67554

TRAY FRONT

A33-5


















METRIC HEX JAM NUT ASSORTMENT

P/N 17798

FEATURES:

- Property Class 04
- Tolerance 6H
- Black Finish
- ISO 4035-1979 and DIN 439B

855

 2mm x 0.40 P/N 15980	 2.5mm x 0.45 P/N 15981	 3mm x 0.50 P/N 15982	 4mm x 0.70 P/N 15983
 5mm x 0.80 P/N 15984	 6mm x 1.00 P/N 15985	 8mm x 1.25 P/N 15986	 10mm x 1.50 P/N 15987
 12mm x 1.75 P/N 15988	 14mm x 2.00 P/N 15989	 16mm x 2.00 P/N 15990	 18mm x 2.50 P/N 15991
 20mm x 2.50 P/N 15992	 22mm x 2.50 P/N 15993	 24mm x 3.00 P/N 15994	

A336

TRAY FRONT



CIC 150 METRIC BUTTON HEAD SOCKET CAP SCREWS (3mm x 6mm to 6mm x 30mm)

FEATURES:

- Property Class 10.9 Black Finish
- RC 38-44 and DIN 7380

REFERENCE DATA				
DIAMETER	3mm	4mm	5mm	6mm
THREAD PITCH	0.50	0.70	0.80	1.00
HEX KEY SIZE	2mm	2.5mm	3mm	4mm

P/N 17812

 3mm x 6mm P/N 69600	 3mm x 8mm P/N 69601	 3mm x 10mm P/N 69602	 3mm x 12mm P/N 69603
 4mm x 8mm P/N 69605	 4mm x 10mm P/N 69606	 4mm x 12mm P/N 69607	 4mm x 16mm P/N 69608
 5mm x 10mm P/N 69609	 5mm x 12mm P/N 69610	 5mm x 16mm P/N 69611	 5mm x 20mm P/N 69612
 5mm x 25mm P/N 69613	 5mm x 30mm P/N 69614	 6mm x 10mm P/N 69615	 6mm x 12mm P/N 69616
 6mm x 16mm P/N 69617	 6mm x 20mm P/N 69618	 6mm x 25mm P/N 69619	 6mm x 30mm P/N 69620

TRAY FRONT

575

A337























CIC 150 METRIC BUTTON HEAD SOCKET CAP SCREWS (8mm x 10mm to 12mm x 40mm)

FEATURES:


- Property Class 10.9 Black Finish
- RC 38-44 and DIN 7380

REFERENCE DATA			
DIAMETER	8mm	10mm	12mm
THREAD PITCH	1.25	1.50	1.75
HEX KEY SIZE	5mm	6mm	8mm

P/N 17813

 8mm x 10mm P/N 69621	 8mm x 12mm P/N 69622	 8mm x 16mm P/N 69623	 8mm x 20mm P/N 69624
 8mm x 25mm P/N 69625	 8mm x 30mm P/N 69626	 8mm x 35mm P/N 69627	 8mm x 40mm P/N 69628
 10mm x 16mm P/N 69629	 10mm x 20mm P/N 69630	 10mm x 25mm P/N 69631	 10mm x 30mm P/N 69632
 10mm x 35mm P/N 69633	 10mm x 40mm P/N 69634	 12mm x 16mm P/N 69635	 12mm x 20mm P/N 69636
 12mm x 25mm P/N 69637	 12mm x 30mm P/N 69638	 12mm x 35mm P/N 69639	 12mm x 40mm P/N 69640

TRAY FRONT



























CIC 150 METRIC SOCKET HEAD CAP SCREW ASSORTMENT P/N 17817

FEATURES:

- Multiple heat-treated black finish
- Meets ISO grade 12.9 property class specifications
- DIN 912-12 • Coarse thread pitch


REFERENCE DATA				
DIAMETER	4mm	5mm	6mm	8mm
THREAD PITCH	0.70	0.80	1.00	1.25
HEX KEY SIZE	3mm	4mm	5mm	6mm

490

 4mm x 8mm P/N 66724	 4mm x 10mm P/N 66725	 4mm x 12mm P/N 66726	 4mm x 16mm P/N 66727	 4mm x 20mm P/N 66728	 4mm x 25mm P/N 66729
 5mm x 10mm P/N 66734	 5mm x 12mm P/N 66735	 5mm x 16mm P/N 66736	 5mm x 20mm P/N 66737	 5mm x 25mm P/N 66738	 5mm x 30mm P/N 66739
 6mm x 10mm P/N 66745	 6mm x 12mm P/N 66746	 6mm x 16mm P/N 66747	 6mm x 20mm P/N 66748	 6mm x 25mm P/N 66749	 6mm x 30mm P/N 66750
 8mm x 16mm P/N 66759	 8mm x 20mm P/N 66760	 8mm x 25mm P/N 66761	 8mm x 30mm P/N 66762	 8mm x 35mm P/N 66763	 8mm x 40mm P/N 66764

A339

TRAY FRONT



























METRIC 8.8 ZINC COARSE THREAD HEX HEAD CAP SCREW ASSORTMENT

P/N 17831

FEATURES:


- Zinc Plated
- Meets ISO property class specifications

960

 8mm x 1.25 x 16mm P/N 69185	 8mm x 1.25 x 25mm P/N 69188	 8mm x 1.25 x 30mm P/N 69189	 8mm x 1.25 x 40mm P/N 69191	 8mm x 1.25 x 50mm P/N 69193	 10mm x 1.50 x 20mm P/N 69216
 10mm x 1.50 x 25mm P/N 69217	 10mm x 1.50 x 30mm P/N 69218	 10mm x 1.50 x 40mm P/N 69220	 10mm x 1.50 x 50mm P/N 69222	 12mm x 1.75 x 20mm P/N 69244	 12mm x 1.75 x 25mm P/N 69245
 12mm x 1.75 x 30mm P/N 69246	 12mm x 1.75 x 40mm P/N 69248	 12mm x 1.75 x 50mm P/N 69250	 8mm x 1.25 Hex Nut P/N 66889	 10mm x 1.50 Hex Nut P/N 66890	 12mm x 1.75 Hex Nut P/N 66891
 8mm Flat Washer P/N 67344	 10mm Flat Washer P/N 67346	 12mm Flat Washer P/N 67348	 8mm Lock Washer P/N 67376	 10mm Lock Washer P/N 67378	 12mm Lock Washer P/N 67380

TRAY FRONT

A339



























METRIC 8.8 ZINC FINE THREAD HEX HEAD CAP SCREW ASSORTMENT

P/N 17834

FEATURES:

- Zinc Plated
- Meets ISO property class specifications

825

 8mm Lock Washer P/N 67376	 10mm Lock Washer P/N 67378	 12mm Lock Washer P/N 67380	 8mm Flat Washer P/N 67344	 10mm Flat Washer P/N 67346	 12mm Flat Washer P/N 67348
 8mm x 1.00 Hex Nut P/N 66893	 8mm x 1.00 x 16mm P/N 69201	 8mm x 1.00 x 25mm P/N 69203	 8mm x 1.00 x 30mm P/N 69204	 8mm x 1.00 x 40mm P/N 69206	 8mm x 1.00 x 50mm P/N 69207
 10mm x 1.25 Hex Nut P/N 66894	 10mm x 1.25 x 20mm P/N 69886	 10mm x 1.25 x 25mm P/N 69887	 10mm x 1.25 x 30mm P/N 69888	 10mm x 1.25 x 40mm P/N 69890	 10mm x 1.25 x 50mm P/N 69892
 12mm x 1.50 Hex Nut P/N 66895	 12mm x 1.50 x 20mm P/N 69955	 12mm x 1.50 x 25mm P/N 69956	 12mm x 1.50 x 30mm P/N 69957	 12mm x 1.50 x 40mm P/N 69959	 12mm x 1.50 x 50mm P/N 69961

TRAY FRONT

A33-10



METRIC HEX HEAD CAP SCREW ASSORTMENT

P/N 17865

CAP SCREW FEATURES:

- Zinc plated
- Medium carbon alloy steel
- Multiple heat-treated
- Meets ISO property class 8.8 specifications

























HEX NUT FEATURES:

- Zinc plated – DIN 934
- Multiple heat-treated carbon steel
- Property class 8

LOCK WASHER AND

- FLAT WASHER FEATURES:**
- Zinc plated – DIN 127B and 125
 - Multiple heat-treated carbon steel

825

 4mm Lock Washer P/N 67368	 5mm Lock Washer P/N 67370	 6mm Lock Washer P/N 67372	 4mm Flat Washer P/N 67336	 5mm Flat Washer P/N 67338	 6mm Flat Washer P/N 67340
 4mm x 0.7 Hex Nut P/N 67308	 4mm x 12mm P/N 67034	 4mm x 16mm P/N 67038	 4mm x 20mm P/N 67040	 4mm x 25mm P/N 67042	 4mm x 30mm P/N 67044
 5mm x 0.8 Hex Nut P/N 67310	 5mm x 12mm P/N 67064	 5mm x 16mm P/N 67068	 5mm x 20mm P/N 67070	 5mm x 25mm P/N 67072	 5mm x 30mm P/N 67074
 6mm x 1.00 Hex Nut P/N 66888	 6mm x 12mm P/N 69153	 6mm x 16mm P/N 69155	 6mm x 20mm P/N 69157	 6mm x 25mm P/N 69388	 6mm x 30mm P/N 69159

A33-11

TRAY FRONT



























CIC 200™ METRIC SOCKET SET SCREW ASSORTMENT

P/N 17900

FEATURES:

- Alloy steel
- Thermal black oxide finish
- Multiple heat-treated
- Meets ISO grade 12.9 property class specifications

523

 3 x 3mm P/N 67700	 4 x 6mm P/N 67734	 5 x 6mm P/N 67762	 6 x 6mm P/N 67790	 6 x 20mm P/N 67800	 8 x 20mm P/N 67828
 3 x 4mm P/N 67702	 4 x 8mm P/N 67736	 5 x 8mm P/N 67764	 6 x 8mm P/N 67792	 8 x 8mm P/N 67820	 10 x 12mm P/N 67852
 3 x 6mm P/N 67706	 4 x 10mm P/N 67738	 5 x 10mm P/N 67766	 6 x 10mm P/N 67794	 8 x 10mm P/N 67822	 10 x 20mm P/N 67856
 3 x 10mm P/N 67710	 4 x 12mm P/N 67740	 5 x 12mm P/N 67768	 6 x 12mm P/N 67796	 8 x 12mm P/N 67824	 10 x 30mm P/N 67860

A33-12













TRAY FRONT

FEATURES:

- Zinc plated
- Chromate protective plating
- Reusable
- Property Class 8 – Din 985
- One-piece nylon insert for positive 360° locking

339

A33-13

 2.5mm x 0.45 P/N 67389	 3mm x 0.50 P/N 67390	 4mm x 0.70 P/N 67392	 5mm x 0.80 P/N 67394
 6mm x 1.00 P/N 67396	 8mm x 1.25 P/N 67398	 10mm x 1.50 P/N 67400	 12mm x 1.75 P/N 67402
 14mm x 2.00 P/N 67404	 16mm x 2.00 P/N 67406	 20mm x 2.50 P/N 67410	 24mm x 3.00 P/N 67412

TRAY FRONT



CIC 200™ METRIC FLAT HEAD SOCKET CAP SCREWS (3mm x 6mm to 6mm x 30mm)

FEATURES:

- Property Class 10.9 Black Finish
- RC 38-44 and DIN 7380

REFERENCE DATA				
DIAMETER	3mm	4mm	5mm	6mm
THREAD PITCH	0.50	0.70	0.80	1.00
HEX KEY SIZE	2mm	2.5mm	3mm	4mm

P/N 17956

373

 3mm x 6mm P/N 68700	 3mm x 8mm P/N 68701	 3mm x 10mm P/N 68702	 3mm x 12mm P/N 68703
 4mm x 8mm P/N 68707	 4mm x 10mm P/N 68708	 4mm x 12mm P/N 68709	 4mm x 16mm P/N 68710
 5mm x 10mm P/N 68717	 5mm x 12mm P/N 68718	 5mm x 16mm P/N 68719	 5mm x 20mm P/N 68720
 5mm x 25mm P/N 68721	 5mm x 30mm P/N 68722	 6mm x 10mm P/N 68726	 6mm x 12mm P/N 68727
 6mm x 16mm P/N 68728	 6mm x 20mm P/N 68729	 6mm x 25mm P/N 68730	 6mm x 30mm P/N 68731

A33-14

TRAY FRONT



CIC 200™ METRIC FLAT HEAD SOCKET CAP SCREWS (8mm x 12mm to 12mm x 40mm)





















FEATURES:

- Property Class 10.9 Black Finish
- RC 38-44 and DIN 7380

REFERENCE DATA			
DIAMETER	8mm	10mm	12mm
THREAD PITCH	1.25	1.50	1.75
HEX KEY SIZE	5mm	6mm	8mm

P/N 17957

183

 8mm x 12mm P/N 68736	 8mm x 16mm P/N 68737	 8mm x 20mm P/N 68738	 8mm x 25mm P/N 68739
 8mm x 30mm P/N 68740	 8mm x 35mm P/N 68741	 8mm x 40mm P/N 68742	 8mm x 50mm P/N 68744
 10mm x 16mm P/N 68747	 10mm x 20mm P/N 68748	 10mm x 25mm P/N 68749	 10mm x 30mm P/N 68750
 10mm x 35mm P/N 68751	 10mm x 40mm P/N 68752	 10mm x 50mm P/N 68754	 12mm x 20mm P/N 68757
 12mm x 25mm P/N 68758	 12mm x 30mm P/N 68759	 12mm x 35mm P/N 68760	 12mm x 40mm P/N 68761

























TRAY FRONT

A33-15

FEATURES:

- Washers are precision stamped to exacting tolerance
- Special Chromate plating for corrosion resistance

2800

 3mm LOCKWASHER P/N 67364	 4mm LOCKWASHER P/N 67368	 5mm LOCKWASHER P/N 67370	 6mm LOCKWASHER P/N 67372	 8mm LOCKWASHER P/N 67376	 10mm LOCKWASHER P/N 67378
 3mm FLATWASHER P/N 67334	 4mm FLATWASHER P/N 67336	 5mm FLATWASHER P/N 67338	 6mm FLATWASHER P/N 67340	 8mm FLATWASHER P/N 67344	 10mm FLATWASHER P/N 67346
 3mm x 0.5 HEX NUT 8.8 ZINC P/N 67304	 4mm x 0.7 HEX NUT 8.8 ZINC P/N 67308	 5mm x 0.8 HEX NUT 8.8 ZINC P/N 67310	 6mm x 1.00 HEX NUT 8.8 ZINC P/N 66888	 8mm x 1.25 HEX NUT 8.8 ZINC P/N 66889	 10mm x 1.50 HEX NUT 8.8 ZINC P/N 66890
 3mm x 0.5 NYLON INSERT LOCK NUT P/N 67390	 4mm x 0.7 NYLON INSERT LOCK NUT P/N 67392	 5mm x 0.8 NYLON INSERT LOCK NUT P/N 67394	 6mm x 1.00 NYLON INSERT LOCK NUT P/N 67396	 8mm x 1.25 NYLON INSERT LOCK NUT P/N 67398	 10mm x 1.50 NYLON INSERT LOCK NUT P/N 67400

A33-16

TRAY FRONT